

poultry



Slaughtered under Federal Inspection and
Poultry Used in Further Processing

January 1973

Release
March 2, 1973
3:00 P. M. EST

Inspected Poultry - There were 1,096 million pounds live weight of poultry (chickens, turkeys, and ducks) inspected for slaughter during January 1973 under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 2 percent more than the previous month and 7 percent above January 1972.

The number of head and pounds live weight inspected by classes were: young chickens -- 248,255,000 head, 928,010,000 pounds; mature chickens -- 17,032,000 head, 74,691,000 pounds; fryer-roaster turkeys -- 944,000 head, 8,727,000 pounds; young turkeys--3,599,000 head, 79,778,000 pounds; old turkeys -- 65,000 head, 1,270,000 pounds; and ducks -- 572,000 head, 3,595,000 pounds.

Poultry Certified Wholesome in January totaled 781,208,000 pounds ready-to-cook weight--up 1 percent from December and 8 percent more than January 1972. The January 1973 total consisted of 660,339,000 pounds of chilled and 120,869,000 pounds of frozen poultry. Pounds certified by class of poultry were: young chickens, 662,074,000; mature chickens, 46,709,000; fryer-roaster turkeys, 6,722,000; young turkeys, 61,954,000; old turkeys, 981,000; ducks, 2,606,000; and other poultry 162,000.


Further Processed - Poultry inspected and used for further processing totaled 136,147,000 pounds ready-to-cook weight - 8 percent more than December and 20 percent more than January 1972. The January 1973 total consisted of 40,124,000 pounds young chickens, 42,638,000 pounds mature chickens, 43,200,000 pounds turkeys and 10,185,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 285,747,000 pounds ready-to-cook weight--36 percent more than December and 41 percent more than January 1972. The breakdown by class was: young chickens, 262,756,000 pounds; mature chickens, 602,000 pounds; turkeys, 22,269,000 pounds; and othe poultry 120,000 pounds.

Ante-Mortem Condemnations during January were 5,487,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens 0.46; mature chickens 1.14; fryer-roaster turkeys 0.31; young turkeys 0.37; old turkeys 0.19; and ducks 0.04.

Post-Mortem Condemnations in January were 33,055,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 3.10; mature chickens, 6.46; fryer-roaster turkeys, 1.80; young turkeys, 3.74; old turkeys, 5.59; and ducks, 2.12.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE CROP REPORTING BOARD
Pou 2-1 (3-73) WASHINGTON, D.C. 20250



POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1973 WITH COMPARISONS


NUMBER INSPECTED	: YOUNG : MATURE :		: CHICKENS : CHICKENS/ :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TURKEYS :		: TOTAL :		: OTHER :	
	3/	4/	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
DECEMBER	217,210	816,187	13,809	62,159	231,019	878,346	1,027	9,580	8,848	531	194,796	9,904	717	---
JANUARY	231,207	865,719	18,204	78,336	249,411	944,055	933	8,748	2,846	775	3,816	3,816	446	---
JANUARY	248,255	928,010	17,032	74,691	265,287	1,002,701	944	8,727	3,599	1,270	4,608	4,608	572	---
POUNDS INSPECTED	816,187	2,696	62,159	1,000	878,346	2,696	9,580	18,10	184,685	531	194,796	19,67	4,384	552
DECEMBER	816,187	2,696	62,159	1,000	878,346	2,696	9,580	18,10	184,685	531	194,796	19,67	4,384	552
JANUARY	865,719	2,696	78,336	1,000	944,055	2,696	8,748	20,76	64,535	775	74,058	19,41	2,848	259
JANUARY	928,010	2,696	74,691	1,000	1,002,701	2,696	8,727	19,61	79,778	1,270	89,775	19,48	3,595	302
AVERAGE LIVEWEIGHTS/	3.76	4.50	4.30	3.80	3.80	3.80	9.33	20.87	20.87	18.10	19.67	6.11	---	---
DECEMBER	3.76	4.50	4.30	3.80	3.80	3.80	9.33	20.87	20.87	18.10	19.67	6.11	---	---
JANUARY	3.74	4.30	4.30	3.79	3.79	3.79	9.38	22.67	22.67	20.76	19.41	6.39	---	---
JANUARY	3.74	4.39	4.39	3.78	3.78	3.78	9.25	22.17	22.17	19.61	19.48	6.28	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
 DECEMBER 1972, 2,696; JANUARY 1972, 2,377; AND JANUARY 1973, 2,765.
 2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
 DECEMBER 1972, 25; JANUARY 1972, 67; AND JANUARY 1973, 99.
 3/ THOUSANDS. 4/ 1,000 POUNDS. 5/ POUNDS.

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JANUARY 1973 WITH COMPARISONS 1/

DECEMBER	: YOUNG : MATURE :		: CHICKENS : CHICKENS/ :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TURKEYS :		: TOTAL :		: OTHER :	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
CHILLED	526,186	600,754	31,353	38,922	557,539	596,774	2,063	1,082	49,840	148	52,051	414	41	610,045
FROZEN	56,048	61,320	7,478	10,306	63,526	68,521	5,394	5,678	94,996	262	100,652	2,775	299	167,252
TOTAL	582,234	662,074	38,831	49,228	621,065	665,295	7,457	6,760	144,836	410	152,703	3,189	340	777,297
JANUARY	557,852	600,754	38,922	38,922	596,774	596,774	1,082	1,082	13,520	73	14,675	105	29	611,583
CHILLED	557,852	600,754	38,922	38,922	596,774	596,774	1,082	1,082	13,520	73	14,675	105	29	611,583
FROZEN	58,215	61,320	10,306	8,426	68,521	69,746	5,678	5,678	36,769	521	42,968	1,969	108	113,566
TOTAL	616,067	662,074	49,228	47,348	665,295	666,520	6,760	6,760	50,289	594	57,643	2,074	137	725,149
JANUARY	600,754	662,074	38,283	46,709	639,037	708,783	1,159	1,159	19,974	6	21,139	134	29	660,339
CHILLED	600,754	662,074	38,283	46,709	639,037	708,783	1,159	1,159	19,974	6	21,139	134	29	660,339
FROZEN	61,320	61,320	8,426	8,426	69,746	69,746	5,678	5,678	41,980	975	48,518	2,472	133	120,869
TOTAL	662,074	662,074	46,709	55,135	708,783	778,529	6,722	6,722	61,954	981	69,657	2,606	162	781,208

1/ 1,000 POUNDS.



POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1973 WITH COMPARISONS 3/

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	OTHER : DUCKS	TOTAL : POULTRY
ANTE-MORTEM									
1,000 POUNDS (LIVEWEIGHT) :									
JANUARY 1972 :	3,343	860	4,203	36	189	4	229	2	4,434
JANUARY 1973 :	4,298	857	5,155	27	301	2	330	2	5,487
PERCENT 1/ :									
JANUARY 1972 :	.38	1.09	.44	.41	.29	.50	.30	.05	.43
JANUARY 1973 :	.46	1.14	.51	.31	.37	.19	.36	.04	.50
POST-MORTEM									
1,000 LBS. (N.Y. DRESSED) :									
JANUARY 1972 :	26,863	4,050	30,913	185	2,044	43	2,272	48	33,238
JANUARY 1973 :	25,808	4,292	30,100	142	2,676	64	2,882	69	33,055
PERCENT 2/ :									
JANUARY 1972 :	3.46	5.81	3.65	2.36	3.53	6.18	3.42	1.89	1.52
JANUARY 1973 :	3.10	6.46	3.35	1.80	3.74	5.59	3.58	2.12	1.83

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED, PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JANUARY 1973 WITH COMPARISONS

	YOUNG CHICKENS : FURTHER :	MATURE CHICKENS : FURTHER :	TURKEYS : FURTHER :	OTHER POULTRY 1/ : FURTHER :	TOTAL POULTRY : FURTHER :
POUNDS USED READY-TO-COOK WEIGHT 2/ :					
DECEMBER 1972 :	37,063	187,851	34,589	617	47,555
JANUARY 1972 :	34,025	177,058	37,502	316	33,612
JANUARY 1973 :	40,124	262,756	42,638	602	43,200
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/ :					
DECEMBER 1972 :	506	2,432	46	15	43
JANUARY 1972 :	660	1,477	38	3	41
JANUARY 1973 :	581	2,612	43	12	27

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.



YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		LIVEWEIGHT		AVERAGE		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
		1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
		-THOUSANDS-		-POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	13,129	13,581	56,571	57,154	4.31	4.21	40,528	40,477	1,766	1,811	3.48
E. N. CENTRAL	2,813	2,651	11,398	10,482	4.05	3.95	8,161	7,653	348	248	3.42
M. N. CENTRAL	7,076	7,592	26,809	29,227	3.79	3.85	18,981	20,609	849	1,077	3.54
S. ATLANTIC	93,710	99,362	359,587	377,996	3.84	3.80	257,329	271,086	11,141	9,154	3.45
S. CENTRAL	109,301	117,279	391,333	421,479	3.58	3.59	276,984	299,695	12,018	12,332	3.42
WEST	5,178	7,790	20,021	31,672	3.87	4.07	14,084	22,554	741	1,186	4.17
U. S.	231,207	248,255	865,719	928,010	3.74	3.74	616,067	662,074	26,863	25,808	3.46
MAINE	6,253	6,408	28,286	27,549	4.52	4.30	20,774	19,960	663	701	2.61
PENNSYLVANIA	6,223	6,708	25,272	27,322	4.06	4.07	17,708	19,002	990	1,041	4.37
OHIO	308	---	1,237	---	4.02	---	902	---	41	---	3.73
INDIANA	1,264	1,293	4,765	4,822	3.77	3.73	3,381	3,542	133	92	2.13
WISCONSIN	1,232	1,076	5,352	4,549	4.34	4.23	3,877	3,293	173	135	3.62
MINNESOTA	778	837	3,132	3,749	4.02	4.48	2,239	2,779	117	74	4.20
MISSOURI	5,414	5,589	20,455	21,200	3.78	3.79	14,517	14,965	599	808	3.26
DELAWARE	7,598	8,393	30,183	32,368	3.97	3.86	21,632	23,068	990	886	3.65
MARYLAND	11,184	12,908	44,190	50,376	3.95	3.90	31,861	36,245	1,298	1,104	3.27
VIRGINIA	9,854	11,698	37,288	42,946	3.78	3.67	26,158	30,410	1,052	880	3.14
NORTH CAROLINA	23,698	24,594	95,793	96,885	4.04	3.94	67,940	69,155	3,190	2,467	2.84
SOUTH CAROLINA	3,466	3,612	11,622	12,742	3.35	3.53	8,171	8,870	305	307	2.69
GEORGIA	32,988	32,493	122,646	121,784	3.72	3.75	88,868	88,222	3,703	3,106	2.84
TENNESSEE	6,139	6,126	22,586	20,816	3.68	3.40	16,298	14,884	723	537	2.87
ALABAMA	29,052	32,930	101,816	118,895	3.50	3.61	72,089	85,862	3,128	2,747	2.57
MISSISSIPPI	19,301	20,126	69,767	74,884	3.61	3.72	49,799	53,994	2,065	1,907	3.30
ARKANSAS	32,460	34,679	113,231	121,646	3.51	3.51	78,969	84,922	3,565	4,145	3.51
LOUISIANA	4,231	4,340	15,667	15,251	3.70	3.51	11,376	10,795	406	548	2.88
TEXAS	14,598	15,224	55,326	56,415	3.79	3.71	39,277	39,582	1,748	2,083	3.53
WASHINGTON	572	---	2,225	---	3.94	---	1,655	---	76	---	3.78
CALIFORNIA	2,512	6,056	10,263	24,987	4.09	4.13	7,402	17,861	286	1,031	3.11

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

✓

✓

✓

2

YOUNG CHICKENS: NUMBER CONCERNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1973

REGION AND STATE	TUBERCULOSIS : NO.	LEUROSIS : NO.	SEPTICEMIA : NO.	AIRSAC : NO.	SYNDROME : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INMATION : NO.	OVER : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	124,038	105,803	60,477	643	974	6,409	18,265	32,441	1,684	9,943	360,677
E. N. CENTRAL	---	16,554	24,599	2,004	1,250	75	2,400	1,808	4,575	1,870	1,224	53,359
W. N. CENTRAL	---	42,990	50,281	138,639	8,782	491	4,641	6,094	12,944	2,134	18,016	285,012
S. ATLANTIC	---	698,327	447,109	387,160	17,756	7,390	56,920	78,959	209,449	25,956	144,174	2,073,200
S. CENTRAL	---	791,310	786,367	567,029	52,367	15,234	95,908	142,797	231,777	24,479	145,085	2,852,553
WEST	---	52,863	56,524	26,392	2,078	1,005	3,999	4,708	5,800	9,513	14,865	177,747
U. S.	---	1,726,082	1,467,683	1,181,701	83,076	25,169	170,277	252,631	496,986	65,636	333,307	5,802,548
MAINE	---	46,372	55,693	4,855	392	363	1,776	10,422	8,830	939	1,944	131,586
PENNSYLVANIA	---	75,267	46,407	55,356	189	557	4,195	6,891	21,557	667	7,089	218,175
INDIANA	---	6,763	7,997	638	51	24	915	411	1,215	112	128	18,254
WISCONSIN	---	7,345	11,967	1,070	1,196	46	1,350	1,308	3,053	1,753	825	29,913
MINNESOTA	---	1,437	3,849	679	77	50	374	55	2,461	192	4,990	14,164
MISSOURI	---	33,510	40,564	99,333	5,233	290	3,894	4,223	6,727	1,416	2,553	197,743
DELAWARE	---	84,929	29,743	56,448	1,322	250	2,371	4,620	18,540	2,387	4,973	205,583
MARYLAND	---	108,715	52,996	47,855	923	678	3,691	9,323	21,618	3,781	5,805	255,185
VIRGINIA	---	112,386	44,865	50,547	268	251	3,324	4,420	10,960	3,086	5,469	235,376
NORTH CAROLINA	---	185,131	117,100	80,685	6,386	2,056	22,705	22,705	55,936	2,968	58,258	553,910
SOUTH CAROLINA	---	20,414	13,566	8,076	594	327	4,191	3,509	7,219	488	8,739	67,123
GEORGIA	---	155,579	165,093	127,378	7,148	3,612	18,677	30,785	86,212	12,835	55,243	662,562
TENNESSEE	---	49,329	37,026	7,007	2,054	240	4,740	6,629	15,023	944	12,582	135,574
ALABAMA	---	103,079	195,421	87,616	8,819	5,419	18,808	29,976	78,601	4,895	51,064	583,698
MISSISSIPPI	---	150,863	71,523	68,514	5,523	3,489	12,591	15,728	29,662	6,516	30,857	395,266
ARKANSAS	---	271,005	259,185	295,105	24,913	4,044	25,604	52,549	61,255	5,924	29,031	1,023,615
LOUISIANA	---	33,861	59,403	12,169	2,413	691	9,253	3,622	8,019	135	3,926	123,492
TEXAS	---	157,867	140,943	74,040	8,151	1,223	21,007	30,767	31,294	5,068	15,139	485,479
CALIFORNIA	---	45,682	46,366	24,040	1,541	941	2,882	3,507	4,263	9,363	11,690	150,175



MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
		INSPECTED	(LIVEWEIGHT)	INSPECTED	(LIVEWEIGHT)	READY-TO-COOK WT.)	CERTIFIED	POUNDS (MYD)	PERCENT 2/		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	2,269	2,151	11,111	10,478	4.90	4.87	7,065	6,706	564	511	5.70
E. N. CENTRAL	2,203	2,277	8,523	8,834	3.87	3.80	5,195	5,263	349	428	4.62
W. N. CENTRAL	3,825	3,704	15,858	15,445	4.15	4.17	9,745	9,510	831	857	5.91
S. ATLANTIC	4,964	3,958	17,831	17,831	4.35	4.50	14,006	11,475	1,008	971	5.23
S. CENTRAL	3,102	3,444	14,046	16,083	4.53	4.67	8,893	10,138	859	1,180	6.87
WEST	1,841	1,498	7,212	6,020	3.92	4.02	4,324	3,617	439	345	6.82
U. S.	18,204	17,032	78,336	74,691	4.30	4.39	49,228	46,709	4,050	4,292	5.81
MAINE	310	315	1,819	1,931	5.87	6.12	1,239	1,327	55	79	3.36
NEW JERSEY	1,245	1,239	5,322	5,209	4.27	4.20	3,142	3,156	343	298	7.26
PENNSYLVANIA	68	67	526	492	7.71	7.38	371	349	12	10	2.52
OHIO	435	---	1,729	---	3.98	---	1,032	---	72	---	4.68
MINNESOTA	1,206	1,230	4,315	4,615	3.58	3.75	2,603	2,781	195	258	5.11
MISSOURI	1,511	1,314	7,567	6,705	5.01	5.10	4,902	4,438	374	329	5.53
DELAWARE	19	---	136	---	7.00	---	94	---	6	---	4.55
MARYLAND	---	524	---	2,337	---	4.46	---	1,474	---	123	---
VIRGINIA	---	62	---	459	---	7.39	---	331	---	12	---
NORTH CAROLINA	456	90	2,507	648	5.50	7.22	1,720	431	98	32	4.35
GEORGIA	3,177	2,831	13,512	12,716	4.25	4.49	8,714	8,199	601	715	4.98
ALABAMA	93	73	664	541	7.16	7.46	447	390	30	17	4.99
MISSISSIPPI	1,973	1,929	8,606	9,328	4.36	4.84	5,433	5,839	545	672	7.11
ARKANSAS	330	120	1,688	795	5.11	6.64	1,110	523	101	45	6.67
TEXAS	511	482	2,249	1,933	4.40	4.01	1,392	1,150	140	145	6.99
WASHINGTON	100	96	384	366	3.83	3.80	260	222	13	10	3.17
CALIFORNIA	1,556	1,253	6,045	5,077	3.88	4.05	3,570	3,041	391	301	7.24

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1973

REGION AND STATE	STUBER- : NO.	LEU- : NO.	SEPTI- : NO.	CMIA : NO.	AIRESG- : NO.	SYND- : NO.	TUMORS : NO.	RPUISES : NO.	CADAVED : NO.	INATION : NO.	CONTAM- : NO.	OVER- : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	2,334	40,400	42	565	20,724	3,539	2,696	8,928	217	19,940	99,395		
E. N. CENTRAL	176	6,021	44,075	307	3	21,169	4,837	3,376	26,954	716	10,881	118,515		
W. N. CENTRAL	1,172	12,909	105,850	2,777	288	57,263	10,204	7,705	19,629	939	13,947	232,683		
S. ATLANTIC	38	3,538	79,101	1,216	202	24,986	5,214	14,092	49,206	532	14,656	192,781		
S. CENTRAL	1	6,025	88,725	544	220	38,152	12,722	6,692	32,574	1,772	38,621	226,048		
WEST	10	576	45,096	114	65	28,330	1,642	723	4,434	191	8,256	89,437		
U. S.	1,397	31,403	403,247	5,000	1,343	190,624	38,158	35,284	141,725	4,367	106,301	958,849		
MAINE	---	289	5,420	2	415	1,382	684	257	923	29	123	9,524		
NEW JERSEY	---	1,520	26,292	---	83	14,397	2,140	1,637	4,645	64	19,458	70,236		
PENNSYLVANIA	---	168	808	16	1	92	49	33	113	24	6	1,310		
MINNESOTA	580	6,590	27,117	590	21	21,761	4,234	1,355	5,045	543	9,019	76,855		
MISSOURI	47	1,752	41,661	585	255	10,730	2,115	2,579	5,406	348	1,018	66,496		
MARYLAND	37	1,366	7,605	371	54	4,598	978	648	10,712	249	3,085	29,703		
VERGINIA	---	112	722	67	4	86	34	176	149	1	69	1,420		
NORTH CAROLINA	---	318	1,262	152	14	567	61	30	855	15	743	4,017		
GEORGIA	---	1,318	56,340	199	129	15,529	3,337	12,138	35,343	150	8,726	133,209		
ALABAMA	---	109	693	61	12	85	63	30	674	89	129	1,945		
MISSISSIPPI	---	2,367	37,534	66	48	22,603	9,710	2,209	18,613	1,250	23,042	117,242		
ARKANSAS	---	397	2,723	68	20	200	147	160	1,258	31	358	5,382		
TEXAS	---	570	7,633	139	79	9,204	1,157	1,217	3,938	124	11,761	35,822		
WASHINGTON	---	77	2,515	---	4	383	33	72	235	1	146	3,466		
CALIFORNIA	---	464	38,265	110	54	26,827	770	491	3,224	185	6,624	77,004		

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	198	212	5,573	4,857	28.15	22.91	4,443	3,869	74	77	1.47
E. N. CENTRAL	276	300	4,989	5,587	18.06	18.61	3,972	4,422	110	155	2.45
W. N. CENTRAL	594	776	12,406	17,780	20.89	22.91	9,361	13,608	588	670	5.29
S. ATLANTIC	867	1,155	17,778	23,428	20.50	20.28	13,835	18,318	634	733	3.97
S. CENTRAL	400	465	10,204	11,382	25.51	24.46	7,883	8,529	294	562	3.20
WEST	511	691	13,585	16,744	26.56	24.24	10,795	13,208	344	479	2.82
U. S.	2,846	3,599	64,535	79,778	22.67	22.17	50,289	61,954	2,044	2,676	3.53
PENNSYLVANIA	190	207	5,311	4,732	28.01	22.88	4,236	3,769	69	77	1.44
OHIO	148	169	2,330	2,922	15.78	17.24	1,871	2,338	59	84	2.83
WISCONSIN 3/	53	---	1,083	---	20.36	---	867	---	17	---	1.75
MINNESOTA	348	592	7,601	12,870	21.82	21.74	5,858	10,081	366	467	5.36
MISSOURI	---	7	---	199	---	27.16	---	156	---	---	---
VIRGINIA	269	398	5,346	7,712	19.86	19.37	4,086	5,938	205	251	4.26
NORTH CAROLINA	509	600	9,930	11,495	19.50	19.14	7,899	9,167	292	345	3.28
TEXAS	386	364	9,778	8,966	25.32	24.65	7,559	6,773	274	435	3.11
CALIFORNIA	365	540	9,887	13,117	27.10	24.30	7,960	10,517	217	366	2.43

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

.

.

*

?

1

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1973

REGION AND STATE	TYRER		LEU		SEPTI		AIRSAC		SYNO		TUMORS		BRUISES		CADAVER		CONTAM		OVER		OTHER		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	39	1,334	1,285	89	5	21	35	276	1	88	3,173											
E. N. CENTRAL	---	23	3,275	2,232	204	1	102	125	551	39	264	6,816											
W. N. CENTRAL	---	228	10,980	13,349	951	21	203	256	1,013	358	111	27,462											
S. ATLANTIC	---	82	4,898	14,425	596	34	364	505	1,714	58	1,894	30,881											
S. CENTRAL	---	44	6,233	9,391	3,172	7	108	262	639	10	237	18,665											
WEST	---	636	37,783	48,045	10,087	82	883	1,542	4,535	617	2,719	106,929											
U. S.	---	37	1,323	1,282	87	5	19	34	273	1	83	3,144											
PENNSYLVANIA	---	11	1,285	610	144	1	68	65	427	31	245	2,887											
OHIO	---	35	7,515	9,146	949	6	143	226	857	254	70	19,201											
MINNESOTA	---	---	20	8	---	---	3	1	1	---	---	33											
MISSOURI	---	165	4,562	6,768	238	5	107	316	165	4	75	12,405											
VIRGINIA	---	17	5,191	5,929	229	26	164	91	1,071	15	1,678	14,411											
NORTH CAROLINA	---	55	2,809	5,309	4,629	11	71	135	205	5	84	13,313											
TEXAS	---	41	4,243	6,472	3,035	7	74	300	282	130	70	14,654											
CALIFORNIA	---	---	---	---	---	---	---	---	---	---	---	---											

.

.

.

.

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)	AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
			1972	1973		1972	1973
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-
N. ATLANTIC 3/	18	161	8.94	8.89	120	2	1.38
E. N. CENTRAL	121	1,131	9.36	8.89	884	24	2.38
W. N. CENTRAL	445	4,259	9.57	9.25	3,938	100	2.62
S. ATLANTIC	302	2,778	9.21	9.39	2,101	53	2.11
S. CENTRAL 3/	28	253	9.17	---	190	4	1.86
WEST	19	166	8.82	8.80	131	2	1.05
U. S.	933	8,748	9.38	9.25	6,760	185	2.36
MINNESOTA	414	3,942	9.53	9.28	3,083	94	2.67
VIRGINIA	210	1,969	9.39	9.36	1,472	33	1.87

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1973

REGION AND STATE	TUBER- NO.	LEU- NO.	KOSIS NO.	SEPTI- NO.	ATRSAC- NO.	CULITIS NO.	VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER NO.	INAM- NO.	SCALD NO.	OTHER NO.	TOTAL NO.
E. N. CENTRAL	---	23	858	127	200	27	45	196	1	8	1,485			
W. N. CENTRAL	---	1	3,674	1,213	726	102	171	895	6	195	6,984			
S. ATLANTIC	---	7	2,685	664	3	92	377	451	15	136	4,430			
S. CENTRAL	---	---	76	4	---	10	---	---	---	---	---			
WEST	---	---	---	---	---	---	---	---	---	---	---	---	---	97
U. S.	---	31	7,293	2,008	929	231	593	1,548	22	340	12,996			
MINNESOTA	---	1	3,667	1,194	726	102	166	867	6	194	6,924			
VIRGINIA	---	7	2,445	460	1	63	362	312	15	83	3,748			

.

s

.

.

.

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
		1972	1973	1972	1973	1972	1973	1972	1973
		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	4	38	---	---	---	30	1	1	2.92
E. N. CENTRAL	3	41	30	14.05	41.84	30	22	3	8.46
W. N. CENTRAL	4	8	136	22.09	14.82	6	104	5	6.73
S. ATLANTIC	19	463	1,019	24.56	20.15	366	784	16	5.99
S. CENTRAL	4	1	---	20.74	---	11	---	1	5.34
WEST	14	211	85	15.60	19.83	151	70	22	11.70
U. S.	37	65	1,270	20.76	19.61	594	981	43	6.18
MINNESOTA	3	9	136	---	14.82	---	104	5	3.98

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1973

REGION AND STATE	TUBERCULOSIS	LEU- KOSIS	SEPTI- CEMIA	ATRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER: INACTION	CONTAM- OVER- SCALD	OTHER	TOTAL
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	15	19	2	---	---	1	1	4	42
W. N. CENTRAL	---	---	133	40	---	1	17	15	38	---	244
S. ATLANTIC	---	---	673	517	6	80	22	6	99	821	2,227
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	44	71	---	---	---	2	4	---	121
U. S.	---	---	865	647	8	81	40	23	142	825	2,634
MINNESOTA	---	---	133	40	---	1	17	15	38	---	244



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.

