

# poultry

Slaughtered under Federal Inspection and  
Poultry Used in Further Processing



February 1973

Release:  
March 29, 1973  
3:00 P.M. EST

Inspected Poultry - There were 926 million pounds live weight of poultry (chickens, turkeys, and ducks) inspected for slaughter during February 1973 under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 15 percent less than the previous month and 5 percent less than February 1972.

The number of head and pounds live weight inspected by classes were: young chickens--215,842,000 head, 792,760,000 pounds; mature chickens--17,906,000 head, 76,494,000 pounds; fryer-roaster turkeys--1,086,000 head, 9,801,000 pounds; young turkeys--2,148,000 head, 43,190,000 pounds; old turkeys--49,000 head, 974,000 pounds; and ducks--475,000 head, 3,011,000 pounds.

Poultry Certified Wholesome in February totaled 657,608,000 pounds ready-to-cook weight--down 16 percent from January and 5 percent less than February 1972. The February 1973 total consisted of 567,881,000 pounds of chilled and 89,727,000 pounds of frozen poultry. Pounds certified by class of poultry were: young chickens, 566,243,000; mature chickens, 47,506,000; fryer-roaster turkeys, 7,597,000; young turkeys, 33,227,000; old turkeys, 752,000; ducks, 2,176,000 and other poultry, 107,000.

Further Processed - Poultry inspected and used for further processing totaled 123,175,000 pounds ready-to-cook -- 10 percent less than January but 2 percent more than February 1972. The February 1973 total consisted of 34,696,000 pounds young chickens, 39,994,000 pounds mature chickens, 40,093,000 pounds turkeys and 8,392,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 205,856,000 pounds ready-to-cook weight -- 28 percent less than January and 2 percent less than February 1972. The breakdown by class was: young chickens, 188,523,000 pounds; mature chickens, 814,000 pounds; turkeys, 16,449,000 pounds and other poultry, 70,000 pounds.

Ante-Mortem Condemnations during February were 4,503,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens 0.43; mature chickens 1.09; fryer-roaster turkeys 0.28; young turkeys 0.35; old turkeys 0.14; and ducks 0.04.

Post-Mortem Condemnations in February were 27,737,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.99; mature chickens, 6.44; fryer-roaster turkeys, 1.57; young turkeys, 4.73; old turkeys, 7.12; and ducks, 2.05.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, FEBRUARY 1973 WITH COMPARISONS

NUMBER INSPECTED 3/ MONTH	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: ROASTERS:		: YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :
JANUARY 1973	248,255	17,032	248,255	17,032	944	3,599	65	4,608	572	---	---	---	---	---	---	---	---	---
FEBRUARY 1973	226,785	17,642	246,427	2,185	1,236	2,185	31	3,452	428	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	457,992	35,847	493,839	2,168	5,031	5,747	114	7,267	873	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	464,097	34,938	499,035	2,029	5,747	114	7,890	1,048	---	---	---	---	---	---	---	---	---	---
POUNDS INSPECTED 4/ MONTH	928,010	74,691	1,002,701	8,727	79,778	1,270	89,775	3,595	2,749	---	---	---	---	---	---	---	---	---
JANUARY 1973	838,872	76,598	915,470	10,990	46,782	630	58,402	2,749	3,011	---	---	---	---	---	---	---	---	---
FEBRUARY 1973	792,760	76,494	869,254	9,801	43,190	974	53,965	3,011	5,597	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	1,704,591	154,935	1,859,526	19,737	111,317	1,404	132,458	5,597	6,606	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	1,720,770	151,185	1,871,955	18,528	122,967	2,245	143,740	6,606	---	---	---	---	---	---	---	---	---	---
AVERAGE LIVELWEIGHTS 5/ MONTH	3.74	4.39	3.78	9.25	22.17	19.61	19.48	6.28	---	---	---	---	---	---	---	---	---	---
JANUARY 1973	3.70	4.34	3.75	8.89	21.41	20.23	16.92	6.43	---	---	---	---	---	---	---	---	---	---
FEBRUARY 1973	3.67	4.27	3.72	9.03	20.11	19.84	16.44	6.34	---	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	3.72	4.32	3.77	9.10	22.13	20.52	18.23	6.41	---	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	3.71	4.33	3.75	9.13	21.40	19.71	18.22	6.31	---	---	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

JANUARY 1973, 2,765; FEBRUARY 1973, 2,612; AND FEBRUARY 1973, 2,432.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

JANUARY 1973, 99; FEBRUARY 1973, 71; AND FEBRUARY 1973, 64.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), FEBRUARY 1973 WITH COMPARISONS 1/

MONTH	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: ROASTERS:		: YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :
JANUARY 1973	600,754	38,283	639,037	1,159	19,974	6	21,139	134	29	660,339	---	---	---	---	---	---	---	---
FEBRUARY 1973	61,320	8,426	69,746	5,563	41,980	975	48,518	2,472	133	120,869	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	662,074	46,709	708,783	6,722	61,954	981	69,657	2,606	162	781,208	---	---	---	---	---	---	---	---
FEBRUARY 1973	540,851	37,371	578,222	1,930	10,133	125	12,108	101	29	590,540	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	55,210	10,559	65,769	6,492	26,116	364	32,972	1,893	116	100,750	---	---	---	---	---	---	---	---
FEBRUARY 1973	596,061	47,930	643,991	8,422	36,249	489	45,160	1,994	145	691,290	---	---	---	---	---	---	---	---
JANUARY-FEBRUARY 1973	515,575	38,967	554,542	1,807	11,208	177	13,192	130	17	567,881	---	---	---	---	---	---	---	---
FEBRUARY 1973	50,668	8,539	59,207	5,790	22,019	575	28,384	2,046	90	89,727	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	566,243	47,506	613,749	7,597	33,227	752	41,576	2,176	107	657,608	---	---	---	---	---	---	---	---
JANUARY-FEBRUARY 1972	1,098,703	76,293	1,174,996	3,012	23,653	198	26,863	206	58	1,202,123	---	---	---	---	---	---	---	---
FEBRUARY 1972	113,425	20,865	134,290	12,169	62,885	884	75,938	3,862	225	214,315	---	---	---	---	---	---	---	---
JAN.-FEB. 1972	1,212,128	97,158	1,309,286	15,181	86,538	1,082	102,801	4,068	283	1,416,438	---	---	---	---	---	---	---	---
JANUARY-FEBRUARY 1973	1,116,329	77,250	1,193,579	2,966	31,182	182	34,330	264	45	1,228,218	---	---	---	---	---	---	---	---
FEBRUARY 1973	111,988	16,965	128,953	11,353	63,999	1,551	76,903	4,518	224	210,598	---	---	---	---	---	---	---	---
JAN.-FEB. 1973	1,228,317	94,215	1,322,532	14,319	95,181	1,733	111,233	4,782	269	1,438,816	---	---	---	---	---	---	---	---

1/ 1,000 POUNDS





YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1973

REGION AND STATE	TUBER- NO.	COLLOSIS: NO.	LEU- KOSIS: NO.	SEPTI- CEMIA: NO.	AIRSAC- CULITIS: NO.	SYND- VITIS: NO.	TUMORS: NO.	BRUISES: NO.	CADAVER: NO.	CONTAM- INATION: NO.	OVER- SCALD: NO.	OTHER: NO.	TOTAL NO.
N. ATLANTIC	---	---	90,555	80,706	40,287	355	898	5,530	11,521	25,532	1,360	11,426	268,170
E. N. CENTRAL	---	---	14,790	15,755	1,418	991	73	2,447	1,357	5,076	940	4,216	47,063
W. N. CENTRAL	---	---	33,758	36,861	74,259	6,822	382	3,419	3,984	10,592	1,259	13,978	185,294
S. ATLANTIC	---	---	624,390	394,840	458,932	15,600	6,258	48,710	61,537	183,415	20,003	130,634	1,944,319
S. CENTRAL	---	---	684,582	595,674	468,329	41,885	12,657	72,960	111,335	189,741	17,025	120,170	2,314,358
WEST	---	---	51,410	46,952	25,898	1,521	1,045	3,338	3,671	5,901	4,435	9,845	154,016
U. S.	---	---	1,499,485	1,170,768	1,069,123	67,174	21,313	136,404	193,405	420,257	45,022	290,269	4,913,220
MAINE	---	---	37,328	43,362	4,313	243	268	1,420	7,200	6,667	962	2,063	103,826
PENNSYLVANIA	---	---	51,224	34,329	35,662	100	551	3,607	3,969	16,849	357	8,492	155,140
OHIO	---	---	2,720	1,782	543	2	3	207	69	857	43	639	6,865
INDIANA	---	---	4,089	6,423	403	71	43	869	538	1,594	514	3,042	17,586
WISCONSIN	---	---	7,981	7,550	472	918	27	1,371	750	2,625	383	535	22,612
MINNESOTA	---	---	1,050	3,178	955	86	51	351	131	2,286	345	5,560	13,993
MISSOURI	---	---	26,765	29,652	52,568	3,465	200	2,795	2,946	5,567	755	2,081	126,794
DELAWARE	---	---	86,776	26,656	58,161	1,392	219	2,042	5,151	13,440	3,553	4,426	201,816
MARYLAND	---	---	116,978	47,674	66,809	846	514	2,764	6,448	17,016	1,465	6,551	267,065
VIRGINIA	---	---	82,579	44,864	40,655	292	197	3,062	4,813	9,394	2,616	5,529	193,981
NORTH CAROLINA	---	---	169,788	107,527	69,698	4,372	1,701	19,048	17,140	50,868	3,352	50,675	493,969
SOUTH CAROLINA	---	---	10,418	11,583	15,076	485	264	3,721	2,557	6,249	640	6,716	57,709
GEORGIA	---	---	134,603	137,123	198,408	7,687	3,236	16,121	23,443	80,336	7,398	52,412	660,767
TENNESSEE	---	---	37,458	25,439	10,537	1,400	191	3,128	4,648	12,081	248	10,442	105,572
ALABAMA	---	---	86,808	150,927	73,422	7,664	4,298	15,453	22,936	62,873	2,889	41,871	469,141
MISSISSIPPI	---	---	115,915	48,250	49,837	3,848	2,833	9,812	13,949	22,827	3,393	22,470	293,134
ARKANSAS	---	---	241,036	205,964	217,805	19,856	3,310	21,331	39,471	55,110	5,936	24,091	833,910
LOUISIANA	---	---	41,959	44,089	17,536	3,905	650	6,593	2,942	7,424	748	2,935	128,781
TEXAS	---	---	147,203	100,263	77,308	4,739	1,283	14,091	24,308	23,337	3,077	15,942	411,551
CALIFORNIA	---	---	44,945	38,480	16,251	976	1,011	2,523	2,514	4,516	3,676	6,825	121,717

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1972 AND 1973

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED		INSPECTED (LIVEMEIG-IT)		LIVEMEIG-IT		CERTIFIED		POUNDS (NYD)			
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973		
	- THOUSANDS -		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,695	2,045	8,427	9,662	4.97	4.72	5,443	6,167	414	455	5.54	5.29
E. N. CENTRAL	2,335	2,240	9,162	8,781	3.92	3.92	5,582	5,302	420	424	5.16	5.46
W. N. CENTRAL	3,800	3,434	15,928	14,236	4.19	4.15	9,806	8,717	818	801	5.77	6.34
S. ATLANTIC	4,652	4,691	20,958	20,358	4.51	4.34	13,451	12,786	1,025	1,119	5.48	6.16
S. CENTRAL	3,347	3,687	14,901	16,242	4.45	4.40	9,383	10,207	979	1,206	7.36	8.37
WEST	1,813	1,809	7,222	7,215	3.98	3.99	4,265	4,327	455	375	7.06	5.81
U. S.	17,642	17,906	76,598	76,494	4.34	4.27	47,930	47,506	4,111	4,380	6.03	6.44
MAINE	227	237	1,422	1,360	6.28	5.74	950	915	46	59	3.63	4.90
NEW JERSEY	852	1,225	3,647	5,093	4.28	4.16	2,223	3,071	240	268	7.46	5.90
PENNSYLVANIA	71	49	534	371	7.50	7.59	371	259	10	7	2.18	2.02
OHIO	509	466	2,122	1,869	4.17	4.01	1,322	1,132	88	120	4.67	7.21
INDIANA	723	713	2,657	2,680	3.67	3.76	1,673	1,705	105	108	4.46	4.56
MINNESOTA	1,347	1,097	4,977	4,033	3.69	3.67	3,010	2,430	230	221	5.20	6.17
MISSOURI	1,317	1,217	6,824	6,265	5.18	5.15	4,432	4,059	337	320	5.53	5.75
DELAWARE	27	---	198	---	7.34	---	141	---	7	---	4.11	---
MARYLAND	633	605	2,879	2,640	4.55	4.36	1,844	1,673	125	148	4.88	6.33
VIRGINIA	---	54	---	405	---	7.54	---	283	---	---	---	3.41
NORTH CAROLINA	251	181	1,898	1,289	7.58	7.13	1,326	882	71	55	4.17	4.79
GEORGIA	3,128	3,249	13,615	13,774	4.35	4.24	8,675	8,555	695	766	5.71	6.22
ALABAMA	---	46	---	326	---	7.15	---	216	---	---	---	6.40
MISSISSIPPI	1,975	1,861	9,178	8,593	4.65	4.62	5,870	5,283	579	654	7.06	8.59
ARKANSAS	350	65	1,593	434	4.55	6.72	1,034	288	126	20	8.82	5.14
TEXAS	529	583	2,057	2,330	3.89	3.99	1,274	1,438	117	147	6.35	7.06
WASHINGTON	124	114	534	452	4.32	3.95	365	273	21	14	4.31	3.56
CALIFORNIA	1,572	1,537	6,122	6,047	3.89	3.93	3,523	3,603	416	325	7.61	6.00

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1973

REGION AND STATE	TUBER- :CULOSIS:	LEU- :KOSIS:	SEPTI- :CEMIA:	AIRSAC- :CULLIS:	SYNO- :VILIS:	TUMDRS: :NO.	BRUISES: :NO.	CADAVER: :NO.	CONTAM- :INAIDON:	OVER- :SCALD:	OTHER: :NO.	TOTAL :NO.
N. ATLANTIC	---	1,824	40,521	40	510	16,200	3,864	2,144	9,438	173	14,088	88,802
F. N. CENTRAL	69	5,518	43,511	269	16	18,801	5,723	3,275	23,975	759	11,659	113,575
M. N. CENTRAL	454	14,056	94,257	2,747	610	50,314	9,811	7,742	16,929	1,418	13,313	211,651
S. ATLANTIC	43	4,375	100,106	1,277	235	34,465	10,109	13,160	57,429	1,350	20,982	243,531
S. CENTRAL	5	5,500	100,228	346	274	38,742	16,733	5,855	28,344	550	45,449	242,026
WEST	---	849	52,167	193	61	29,107	1,482	776	5,847	216	8,466	99,164
U. S.	571	32,122	430,790	4,872	1,706	187,629	47,722	32,952	141,962	4,466	113,957	998,749
MAINE	---	292	4,454	9	96	811	749	229	859	18	128	7,645
NEW JERSEY	---	1,148	26,113	---	70	11,311	2,032	1,421	4,620	53	13,583	60,351
PENNSYLVANIA	---	96	562	4	---	77	21	53	115	---	---	928
OHIO	23	2,057	11,191	20	---	1,572	2,324	353	6,160	16	1,655	25,371
INDIANA	1	1,385	14,786	16	---	8,044	502	1,117	9,286	12	4,020	39,169
MINNESOTA	275	8,573	20,827	675	302	20,299	2,523	1,150	3,288	238	7,448	65,598
MISSOURI	13	1,450	37,795	614	289	10,410	1,918	2,836	4,357	1,125	1,003	61,810
MARYLAND	43	1,116	8,189	385	37	4,624	2,037	830	15,626	250	5,407	38,544
VIRGINIA	---	98	821	61	3	75	30	117	177	120	47	1,549
NORTH CAROLINA	---	930	2,410	299	10	866	130	53	1,024	24	1,622	7,368
GEORGIA	---	1,608	73,049	216	120	20,033	6,486	11,309	37,812	202	12,407	163,242
ALABAMA	---	78	1,002	14	11	76	29	22	762	9	215	2,218
MISSISSIPPI	1	2,841	41,263	49	98	23,154	12,141	1,674	14,288	267	24,274	120,050
ARKANSAS	---	302	1,384	48	23	114	54	86	511	---	169	2,691
TEXAS	---	695	7,470	75	78	7,987	1,428	1,491	3,363	63	13,690	36,340
WASHINGTON	---	159	3,074	---	2	509	80	62	231	---	357	4,474
CALIFORNIA	---	577	45,762	187	35	27,323	1,035	510	4,535	203	6,790	86,957

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS				
		1972	1973	1972	1973		POUNDS (NYD)	PERCENT			
	-THOUSANDS-	-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	88	2,318	1,622	26.34	23.85	1,825	1,232	43	27	2.06	1.85
E. N. CENTRAL	230	4,126	3,390	16.48	14.72	3,281	2,657	107	110	2.89	3.60
W. N. CENTRAL	524	12,314	10,782	22.97	20.59	9,330	8,246	627	415	5.68	4.29
S. ATLANTIC	663	12,899	14,107	19.47	19.40	10,052	11,024	457	517	3.94	4.08
S. CENTRAL	431	9,897	7,802	22.96	22.06	7,649	5,734	283	518	3.18	7.41
WEST	217	5,228	5,487	24.06	22.41	4,112	4,334	117	246	2.50	5.00
U. S.	2,185	46,782	43,190	21.41	20.11	36,249	33,227	1,634	1,833	3.89	4.73
PENNSYLVANIA	84	2,237	1,532	26.54	23.61	1,762	1,159	41	27	2.04	1.99
OHIO	131	---	1,845	---	14.06	---	1,464	---	62	---	3.76
MINNESOTA	390	8,685	7,236	22.27	19.55	6,760	5,680	435	292	5.58	4.49
MISSOURI	37	---	528	---	14.44	---	409	---	11	---	2.34
VIRGINIA	317	6,097	4,974	19.24	18.16	4,721	3,816	172	176	3.13	3.94
NORTH CAROLINA	291	5,413	7,489	18.57	19.31	4,282	5,966	216	272	4.45	4.04
TEXAS	410	9,337	7,187	22.75	21.78	7,230	5,297	268	488	3.19	7.59
CALIFORNIA	172	4,374	5,029	25.40	24.01	3,488	3,968	105	229	2.67	5.07

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1973

REGION AND STATE	TUBER- : NO.	LEU- : NO.	SEPTI- : NO.	AIRSAC- : NO.	SYND- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	31	656	419	30	3	18	17	75	---	26	26	1,275
E. N. CENTRAL	---	44	1,926	1,339	1,000	5	45	67	376	24	167	167	4,993
W. N. CENTRAL	---	51	4,806	10,131	508	17	172	161	575	80	89	89	16,590
S. ATLANTIC	---	79	6,894	14,876	277	12	225	293	918	24	1,059	1,059	24,657
S. CENTRAL	---	70	2,093	9,347	3,636	21	81	150	200	1	112	112	15,711
WEST	---	67	4,211	3,409	2,036	26	45	181	215	118	3	3	10,311
U. S.	---	342	20,586	39,521	7,487	84	586	869	2,359	247	1,456	1,456	73,537
PENNSYLVANIA	---	31	644	411	30	3	17	15	72	---	24	24	1,247
OHIO	---	19	1,079	829	126	5	29	14	303	20	162	162	2,586
MINNESOTA	---	40	2,838	8,538	487	8	95	131	383	60	62	62	12,642
MISSOURI	---	7	175	92	---	1	10	7	136	2	15	15	445
VIRGINIA	---	44	2,843	5,574	123	4	72	183	88	5	16	16	8,952
NORTH CAROLINA	---	28	3,424	8,207	117	8	119	86	677	15	953	953	13,634
TEXAS	---	69	1,778	9,024	3,272	20	77	132	101	1	71	71	14,545
CALIFORNIA	---	64	3,146	3,114	2,023	23	26	85	181	118	3	3	8,783

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS					
	1972	1973	1972	1973	1972	1973	POUNDS (NVD)	PERCENT				
	- THOUSANDS-		- POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	- PERCENT-				
N. ATLANTIC	16	4	152	20	9,450	5,00	119	15	1	---	5.55	
E. N. CENTRAL	72	81	638	759	8,82	9,32	498	594	9	8	1.52	1.10
W. N. CENTRAL	547	484	4,975	4,430	9,09	9,15	3,848	3,489	117	59	2.61	1.48
S. ATLANTIC	445	376	3,903	3,369	8,77	8,95	2,938	2,522	84	54	2.38	1.79
S. CENTRAL	13	---	132	---	10,35	---	103	---	10	---	8.80	---
WEST	143	141	1,190	1,223	8,35	8,67	916	977	21	17	1.92	1.59
U. S.	1,236	1,086	10,990	9,801	8,89	9,03	8,422	7,597	241	139	2.44	1.57
MINNESOTA	422	416	3,765	3,866	8,93	9,30	2,938	3,050	90	50	2.67	1.44
VIRGINIA	289	282	2,569	2,517	8,90	8,93	1,907	1,861	49	39	2.13	1.73
CALIFORNIA	143	---	1,190	---	8,35	---	916	---	21	---	1.92	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.  
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1973

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC		SYNOVITIS		TUMORS		BRUISES		CADAVER		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	14	---	1	---	---	---	---	---	---	---	---	---	---	23	36	---	---	---	38		
E. N. CENTRAL	---	---	2	437	---	67	---	---	4	---	---	---	---	---	---	---	12	36	---	---	---	3	569	
W. N. CENTRAL	---	---	4	2,892	---	757	---	---	43	---	---	---	---	---	---	---	534	978	---	---	---	4	235	
S. ATLANTIC	---	---	2	1,967	---	452	---	---	2	---	---	---	---	---	---	---	307	379	---	---	---	58	165	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	5	928	---	74	---	---	5	---	---	---	---	---	---	---	12	66	---	---	---	3	1,117	
U. S.	---	---	13	6,238	---	1,351	---	---	54	---	---	---	---	---	---	---	865	1,482	---	---	---	64	406	10,739
MINNESOTA	---	---	4	2,676	---	581	---	---	43	---	---	---	---	---	---	---	411	840	---	---	---	4	225	4,862
VIRGINIA	---	---	2	1,669	---	315	---	---	1	---	---	---	---	---	---	---	280	237	---	---	---	50	86	2,696

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS (LIVEWEIGHT)		AVERAGE LIVEWEIGHT	TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
		1972	1973		1972	1973	POUNDS (NYD)	PERCENT 2/
		-1,000 POUNDS-			-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC 3/	1							
E. N. CENTRAL 3/								
W. N. CENTRAL	17	303	13	18.20	20.03	231	208	15
S. ATLANTIC	15	327	29	22.54	19.76	258	442	15
S. CENTRAL								
WEST	7			130	19.87		102	8
U. S.	31	630	49	20.23	19.84	489	752	31
MINNESOTA	7	110	12	232	16.95	85	183	5
								13
								5.51
								6.39

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1973

REGION AND STATE	TUBERCULOSIS	LEUKOSIS	SEPTICEMIA	AIRSAC-CULITIS	SYNOVITIS	TUMORS	BRUISES	CADAVER INACTION	CONTAMINATION	OVERSCALD	OTHER	TOTAL NO.
E. N. CENTRAL												
W. N. CENTRAL	5	243	278	225	2	2	15	4	30	2	6	562
S. ATLANTIC				259	4	8	26	7	109	13	1,138	1,812
S. CENTRAL												
WEST	4	229	13	11	11	25	50	24				367
U. S.	9	750	497	15	21	66	61	163	15	1,144	2,741	
MINNESOTA		227	210	2	2	14	4	16	2	5	480	

