

poultry



Slaughtered Under Federal Inspection
and Poultry Used in Further Processing

June 1973

Release:
August 8, 1973
3:00 P.M. EDT

Inspected Poultry - There were 1,212 million pounds live weight of poultry (chickens, turkeys and ducks) inspected for slaughter during June 1973 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 3 percent more than the previous month but 4 percent less than June 1972.

The number of head and pounds live weight inspected by classes were: young chickens -- 256,713,000 head, 947,739,000 pounds; mature chickens -- 16,400,000 head, 76,472,000 pounds; fryer-roaster turkeys -- 1,218,000 head, 10,605,000 pounds; young turkeys -- 9,149,000 head, 163,065,000 pounds; old turkeys -- 351,000 head, 6,744,000 pounds; and ducks -- 1,238,000 head, 7,743,000 pounds.

Poultry Certified Wholesome in June totaled 876,840,000 pounds ready-to-cook weight -- up 3 percent from May 1973 but 4 percent below June 1972. The June 1973 total consisted of 696,563,000 pounds of chilled and 180,277,000 pounds of frozen poultry.

Further Processed - Poultry inspected and used for further processing totaled 141,652,000 pounds ready-to-cook weight -- 3 percent more than May 1973, but 1 percent less than June 1972. The June 1973 total consisted of 38,577,000 pounds young chickens, 41,630,000 pounds mature chickens, 53,888,000 pounds turkeys and 7,557,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 234,024,000 pounds ready-to-cook weight -- 3 percent more than May, and 2 percent more than June 1972. The breakdown by class was: young chickens, 213,753,000 pounds; mature chickens, 350,000 pounds; turkeys, 19,804,000 pounds and other poultry, 117,000 pounds.

Ante-Mortem Condemnations during June were 6,830,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens, 0.57; mature chickens, 1.33; fryer-roaster turkeys, 0.15; young turkeys, 0.21; old turkeys, 0.30; and ducks, 0.06.

Post-Mortem Condemnations in June were 29,379,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens 2.55; mature chickens, 5.49; fryer-roaster turkeys, 1.62; young turkeys, 2.38; old turkeys, 3.45 and ducks, 2.06.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1973 WITH COMPARISONS

NUMBER INSPECTED 3/ MAY JUNE JAN.-JUNE	: YOUNG : MATURE :		: TOTAL : CHICKENS :		: FRYER- : ROASTERS :		: YOUNG : TURKEYS2/ :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: OTHER : POULTRY :		: TOTAL : POULTRY :	
	CHICKENS	CHICKENS1/	CHICKENS	CHICKENS	CHICKENS	CHICKENS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	DUCKS	OTHER	POULTRY	POULTRY
265,277	17,023	282,300	901	5,261	168	6,330	1,230									
268,545	15,396	283,941	1,157	9,477	335	10,969	1,375									
256,713	16,400	273,113	1,218	9,149	351	10,718	1,238									
1,477,810	99,577	1,577,387	6,599	23,999	619	31,217	4,923									
1,446,618	103,330	1,549,948	6,567	26,032	785	33,356	5,017									
991,674	73,142	1,064,816	8,104	95,669	3,452	107,225	7,991									
997,369	70,671	1,068,040	10,452	171,124	6,687	188,263	8,794									
947,739	76,472	1,024,211	10,605	163,065	6,744	180,414	7,743									
5,492,749	440,476	5,933,225	60,105	457,680	12,584	530,369	31,598									
5,354,919	451,168	5,806,087	58,774	486,720	14,861	560,355	31,962									
3.74	4.30	3.77	8.99	18.19	20.51	16.94	6.50									
3.71	4.59	3.76	9.04	18.06	19.99	17.16	6.40									
3.69	4.66	3.75	8.71	17.82	19.20	16.83	6.26									
3.72	4.42	3.76	9.11	19.07	20.35	16.99	6.42									
3.70	4.37	3.75	8.95	18.70	19.59	16.80	6.37									

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MAY 1973, 2,056; JUNE 1972, 3,005; AND JUNE 1973, 3,476.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MAY 1973, 148; JUNE 1972, 538; AND JUNE 1973, 426.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JUNE 1973 WITH COMPARISONS 1/

MAY JUNE JUNE JANUARY-JUNE JANUARY-JUNE	: YOUNG : MATURE :		: TOTAL : CHICKENS :		: FRYER- : ROASTERS :		: YOUNG : TURKEYS :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: OTHER : POULTRY :		: TOTAL : POULTRY :	
	CHICKENS	CHICKENS	CHICKENS	CHICKENS	CHICKENS	CHICKENS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	DUCKS	OTHER	POULTRY	POULTRY
656,506	36,836	693,342	1,742	19,450	1,019	22,211	124									
55,623	8,441	64,064	4,541	55,826	1,656	62,023	5,557									
712,129	45,277	757,406	6,283	75,276	2,675	84,234	5,681									
656,417	36,148	692,565	2,387	24,956	1,577	28,920	174									
56,678	8,339	65,017	5,645	110,815	3,621	120,081	6,061									
713,095	44,487	757,582	8,032	135,771	5,198	149,001	6,235									
625,881	38,825	664,706	2,211	27,725	1,671	31,607	224									
54,112	9,390	63,502	6,007	101,648	3,641	111,296	5,321									
679,993	48,215	728,208	8,218	129,373	5,312	142,903	5,545									
3,585,559	223,065	3,808,624	10,596	87,299	2,802	100,697	1,094									
331,466	53,267	384,733	35,919	272,955	6,953	315,827	21,588									
3,917,025	276,332	4,193,357	46,515	360,254	9,755	416,524	22,682									
3,503,577	230,820	3,734,397	10,420	101,042	3,051	114,513	883									
332,644	50,704	383,348	35,222	281,231	8,503	324,956	21,974									
3,836,221	281,524	4,117,745	45,642	382,273	11,554	439,469	22,857									

1/ 1,000 POUNDS

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	13,794	13,925	58,060	56,131	4.21	4.03	41,414	40,150	1,888	1,521	3.63	3.02
E. N. CENTRAL	2,932	2,874	11,604	10,645	3.96	3.57	8,411	7,728	252	275	2.42	2.55
W. N. CENTRAL	8,345	7,707	31,250	29,430	3.74	3.82	22,305	21,428	771	608	2.76	2.54
S. ATLANTIC	107,072	99,740	406,837	376,623	3.80	3.78	291,422	270,568	10,597	7,676	2.90	2.27
S. CENTRAL	131,367	123,076	489,835	437,209	3.58	3.55	335,215	313,004	12,126	10,100	2.88	2.58
WEST	5,035	9,391	19,783	37,701	3.93	4.01	14,328	27,115	475	1,402	2.67	4.14
U. S.	268,545	256,713	997,369	947,739	3.71	3.69	713,095	679,993	26,109	21,642	2.92	2.54
MAINE	6,782	6,807	28,707	27,938	4.23	4.10	20,946	20,404	768	606	2.98	2.42
PENNSYLVANIA	6,559	6,711	27,228	26,408	4.15	3.94	19,026	18,510	1,056	805	4.33	3.66
OHIO	328	---	1,375	---	4.19	---	968	---	31	---	2.51	---
INDIANA	1,373	1,445	5,161	5,104	3.76	3.53	3,804	3,771	100	94	2.15	2.05
WISCONSIN	1,223	1,135	5,029	4,445	4.11	3.92	3,639	3,203	121	133	2.69	3.36
MINNESOTA	905	833	3,707	3,489	4.10	4.19	2,729	2,615	87	67	2.63	2.14
MISSOURI	6,158	5,630	22,731	21,311	3.69	3.79	16,206	15,548	549	475	2.70	2.49
DELAWARE	8,997	8,035	36,314	32,046	4.04	3.99	25,850	22,781	953	916	2.92	3.19
MARYLAND	13,765	13,141	55,239	51,405	4.01	3.91	39,701	37,043	1,430	1,072	2.88	2.33
VIRGINIA	11,371	12,270	43,070	47,176	3.79	3.84	30,341	33,738	1,104	673	2.85	1.59
NORTH CAROLINA	26,313	24,508	102,836	95,075	3.91	3.88	73,633	68,299	2,805	2,042	3.04	2.40
SOUTH CAROLINA	3,994	3,671	13,606	12,740	3.41	3.47	9,640	9,003	324	282	2.65	2.47
GEORGIA	36,804	32,681	134,646	118,954	3.66	3.64	97,289	85,856	3,475	2,355	2.88	2.21
TENNESSEE	7,304	6,226	27,196	20,349	3.72	3.27	19,521	14,545	886	485	3.64	2.67
ALABAMA	36,373	35,255	131,717	125,823	3.62	3.57	94,897	90,803	2,849	2,742	2.41	2.43
MISSISSIPPI	22,506	20,160	81,719	72,817	3.63	3.61	59,117	53,175	2,094	1,453	2.86	2.23
ARKANSAS	38,177	36,915	129,704	129,611	3.40	3.51	91,414	91,831	3,393	2,996	2.92	2.58
LOUISIANA	4,554	4,528	16,353	16,412	3.59	3.62	11,732	11,589	381	520	2.60	3.54
TEXAS	17,108	15,561	63,810	56,502	3.73	3.63	44,816	39,992	1,910	1,558	3.36	3.08
WASHINGTON	816	1,517	3,295	5,894	4.04	3.88	2,442	4,400	64	132	2.17	2.50
CALIFORNIA	2,507	6,360	10,063	26,050	4.01	4.10	7,371	18,697	267	1,112	2.95	4.76

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1973

REGION AND STATE	TUBERC- : NO.	CULOSIS : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CERIA : NO.	AIRSAC- : NO.	CULITIS : NO.	SYNO- : NO.	VIIIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INAION : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	115,077	70,500	44,502	1,756	820	6,204	13,806	30,827	2,067	18,639	304,198						
E. N. CENTRAL	---	---	21,868	21,562	2,954	702	60	2,059	2,312	11,086	643	2,454	65,700						
W. N. CENTRAL	---	---	28,758	33,090	26,806	16,635	304	4,092	5,778	13,593	1,560	10,729	141,345						
S. ATLANTIC	---	---	452,156	292,791	170,168	14,237	6,142	43,779	76,252	276,732	27,909	155,990	1,516,156						
S. CENTRAL	---	---	434,917	521,853	219,153	93,158	15,527	73,663	128,182	295,592	30,415	161,873	1,974,333						
WEST	---	---	72,946	64,985	43,811	2,016	1,901	3,305	7,326	6,571	10,755	16,007	229,623						
U. S.	---	---	1,125,722	1,004,781	507,394	128,504	24,754	133,102	233,656	634,401	73,349	365,692	4,231,355						
MAINE	---	---	64,366	32,967	3,678	1,513	274	1,668	7,574	10,220	1,286	6,752	130,298						
PENNSYLVANIA	---	---	49,271	34,992	40,662	1,93	473	4,130	5,811	18,943	725	10,566	165,766						
INDIANA	---	---	4,477	8,103	1,719	112	30	1,038	433	2,374	205	780	19,271						
WISCONSIN	---	---	9,500	11,109	700	582	21	854	995	5,614	406	1,216	30,997						
MINNESOTA	---	---	2,305	3,940	1,125	60	64	406	478	3,746	432	1,788	14,344						
MISSOURI	---	---	22,156	25,951	14,434	7,112	173	3,508	4,092	7,846	1,105	2,680	89,057						
DELAWARE	---	---	76,432	22,590	43,823	1,758	212	1,865	9,424	32,663	2,479	8,440	199,686						
MARYLAND	---	---	109,951	45,492	38,960	788	617	3,038	11,156	23,699	1,661	7,375	242,737						
VIRGINIA	---	---	55,736	34,957	20,346	186	271	2,529	4,605	13,044	2,695	6,794	141,163						
NORTH CAROLINA	---	---	95,353	73,030	32,398	4,356	1,701	15,413	20,259	79,001	6,911	61,032	389,454						
SOUTH CAROLINA	---	---	14,218	9,689	5,678	554	249	3,931	4,580	10,938	532	9,706	60,075						
GEORGIA	---	---	78,851	90,094	26,519	6,060	2,877	14,791	23,817	107,449	12,595	55,859	418,912						
TENNESSEE	---	---	30,852	29,829	7,610	1,272	168	3,959	3,603	24,919	601	14,843	117,656						
ALABAMA	---	---	83,488	142,102	42,878	14,998	5,839	17,417	31,815	98,867	9,441	57,256	504,101						
MISSISSIPPI	---	---	65,114	39,355	24,216	11,072	2,925	8,408	14,765	38,470	5,566	25,300	235,191						
ARKANSAS	---	---	123,526	175,281	112,161	39,575	3,857	21,444	40,571	76,405	7,640	33,346	633,806						
LOUISIANA	---	---	35,421	32,039	6,066	5,000	910	4,814	3,523	11,244	1,540	2,825	103,382						
TEXAS	---	---	87,979	83,348	19,661	20,479	1,675	13,567	27,539	35,243	4,371	20,519	314,381						
WASHINGTON	---	---	7,422	8,599	1,968	345	38	375	590	481	120	5,376	25,314						
CALIFORNIA	---	---	61,917	44,377	39,877	1,150	1,799	1,561	4,999	3,529	10,485	7,613	177,307						

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1972 AND 1973

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
	INSPECTED		INSPECTED (LIVEWEIGHT)		LIVEWEIGHT		CERTIFIED		POUNDS (NYD)		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	1,934	1,923	9,425	9,718	4.87	5.05	6,091	6,128	420	408	4.99
E. N. CENTRAL	2,152	2,289	8,541	9,034	3.97	3.90	5,163	5,403	358	430	4.70
W. N. CENTRAL	3,699	3,285	16,743	14,775	4.53	4.50	10,412	9,257	816	670	5.50
S. ATLANTIC	2,710	3,104	13,662	16,244	5.04	5.23	8,773	10,658	769	969	6.72
WEST	1,546	1,821	6,293	7,257	4.07	3.99	3,816	4,342	262	369	4.66
U. S.	15,396	16,400	70,671	76,471	4.59	4.66	44,487	48,216	3,337	3,725	5.32
MAINE	216	170	1,426	1,063	6.62	6.24	991	710	49	35	3.86
NEW JERSEY	1,048	1,189	4,400	5,403	4.20	4.54	2,674	3,301	213	246	5.44
PENNSYLVANIA	61	48	518	383	6.91	7.98	295	269	8	6	2.26
OHIO	375	328	1,509	1,330	4.03	4.06	896	795	71	55	5.28
INDIANA	---	806	---	3,075	---	3.82	---	1,878	---	166	---
MINNESOTA	1,438	1,215	5,311	4,715	3.69	3.80	3,200	2,926	244	212	5.16
MISSOURI	1,201	1,110	7,340	6,495	6.11	5.77	4,874	4,271	330	242	5.08
MARYLAND	---	443	---	2,403	---	5.43	---	1,535	---	97	---
VIRGINIA	50	28	376	212	7.50	7.56	267	147	12	6	3.69
NORTH CAROLINA	159	99	1,200	757	7.53	7.63	815	523	62	25	5.83
GEORGIA	2,353	2,901	10,892	13,808	4.63	4.76	6,920	8,829	492	650	5.09
ALABAMA	57	47	424	345	7.40	7.30	288	238	19	19	5.07
MISSISSIPPI	1,708	1,514	8,970	8,615	5.25	5.69	5,758	5,688	518	560	6.54
ARKANSAS	291	64	1,420	494	4.88	7.74	916	350	94	27	7.48
TEXAS	393	451	1,879	2,046	4.78	4.53	1,216	1,309	80	101	4.75
WASHINGTON	177	158	679	684	3.84	4.34	459	444	19	33	3.22
CALIFORNIA	1,203	1,461	4,845	5,729	4.03	3.92	2,902	3,394	212	284	4.90

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1973

REGION AND STATE	TUBERCULOSIS : NO.	LEU- KOSIS : NO.	SEPTI- CEMIA : NO.	AIRSAC- CULITIS : NO.	SYNO- VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- INATION : NO.	OVER- SCALD : NO.	OTHER : NO.	TOTAL NO.
N. ATLANTIC	---	1,534	23,265	109	178	14,302	3,298	1,745	7,236	551	23,292	75,510
E. N. CENTRAL	156	6,477	40,774	348	17	18,358	5,611	5,927	23,024	593	8,546	109,831
W. N. CENTRAL	682	10,406	57,420	2,101	373	42,515	8,883	6,404	14,517	1,804	13,314	158,419
S. ATLANTIC	---	2,513	48,095	1,079	295	26,564	8,532	6,908	41,243	1,053	13,098	149,380
S. CENTRAL	---	3,849	42,514	302	245	22,440	10,669	5,661	22,389	799	27,210	136,078
WEST	---	1,384	40,627	147	257	35,843	2,977	1,242	4,816	283	7,876	95,452
U. S.	838	26,163	252,695	4,086	1,365	160,022	39,970	27,887	113,225	5,083	93,336	724,670
MAINE	---	208	1,961	3	12	563	424	86	582	---	390	4,229
NEW JERSEY	---	936	14,323	24	59	10,691	1,397	853	3,142	366	22,329	54,120
PENNSYLVANIA	---	76	344	30	---	57	37	55	94	---	---	693
OHIO	---	1,341	3,393	5	10	3,199	482	273	1,770	2	1,135	11,610
INDIANA	1	1,236	21,404	---	---	6,283	2,046	1,352	11,862	38	5,325	49,527
MINNESOTA	423	4,871	15,608	640	69	19,050	1,691	895	2,897	169	7,167	53,470
MISSOURI	39	1,145	22,268	521	275	6,508	1,805	2,298	5,131	1,524	2,224	43,738
MARYLAND	---	763	2,802	368	75	2,857	1,117	599	9,523	489	890	19,483
VIRGINIA	---	46	365	24	---	33	21	12	93	4	25	623
NORTH CAROLINA	---	177	735	210	13	184	31	25	341	1	697	2,414
GEORGIA	---	1,051	36,861	390	190	19,947	6,149	5,739	26,161	446	10,068	107,002
ALABAMA	---	80	961	20	12	160	53	35	962	5	294	2,582
MISSISSIPPI	---	1,432	17,921	30	69	9,969	6,890	1,213	12,288	482	14,861	65,155
ARKANSAS	---	126	1,367	23	36	58	41	51	766	---	238	2,706
TEXAS	---	524	3,798	87	84	5,545	784	1,530	1,976	134	7,483	21,945
WASHINGTON	---	621	4,926	29	43	1,437	502	103	587	70	388	8,706
CALIFORNIA	---	416	30,595	113	203	31,950	1,143	1,000	2,737	213	4,804	73,174

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1972 AND 1973

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
	INSPECTED	INSPECTED (LIVEWEIGHT)	INSPECTED	INSPECTED (LIVEWEIGHT)	LIVEWEIGHT	INSPECTED/100 (READY-TO-COOK WT.)	CERTIFIED	POUNDS (NYD)	PERCENT 2/	PERCENT 2/	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	155	196	2,749	3,522	17.74	17.97	2,190	2,825	49	39	1.98
E. N. CENTRAL	694	685	12,709	12,300	18.32	17.39	10,094	9,798	202	217	1.76
W. N. CENTRAL	2,853	3,034	50,915	52,850	17.85	17.42	40,705	42,276	1,077	1,091	2.35
S. ATLANTIC	1,551	1,688	27,871	30,464	17.97	18.05	21,904	23,835	759	829	3.03
S. CENTRAL	1,810	1,774	32,393	32,207	17.90	18.15	25,355	25,276	732	707	2.44
WEST	2,414	1,772	44,487	31,722	18.43	17.90	35,523	25,364	734	611	1.83
U. S.	9,477	9,149	171,124	163,065	18.06	17.80	135,771	129,374	3,553	3,494	2.31
PENNSYLVANIA	154	195	2,726	3,515	17.74	18.01	2,173	2,820	47	39	1.93
OHIO	196	182	3,610	3,026	18.40	16.60	2,836	2,359	98	70	3.01
INDIANA	150	113	2,614	1,885	17.45	16.64	2,080	1,492	35	40	1.47
MINNESOTA	1,246	1,396	23,103	25,086	18.55	17.97	18,538	20,213	474	469	2.28
IOWA	613	617	10,365	9,986	16.90	16.18	8,095	7,947	256	254	2.74
MISSOURI	755	746	12,962	13,065	17.17	17.51	10,483	10,399	251	245	2.15
VIRGINIA	484	481	8,810	8,561	18.21	17.81	6,821	6,613	255	162	3.23
NORTH CAROLINA	857	1,023	14,418	17,603	16.83	17.21	11,478	13,877	360	535	2.77
ARKANSAS	1,049	978	17,970	16,789	17.13	17.17	14,068	13,191	381	347	2.36
TEXAS	679	797	13,183	15,418	19.42	19.36	10,257	12,084	334	360	2.81
COLORADO	401	368	8,472	7,128	21.14	19.35	6,603	5,538	94	87	1.35
UTAH	476	---	8,258	---	17.36	---	6,672	---	177	---	2.38
CALIFORNIA	1,432	1,063	25,776	19,181	18.01	18.04	20,672	15,478	429	403	1.85

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1973

REGION AND STATE	TUBER- : NO.	CULOSIS: NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CENIA : NO.	AIRSAC- : NO.	SYNO- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES: NO.	CADAVER: NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	14	778	145	50	24	71	168	---	19	1,270					
E. N. CENTRAL	---	---	12	4,552	2,062	2,136	1	220	860	---	307	10,537					
W. N. CENTRAL	---	---	287	25,721	12,653	2,005	76	655	1,821	---	1,019	47,074					
S. ATLANTIC	---	---	21	12,470	12,408	1,064	27	323	1,873	---	3,331	32,504					
S. CENTRAL	---	---	26	15,825	4,519	3,785	58	414	760	---	750	28,076					
WEST	---	---	40	14,505	5,560	2,669	96	422	1,110	---	620	25,887					
U. S.	---	---	400	73,851	37,347	11,709	259	2,058	4,315	---	6,046	145,348					
PENNSYLVANIA	---	---	12	778	145	50	1	23	168	---	18	1,266					
OHIO	---	---	7	1,907	417	545	1	50	667	---	70	3,800					
INDIANA	---	---	1	846	540	8	---	25	82	---	24	1,666					
MINNESOTA	---	---	242	9,695	6,068	1,310	22	131	612	---	184	19,471					
IOWA	---	---	37	5,482	3,038	30	25	249	748	---	260	10,208					
MISSOURI	---	---	8	7,356	1,982	644	6	169	779	---	560	11,901					
VIRGINIA	---	---	2	2,690	2,287	550	7	41	131	---	46	6,144					
NORTH CAROLINA	---	---	8	6,725	9,377	473	11	210	1,509	---	3,015	21,729					
ARKANSAS	---	---	4	9,199	2,213	2,202	5	88	782	---	46	14,979					
TEXAS	---	---	22	6,626	2,306	1,583	53	326	1,023	---	704	13,097					
COLORADO	---	---	26	2,092	316	429	---	33	77	---	10	3,207					
CALIFORNIA	---	---	12	9,359	4,300	1,209	90	238	581	---	592	16,824					

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1972 AND 1973

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED	3/	INSPECTED	3/	LIVEWEIGHT	INSPECTED/	CERTIFIED	(READY-TO-COOK WT.)	POUNDS (NY)	PERCENT 2/		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-		
N. ATLANTIC	6	15	51	138	8.50	9.20	32	106	1	2	2.17	1.61
E. N. CENTRAL	---	38	---	289	---	7.63	---	226	---	3	---	1.27
W. N. CENTRAL	495	554	4,788	4,982	9.67	8.99	3,771	3,928	63	71	1.46	1.58
S. ATLANTIC	411	332	3,556	2,788	8.64	8.41	2,638	2,080	60	35	1.88	1.38
S. CENTRAL	25	---	190	---	7.62	---	152	---	2	---	1.30	---
WEST	220	279	1,867	2,408	8.48	8.63	1,439	1,878	50	44	2.96	2.04
U. S.	1,157	1,218	10,452	10,605	9.04	8.71	8,032	8,218	176	155	1.87	1.62
MINNESOTA	490	502	4,736	4,502	9.67	8.97	3,729	3,553	63	52	1.47	1.27
VIRGINIA	394	301	3,408	2,526	8.66	8.40	2,521	1,876	58	29	1.89	1.29
CALIFORNIA	203	269	1,734	2,331	8.54	8.67	1,341	1,818	39	42	2.48	1.98

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1973

REGION AND STATE	TUBER-		LEU-		SEPTI-		AIRSAC-		SYNO-		VITIS		TUMORS		BRUISES		CADAVER		CONTAM-		OVER-		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	99	5	---	---	---	---	---	---	---	---	3	7	1	59	---	---	---	10	177
E. N. CENTRAL	---	---	---	---	144	11	---	---	---	---	---	---	---	---	7	41	7	41	---	---	---	6	219
W. N. CENTRAL	---	---	---	---	3,022	2,675	908	---	---	---	---	---	---	---	56	395	395	617	34	---	---	131	7,838
S. ATLANTIC	---	---	---	---	1,447	1,40	7	---	---	---	---	---	---	---	47	469	469	180	12	---	---	29	2,332
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	---	---	3,766	189	43	---	---	---	---	---	---	---	37	83	83	187	183	---	---	4	4,498
U. S.	---	---	---	---	8,478	3,020	961	---	---	---	---	---	---	---	150	955	955	1,084	229	---	---	180	15,064
MINNESOTA	---	---	---	---	2,495	1,860	109	---	---	---	---	---	---	---	48	388	388	448	34	---	---	130	5,512
VIRGINIA	---	---	---	---	1,307	69	1	---	---	---	---	---	---	---	23	461	461	88	12	---	---	20	1,981
CALIFORNIA	---	---	---	---	3,516	133	43	---	---	---	---	---	---	---	36	52	52	182	183	---	---	4	4,154

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		AVERAGE LIVEWIGHT	TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS		PERCENT 2/
		1972	1973			1972	1973	
		-1,000 POUNDS-			-1,000 POUNDS-			-PERCENT-
		THOUSANDS-						
N. ATLANTIC	2	8	107	13.00	21	85	2	8.54
E. N. CENTRAL	60	75	1,474	20.35	929	1,160	34	4.41
M. N. CENTRAL	120	124	2,405	20.00	1,866	1,820	65	3.99
S. ATLANTIC	53	19	362	19.08	776	275	24	5.58
S. CENTRAL	---	---	---	---	---	---	---	---
WEST	100	126	2,428	20.18	1,606	1,972	74	4.06
U. S.	335	352	6,744	19.99	5,198	5,312	209	4.33
OHIO	---	67	1,322	---	---	1,049	27	---
MINNESOTA	51	55	926	18.85	754	732	37	4.29
NORTH CAROLINA ^{3/}	53	---	---	19.07	775	---	50	5.60

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1973

REGION AND STATE	TUBER- NO.	SCULOSIS NO.	LEU- NO.	KOSIS NO.	SEPTI- NO.	AIRSAC- NO.	SYNO- NO.	VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER INATION NO.	CONTAM- NO.	OVER- NO.	SCALD NO.	OTHER NO.	TOTAL NO.
E. N. CENTRAL	---	---	11	501	420	14	10	38	38	17	105	1	1	172	1,289	
M. N. CENTRAL	---	---	5	1,372	457	47	33	42	63	309	13	13	14	14	2,355	
S. ATLANTIC	---	---	5	282	384	8	6	8	2	39	---	---	---	218	952	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
WEST	---	---	21	2,284	444	5	5	84	195	188	12	12	45	45	3,640	
U. S.	---	---	42	4,463	1,708	54	54	172	278	651	26	26	466	466	8,291	
OHIO	---	---	10	383	394	5	5	32	15	100	1	1	23	23	975	
MINNESOTA	---	---	2	373	192	3	3	29	54	154	12	12	14	14	867	

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1973 WITH COMPARISONS

	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS:	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
AMPE-MORTEM										
1,000 POUNDS (LIVEWEIGHT) 1/										
JUNE 1972:	5,243	888	6,131	16	325	25	366	4	1	6,502
JUNE 1973:	5,414	1,019	6,433	16	355	20	391	5	1	6,830
JAN.-JUNE 1972:	21,233	4,488	25,721	126	955	57	1,138	17	5	26,881
JAN.-JUNE 1973:	23,046	4,833	27,879	116	1,183	55	1,354	16	4	29,253
PERCENT 1/										
JUNE 1972:	.52	1.25	.57	.14	.19	.36	.19	.04	.32	.51
JUNE 1973:	.57	1.33	.62	.15	.21	.30	.21	.06	.30	.56
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED) 2/										
JUNE 1972:	26,109	3,337	29,446	176	3,553	260	3,989	125	5	33,564
JUNE 1973:	21,643	3,725	25,368	155	3,494	209	3,858	144	9	29,379
JAN.-JUNE 1972:	160,900	22,220	183,120	1,151	11,795	565	13,511	457	24	197,114
JAN.-JUNE 1973:	132,841	24,212	157,053	886	13,091	620	14,597	626	28	172,303
PERCENT 2/										
JUNE 1972:	2.92	5.32	3.08	1.87	2.31	4.33	2.35	1.57	1.20	2.96
JUNE 1973:	2.55	5.49	2.77	1.62	2.38	3.45	2.38	2.06	2.97	2.70

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS. (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1973 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY :	
	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP :
POUNDS USED READY-TO-COOK WEIGHT 2/										
MAY 1973 :	40,572	209,160	45,281	642	43,053	18,236	9,007	92	138,013	228,130
JUNE 1972 :	37,523	208,071	41,562	276	57,462	19,768	7,145	584	143,692	228,699
JUNE 1973 :	38,577	213,753	41,630	350	53,888	19,804	7,557	117	141,652	234,024
JANUARY-JUNE 1972 :	216,639	1,127,910	256,454	3,867	239,858	124,392	47,788	1,826	760,739	1,257,995
JANUARY-JUNE 1973 :	231,886	1,257,206	260,817	3,578	266,978	108,830	52,302	518	811,983	1,370,132
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
MAY 1973 :	421	1,318	39	15	78	52	85	3	623	1,388
JUNE 1972 :	622	2,021	132	14	205	59	15	26	974	2,120
JUNE 1973 :	512	1,493	56	10	50	69	29	3	647	1,575
JANUARY-JUNE 1972 :	4,366	10,171	521	32	281	99	41	5,329	10,525	
JANUARY-JUNE 1973 :	2,969	11,161	286	68	250	180	10	3,685	11,649	

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.