

poultry



Slaughtered Under Federal Inspection
and Poultry Used in Further Processing

Release:
September 12, 1973
3:00 P. M. EDT

July 1973

Inspected Poultry - There were 1,243 million pounds live weight of poultry (chickens, turkeys and ducks) inspected for slaughter during July 1973 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 3 percent more than the previous month and 5 percent more than July 1972.

The number of head and pounds live weight inspected by classes were: young chickens -- 256,696,000 head, 938,821,000 pounds; mature chickens -- 14,017,000 head, 62,833,000 pounds; fryer-roaster turkeys -- 1,110,000 head, 9,649,000 pounds; young turkeys -- 11,986,000 head, 219,226,000 pounds; old turkeys -- 263,000 head, 5,066,000 pounds; and ducks -- 1,219,000 head, 7,383,000 pounds.

Poultry Certified Wholesome in July totaled 903,217,000 pounds ready-to-cook weight -- up 3 percent from June 1973 and 5 percent more than July 1972. The July 1973 total consisted of 692,063,000 pounds of chilled and 211,154,000 pounds of frozen poultry.

Further Processed - Poultry inspected and used for further processing totaled 148,613,000 pounds ready-to-cook weight -- 5 percent more than June 1973 and 11 percent more than July 1972. The July 1973 total consisted of 37,832,000 pounds young chickens, 36,893,000 pounds mature chickens, 67,373,000 pounds turkeys and 6,515,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 231,480,000 pounds ready-to-cook weight -- 1 percent less than June 1973 but 12 percent more than July 1972. The breakdown by class was: young chickens, 207,977,000 pounds; mature chickens, 369,000 pounds; turkeys, 22,854,000 pounds, and other poultry, 280,000 pounds.

Ante-Mortem Condemnations during July were 8,914,000 pounds live weight, condemnations by class as percent of quantities inspected were: young chickens, 0.80; mature chickens, 1.22; fryer-roaster turkeys, 0.28; young turkeys, 0.25; old turkeys, 0.21; and ducks, 0.07.

Post-Mortem Condemnations in July were 29,331,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.52; mature chickens, 5.48; fryer-roaster turkeys, 1.85; young turkeys, 2.36; old turkeys, 3.41; and ducks, 2.25.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE CROP REPORTING BOARD

Pou 2-1 (9-12-73)

WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1973 WITH COMPARISONS

NUMBER INSPECTED 3/ JUNE 1973 JULY 1973 JAN.-JULY 1973	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS/1/ :	: CHICKENS :	: CHICKENS/2/ :	: TURKEYS :	: TURKEYS/2/ :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POLLTURY :
256,713	16,400	273,113	1,218	5,149	351	10,718	1,238	---	---	---	---	
240,117	11,636	251,753	893	11,929	213	13,035	1,158	---	---	---	---	
256,686	14,017	270,713	1,110	11,986	263	13,359	1,215	---	---	---	---	
1,717,926	111,213	1,829,139	7,492	35,927	632	44,251	6,082	---	---	---	---	
1,703,314	117,347	1,820,661	7,677	38,018	1,020	46,715	6,236	---	---	---	---	
947,735	76,472	1,024,211	10,605	163,065	6,744	180,414	7,743	342	1,212,710	---	---	
890,964	53,477	944,441	8,189	223,750	4,137	236,076	7,253	458	1,188,228	---	---	
938,821	62,833	1,001,654	9,649	219,226	5,066	223,541	7,383	300	1,243,278	---	---	
6,383,713	493,553	6,877,666	68,294	681,430	16,721	766,445	38,851	2,300	7,685,262	---	---	
6,293,740	514,001	6,807,741	68,423	705,946	19,927	794,296	35,345	1,824	7,643,206	---	---	
3.69	4.66	3.75	8.71	17.82	19.20	16.83	6.26	---	---	---	---	
3.71	4.60	3.75	9.17	18.76	19.39	18.11	6.26	---	---	---	---	
3.66	4.48	3.70	8.69	18.29	19.24	17.51	6.06	---	---	---	---	
3.72	4.44	3.76	9.12	18.97	20.10	17.32	6.35	---	---	---	---	
3.65	4.38	3.74	8.91	18.57	19.50	17.00	6.31	---	---	---	---	

1/ CF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FCWL (BROILER BREEDING STOCK) WAS:

2/ CF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JULY 1973 WITH COMPARISONS 1/

JUNE 1973 JULY 1973 JAN.-JULY 1973	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POLLTURY :
625,881	38,825	664,706	2,211	27,725	1,671	31,607	224	656,503	---	---	---	
54,112	5,390	59,502	6,907	101,648	3,641	111,256	5,321	180,277	---	---	---	
679,993	48,215	728,208	8,218	129,373	5,312	142,503	5,545	876,840	---	---	---	
585,560	26,477	612,437	1,224	30,751	413	32,388	134	645,009	---	---	---	
50,956	6,528	57,524	5,087	146,622	2,830	154,535	5,045	217,304	---	---	---	
636,556	33,405	669,961	6,311	177,373	3,243	186,927	5,175	862,313	---	---	---	
623,328	31,586	654,914	1,936	34,057	1,006	36,595	116	652,063	---	---	---	
50,308	7,557	57,865	5,576	139,428	3,000	148,004	5,150	211,154	---	---	---	
673,636	39,143	712,779	7,512	173,405	4,006	185,003	5,268	903,217	---	---	---	
4,171,115	249,542	4,421,061	11,820	118,050	3,214	133,084	1,228	4,555,009	---	---	---	
382,463	59,755	442,258	41,005	419,577	9,764	470,366	26,633	940,253	---	---	---	
4,553,582	309,737	4,863,319	52,825	537,627	12,958	603,450	27,861	5,455,862	---	---	---	
4,126,905	262,406	4,389,311	12,355	135,098	4,058	151,511	1,001	4,541,951	---	---	---	
382,952	58,261	441,213	40,759	420,660	11,502	472,961	27,124	942,108	---	---	---	
4,505,857	320,667	4,830,524	53,154	555,758	15,560	624,472	28,125	5,484,099	---	---	---	

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1973 WITH COMPARISONS

	: YOUNG : MATURE		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS	: CHICKENS	: CHICKENS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POLTRY :
ANTE-MORTEM														
1,000 POUNDS (LIVEWEIGHT):														
JULY 1972:	6,088	698	6,786	19	590	18	627	3	1	7,417				
JULY 1973:	7,535	768	8,303	27	567	11	605	5	1	8,914				
JAN.-JULY 1972:	27,321	5,186	32,507	144	1,544	75	1,763	20	6	34,296				
JAN.-JULY 1973:	30,581	5,600	36,181	143	1,750	66	1,959	22	6	38,168				
PERCENT 1/														
JULY 1972:	.68	1.30	.71	.22	.26	.42	.26	.04	.34	.62				
JULY 1973:	.80	1.22	.82	.28	.25	.21	.25	.07	.48	.71				
PCST-MORTEM														
1,000 LBS. (N.Y. DRESSED):														
JULY 1972:	22,880	2,593	25,473	114	4,182	167	4,463	106	6	30,048				
JULY 1973:	21,147	3,060	24,207	161	4,654	155	4,970	150	4	29,331				
JAN.-JULY 1972:	183,781	24,813	208,594	1,266	15,977	733	17,576	563	30	227,162				
JAN.-JULY 1973:	153,988	27,272	181,260	1,047	17,745	776	19,568	776	32	201,636				
PERCENT 2/														
JULY 1972:	2.87	5.46	3.02	1.55	2.08	4.50	2.10	1.62	1.34	2.82				
JULY 1973:	2.52	5.48	2.97	1.85	2.36	3.41	2.36	2.25	1.50	2.95				

POULTRY SLAUGHTER, September 1973

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1973 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL PCULTRY :	
	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :	: FURTHER :	: CUT UP :
PCUNDS USED READY-TO-COOK WEIGHT 2/										
JUNE 1973 :	38,577	213,753	41,630	350	53,686	15,804	7,557	117	141,652	234,024
JULY 1972 :	33,035	185,157	31,673	151	62,547	22,148	6,425	78	134,688	207,534
JULY 1973 :	37,832	207,977	36,893	369	67,373	22,854	6,515	280	148,613	231,480
JANUARY-JULY 1972 :	249,678	1,313,067	288,127	4,018	302,805	146,525	54,217	1,504	894,827	1,465,528
JANUARY-JULY 1973 :	269,718	1,465,183	257,711	3,947	334,351	131,685	58,817	758	560,557	1,601,613
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:										
JUNE 1973 :	512	1,493	56	10	50	69	29	3	647	1,575
JULY 1972 :	625	1,523	131	13	41	84	23	3	820	1,623
JULY 1973 :	551	1,336	44	4	64	99	44	2	703	1,441
JANUARY-JULY 1972 :	4,551	11,694	652	45	384	365	122	44	6,149	12,148
JANUARY-JULY 1973 :	3,520	12,497	330	72	314	509	224	12	4,388	13,090

Crop Reporting Board, SRS, USDA

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT (INSPECTED)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		PCST-NORMEM CONDEMNATIONS	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--	
N. ATLANTIC	12,976	14,189	53,890	50,934	4.15	4.01	30,497	41,133	1,653	1,416
E. N. CENTRAL	2,520	2,510	9,686	10,963	3.84	3.77	7,100	7,578	221	269
W. N. CENTRAL	7,554	7,519	28,612	29,478	3.79	3.72	20,408	21,655	724	600
S. ATLANTIC	94,556	95,278	357,793	371,617	3.78	3.74	255,321	266,757	5,228	7,433
S. CENTRAL	118,343	123,058	424,722	433,182	3.59	3.52	303,477	309,824	10,655	10,070
WEST	4,168	5,342	16,261	36,647	3.90	3.92	11,753	26,285	319	1,355
U. S.	240,117	256,696	890,964	938,821	3.71	3.66	636,556	673,636	22,880	21,147
MAINE	5,921	6,818	24,872	27,544	4.20	4.04	18,214	20,367	675	555
PENNSYLVANIA	6,725	6,905	27,564	27,312	4.10	3.96	19,318	19,325	583	805
OHIO	182	---	716	---	3.53	---	533	---	17	---
INDIANA	1,265	1,452	4,656	5,313	3.68	3.66	3,446	3,899	85	103
WISCONSIN	1,065	1,174	4,276	4,588	4.02	3.91	3,118	3,318	119	122
MINNESOTA	799	825	3,404	3,458	4.26	4.19	2,543	2,613	68	54
MISSOURI	5,566	5,815	20,802	21,243	3.74	3.65	14,807	15,431	516	454
DELAWARE	7,837	8,337	30,919	33,038	3.95	3.96	22,008	23,300	859	877
MARYLAND	11,786	13,487	46,076	51,545	3.91	3.82	32,762	37,330	1,157	1,017
VIRGINIA	10,189	11,456	38,168	42,705	3.75	3.71	26,862	30,527	758	590
NORTH CAROLINA	23,208	23,582	91,164	91,890	3.93	3.90	65,005	66,236	2,418	1,570
SOUTH CAROLINA	3,505	3,722	12,094	12,712	3.45	3.42	8,573	8,924	256	245
GEORGIA	32,932	33,257	120,649	121,153	3.66	3.64	87,020	87,023	3,089	2,445
TENNESSEE	6,160	6,079	22,596	20,133	3.67	3.31	16,097	14,457	765	524
ALABAMA	33,326	34,954	120,634	124,973	3.62	3.57	86,702	89,538	2,701	2,786
MISSISSIPPI	20,484	20,472	74,571	72,780	3.64	3.56	54,048	53,084	1,781	1,488
ARKANSAS	34,230	36,421	117,690	124,843	3.44	3.43	83,001	88,535	3,034	2,813
LOUISIANA	4,452	4,477	16,246	16,190	3.65	3.62	11,791	11,456	385	450
TEXAS	15,325	16,134	57,081	58,289	3.72	3.61	40,377	40,860	1,631	1,676
WASHINGTON	729	1,464	2,821	5,469	3.87	3.74	2,088	4,081	43	140
CALIFORNIA	2,084	6,342	8,387	25,603	4.02	4.04	6,147	18,456	167	1,000

1/ AVERAGE WEIGHT BASED ON UNPOUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNRCLD DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1973

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS :	SEPTI- CEMIA :	AIRSAC- CULITIS :	SYNU- VITIS :	TUMORS :	BRUISES:	CADAVER:	CONTAM- INATION:	OVER- SCALD :	OTHER :	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	89,726	66,712	31,177	1,051	902	5,713	15,373	34,572	3,563	13,770	262,959
E. N. CENTRAL	---	20,319	18,703	1,467	527	70	2,260	2,503	9,582	810	3,524	60,165
W. N. CENTRAL	---	29,585	31,572	15,100	8,232	392	3,705	5,818	12,438	825	9,517	117,584
S. ATLANTIC	---	405,343	273,584	155,342	16,438	6,240	43,595	74,586	266,721	24,758	152,666	1,442,273
S. CENTRAL	---	341,669	487,682	231,379	60,673	15,412	74,077	118,152	331,156	43,555	168,752	1,872,587
WEST	---	67,784	63,681	57,633	1,852	1,174	3,106	7,835	7,274	4,016	16,732	231,091
U. S.	---	554,826	942,334	492,098	88,773	24,190	132,456	224,711	684,183	77,527	365,561	3,987,059
MAINE	---	50,586	30,220	2,681	817	253	1,755	7,590	10,724	2,236	2,640	110,102
PENNSYLVANIA	---	37,718	34,136	28,255	212	593	3,595	6,781	21,827	1,259	9,517	143,533
INDIANA	---	5,946	7,738	563	70	38	1,042	382	2,358	130	1,455	19,562
MICHIGAN	---	7,365	9,407	648	451	23	1,009	812	4,451	620	1,507	26,293
MINNESOTA	---	1,485	3,432	774	72	56	306	182	2,549	17	57	9,870
MISSOURI	---	24,541	25,571	9,726	5,145	198	3,232	3,766	8,036	790	2,542	83,547
DELAWARE	---	75,494	19,558	30,443	1,567	244	1,959	10,510	26,380	2,105	8,268	178,548
MARYLAND	---	54,607	43,116	42,551	607	492	2,837	12,037	23,762	4,534	6,855	231,878
VIRGINIA	---	46,228	32,819	16,413	187	265	2,209	4,467	13,762	3,256	6,056	125,704
NORTH CAROLINA	---	89,559	71,738	31,304	6,194	1,778	15,686	17,660	77,158	4,431	59,551	375,539
SOUTH CAROLINA	---	6,887	8,221	1,600	494	257	3,490	3,805	12,612	1,271	11,002	49,643
GEORGIA	---	76,909	84,558	30,385	6,750	3,022	15,475	24,342	123,781	8,507	52,345	426,474
TENNESSEE	---	32,522	38,741	6,875	1,226	247	4,086	4,875	26,651	3,367	14,393	132,587
ALABAMA	---	70,949	127,156	39,052	11,689	5,594	17,974	25,005	112,246	14,238	57,053	485,466
MISSISSIPPI	---	49,390	35,350	31,639	5,881	3,057	8,410	15,703	48,239	6,567	30,503	234,759
ARKANSAS	---	86,056	160,087	88,058	28,520	3,511	22,296	34,140	84,320	5,334	35,342	551,664
LOUISIANA	---	22,845	24,581	3,991	4,255	743	4,268	3,821	10,253	1,757	3,668	80,222
TEXAS	---	74,565	84,977	57,291	8,022	1,708	13,824	23,277	40,827	6,267	21,200	331,958
WASHINGTON	---	9,579	6,922	3,208	396	39	344	660	587	217	6,502	30,554
CALIFORNIA	---	54,726	37,421	37,004	1,080	1,087	1,542	5,473	3,534	3,553	6,513	152,333

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1/ (1972 : 1973)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) (1972 : 1973)		PCST-MORTEM CONDEMNATIONS (1972 : 1973)		PERCENT 2/ (1972 : 1973)		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
U. S.	11,636	14,017	53,477	62,833	4.60	4.48	33,405	39,143	2,593	3,060	5.46	5.48	
N. ATLANTIC	1,644	1,728	8,220	8,300	5.00	4.80	5,256	5,244	384	378	5.25	5.10	
E. N. CENTRAL	1,627	1,507	6,381	7,505	3.92	3.94	3,834	4,515	229	364	4.03	5.46	
W. N. CENTRAL	2,359	2,835	10,477	11,941	4.44	4.21	6,483	7,336	513	540	5.22	5.10	
S. ATLANTIC	2,586	3,181	12,376	15,138	4.79	4.76	7,798	9,636	575	682	5.26	5.08	
S. CENTRAL	2,068	2,735	10,511	13,370	5.08	4.89	6,755	8,504	613	777	6.55	6.56	
WEST	1,352	1,631	5,510	6,579	4.08	4.03	3,279	3,904	279	315	5.67	5.43	
MAINE	189	165	1,077	954	5.71	5.78	734	639	42	37	4.36	4.33	
NEW JERSEY	859	1,067	3,787	4,589	4.41	4.30	2,271	2,754	202	220	6.01	5.36	
PENNSYLVANIA	45	35	339	259	7.46	7.50	241	183	4	4	1.46	1.88	
OHIO	188	330	737	1,337	3.92	4.05	431	811	33	54	5.03	4.50	
MINNESOTA	917	1,056	3,404	3,999	3.71	3.79	2,053	2,431	163	186	5.37	5.20	
MISSOURI	895	536	4,973	4,878	5.56	5.21	3,236	3,173	237	170	5.41	3.56	
MARYLAND	---	341	---	1,655	---	4.85	---	1,048	---	76	---	5.21	---
NORTH CAROLINA	67	78	525	605	7.91	7.78	348	430	26	22	5.57	4.07	
GEORGIA	1,921	2,268	8,955	10,772	4.66	4.75	5,635	6,857	423	495	5.36	5.21	
ALABAMA	42	24	302	176	7.24	7.39	202	116	11	11	4.09	6.56	
MISSISSIPPI	1,327	1,339	6,852	6,890	5.17	5.14	4,399	4,366	407	416	6.69	6.83	
ARKANSAS	162	41	918	323	5.67	7.81	606	218	50	25	6.05	8.51	
TEXAS	371	399	1,794	2,167	4.84	5.43	1,158	1,265	92	104	5.69	5.34	
WASHINGTON	99	219	396	917	3.99	4.19	261	574	10	42	2.80	5.12	
CALIFORNIA	1,086	1,299	4,423	5,189	4.07	4.00	2,593	3,035	239	255	6.06	5.45	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1973

REGION AND STATE	TUBER-	LEU-	SEPTI-	AIRSAC-	SYNO-	TUMORS	BRUISES	CADAVER	INATCN	OVER-	CTFLR	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	1,501	21,312	103	212	13,392	3,558	1,574	7,553	168	19,464	68,747
E. N. CENTRAL	50	5,153	35,407	512	41	12,186	6,913	4,423	16,842	568	6,729	29,824
W. N. CENTRAL	1,185	10,548	47,426	1,748	385	38,624	7,415	5,011	11,119	2,390	10,201	137,056
S. ATLANTIC	1	2,291	36,668	1,295	371	18,473	6,686	4,381	32,387	916	12,118	115,587
S. CENTRAL	---	5,439	37,683	476	271	23,862	5,154	5,553	17,047	1,310	25,361	126,156
WEST	---	1,294	41,982	185	148	28,407	2,659	1,174	5,102	462	6,486	67,839
U. S.	1,236	26,226	220,478	4,319	1,432	134,654	36,385	23,116	56,050	5,754	80,359	624,209
MAINE	---	120	2,288	1	24	524	725	143	614	21	66	4,526
NEW JERSEY	---	1,032	12,889	---	33	9,532	1,659	782	3,482	75	18,520	48,408
PENNSYLVANIA	---	86	271	46	---	26	13	47	36	2	---	527
OHIO	3	1,252	4,450	---	1	1,648	918	239	2,143	82	580	11,317
MINNESOTA	329	4,247	12,906	625	66	20,533	1,252	517	2,022	15	6,477	49,393
MISSOURI	428	902	14,675	194	312	6,340	1,678	1,655	3,619	2,251	1,657	33,751
MARYLAND	1	563	2,241	465	42	2,395	1,439	231	8,047	77	1,116	16,617
NORTH CAROLINA	---	299	355	100	13	238	44	130	651	1	763	2,674
GEORGIA	---	1,186	26,559	632	251	12,391	4,398	3,445	15,695	174	8,525	77,660
ALABAMA	---	41	304	3	13	69	92	27	466	---	283	1,298
MISSISSIPPI	---	2,857	14,211	51	65	11,310	5,871	625	5,810	338	12,665	57,807
ARKANSAS	---	85	1,465	20	43	111	29	22	671	4	145	2,595
TEXAS	---	513	3,409	117	122	6,378	359	1,278	1,427	209	8,438	22,250
WASHINGTON	---	784	6,593	18	12	1,240	711	212	656	33	500	11,199
CALIFORNIA	---	402	33,456	159	79	26,006	1,397	500	3,625	334	4,743	71,101

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT (INSPECTED)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		PCST-MORTEM CONDEMNATIONS	
		1972	1973	1972	1973	1972	1973	1972	1973
		- THOUSANDS-		- POUNDS-		- 1,000 POUNDS-		- 1,000 POUNDS-	- PERCENT-
N. ATLANTIC	187	237	3,460	4,269	18.50	18.01	2,695	3,350	88
E. N. CENTRAL	1,365	1,210	25,229	21,686	18.48	17.92	20,025	17,134	374
W. N. CENTRAL	4,306	4,379	80,378	79,481	18.67	18.15	63,841	63,202	1,452
S. ATLANTIC	1,538	1,676	28,244	30,681	18.37	18.31	22,232	23,546	689
S. CENTRAL	1,832	1,817	33,716	33,337	18.41	18.35	26,327	26,145	733
WEST	2,701	2,667	52,723	49,772	19.52	18.66	42,253	39,708	906
U. S.	11,929	11,586	223,750	219,226	18.76	18.29	177,373	173,485	4,182
PENNSYLVANIA	187	236	3,456	4,249	18.51	17.97	2,692	3,332	87
CHIC	415	324	7,330	5,662	17.68	17.47	5,781	4,382	119
INDIANA	457	404	7,719	6,872	16.88	17.01	6,083	5,436	117
MISSISSIPPI	381	---	7,703	---	20.22	---	6,216	---	105
MINNESOTA	2,029	2,123	37,715	39,171	18.59	18.45	30,171	31,442	689
IOWA	1,047	993	19,326	17,362	18.45	17.49	15,129	13,800	321
MISSOURI	950	991	17,826	18,073	18.76	18.25	14,156	14,158	375
VIRGINIA	490	526	9,087	9,152	18.53	17.39	7,039	7,164	189
NORTH CAROLINA	800	899	13,608	15,365	17.02	17.09	10,914	12,025	335
ARKANSAS	892	959	16,228	17,202	18.18	17.94	12,815	13,463	320
TEXAS	790	858	14,783	16,135	18.72	18.81	11,356	12,682	341
COLORADO	392	402	7,929	7,997	20.24	19.91	6,119	6,156	84
UTAH	474	411	9,523	7,318	20.08	17.81	7,676	5,528	158
CALIFORNIA	1,621	1,603	31,173	29,838	15.23	18.61	25,220	23,960	444

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1973

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS	SEPTI- CEMIA	AIRSA- CULITIS	SYNG- VITIS	TUMORS	BRUISES	CACAVER	CONTAM- INATIGN:	OVER- SCALD:	CIFER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	75	2,952	643	181	1	21	55	319	---	21	4,308
E. N. CENTRAL	---	11	5,362	5,578	4,028	6	331	550	1,056	62	581	21,605
W. N. CENTRAL	---	620	46,728	19,350	5,001	65	894	2,080	3,186	464	1,227	75,715
S. ATLANTIC	---	61	13,033	10,251	4,62	70	399	887	1,769	450	3,302	30,684
S. CENTRAL	---	31	15,162	3,987	2,587	58	393	703	1,855	307	434	25,517
WEST	---	19	21,638	7,901	4,257	124	605	1,208	1,862	437	304	38,395
U. S.	---	817	108,915	47,710	16,556	324	2,643	5,523	10,047	1,720	5,569	200,224
PENNSYLVANIA	---	75	2,980	641	181	1	20	52	317	---	19	4,286
OHIO	---	9	3,318	2,794	412	3	44	85	657	14	142	7,518
INDIANA	---	1	3,310	1,415	65	2	63	258	253	32	64	5,463
MINNESOTA	---	5	15,550	7,210	1,879	14	256	1,159	945	124	264	27,446
ICWA	---	558	9,384	4,853	45	17	325	207	581	153	335	16,466
MISSOURI	---	41	18,076	5,856	3,024	12	192	363	1,000	171	707	29,442
VIRGINIA	---	5	2,752	854	79	10	42	503	104	62	138	4,549
NCRTH CAROLINA	---	2	6,965	7,850	197	20	230	303	1,270	187	2,550	19,614
ARKANSAS	---	3	8,141	1,926	1,349	20	102	251	888	282	58	13,061
TEXAS	---	28	7,021	2,061	1,238	38	291	412	567	24	376	12,456
COLORADO	---	---	3,521	1,040	516	1	38	236	142	46	15	5,555
UTAH	---	3	3,237	1,965	1,688	5	182	227	868	257	47	8,475
CALIFORNIA	---	14	10,539	3,270	1,712	103	209	431	647	130	163	17,618

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		AVERAGE LIVEWEIGHT	TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
		1972	1973			1972	1973
		-1,000 POUNDS-		-POUNDS-	-1,000 POUNDS-	-PERCENT-	
		THOUSANDS-					
N. ATLANTIC	14	131	117	9.36	103	93	1 3
E. N. CENTRAL	27	235	70	8.72	184	54	3 1
W. N. CENTRAL	411	3,999	5,106	5.72	3,152	4,031	49 72
S. ATLANTIC	325	2,843	2,257	8.76	2,120	1,674	42 50
S. CENTRAL	13	121	25	9.01	95	18	3 ---
WEST	103	860	2,074	8.34	657	1,642	16 35
U. S.	893	1,110	9,649	5.17	6,311	7,512	114 161
MINNESOTA	411	547	4,809	9.72	3,152	3,754	49 57
VIRGINIA	279	230	1,965	8.82	1,819	1,435	35 44
CALIFORNIA	84	222	1,913	8.48	541	1,515	13 31

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1973

REGION AND STATE	TUBERC- : NO.	CULOSIS : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	AIRSAC- : NO.	GULITIS : NO.	VITIS : NO.	SYNO- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	---	143	6	1	4	---	---	---	---	---	53	---	---	---	203
E. N. CENTRAL	---	---	1	54	3	3	223	---	---	---	---	3	15	---	---	---	80
W. N. CENTRAL	---	---	2	4,505	1,323	3	65	253	771	141	143	7,434	---	---	---	---	7,434
S. ATLANTIC	---	---	1	1,059	3,898	1	36	237	170	93	5,542	---	---	---	---	---	5,542
S. CENTRAL	---	---	---	10	---	---	---	---	---	---	---	---	5	---	---	---	19
WEST	---	---	---	1,017	1,438	2	25	211	161	2	17	2,899	---	---	---	---	2,899
U. S.	---	---	4	6,828	6,668	6	128	704	1,175	143	255	16,177	---	---	---	---	16,177
MINNESOTA	---	---	2	3,895	332	3	49	248	599	140	143	5,492	---	---	---	---	5,492
VIRGINIA	---	---	1	851	3,838	1	17	230	68	43	5,052	---	---	---	---	---	5,052
CALIFORNIA	---	---	---	786	1,407	2	9	41	109	2	13	2,390	---	---	---	---	2,390

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		PCUNDS (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MCRTM CONCERNATIONS	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
	-THOUSANDS-		-1,000 PCUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	2	1	41	25	20.50	25.00	31	19	2	5.42
E. N. CENTRAL	11	101	234	2,004	21.17	19.76	184	1,593	6	3.07
W. N. CENTRAL	58	61	1,050	1,153	18.20	18.95	823	913	44	4.68
S. ATLANTIC	66	32	1,275	593	19.36	18.75	995	453	59	5.12
S. CENTRAL	7	---	145	---	15.43	---	109	---	8	6.42
WEST	69	68	1,392	1,291	20.13	18.96	1,101	1,028	48	3.87
U. S.	213	263	4,137	5,066	19.39	19.24	3,243	4,006	167	4.50
OHIO	---	83	---	1,641	---	19.67	---	1,308	34	---
MINNESOTA	43	36	769	671	17.72	18.76	610	533	30	4.33
NORTH CAPOLINA3/	66	---	1,275	---	19.36	---	995	---	59	5.12

POULTRY SLAUGHTER, September 1973

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ FASHES MEAN LESS THAN 500 POUND OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MCRTM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1973

REGION AND STATE	TUBER- : COLONIS:		LEU- : KOSIS :		SEPTI- : CEMIA :		AIRSAC- : CULITIS :		SYNO- : VITIS :		TUMORS :		BRUISES :		CADAVER :		INMATION :		CCNTAM- : CVER- :		SCALD :		OTHER :		TOTAL		
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	1	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	31	900	368	24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	1	660	291	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. ATLANTIC	---	---	3	284	484	11	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	15	1,334	41	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
U. S.	---	---	51	3,181	1,184	38	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
OHIO	---	---	26	556	260	20	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MINNESOTA	---	---	1	361	142	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Crop Reporting Board, SRS, USDA

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.