

poultry



Slaughtered Under Federal Inspection
and Poultry Used in Further Processing

August 1973

Release:
October 9, 1973
3:00 P.M. EDT

Inspected Poultry - There were 1,336 million pounds live weight of poultry (chickens, turkeys and ducks) inspected for slaughter during August 1973 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 7 percent more than the previous month but 6 percent less than August 1972.

The number of head and pounds live weight inspected by classes were: young chickens -- 264, 676,000 head, 978,318,000 pounds; mature chickens -- 12,778,000 head, 55,225,000 pounds; fryer-roaster turkeys -- 1,012,000 head, 8,825,000 pounds; young turkeys -- 15,304,000 head, 284,860,000 pounds; old turkeys -- 107,000 head, 1,904,000 pounds; and ducks -- 1,161,000 head, 7,041,000 pounds.

Poultry Certified Wholesome in August totaled 977 million pounds ready-to-cook weight -- up 8 percent from July 1973 but 6 percent below August 1972. The August 1973 total consisted of 716 million pounds of chilled and nearly 262 million pounds of frozen poultry.

Further Processed - Poultry inspected and used for further processing totaled 180 million pounds ready-to-cook weight -- 21 percent more than July 1973 and 15 percent above August 1972. The August 1973 total consisted of 43 million pounds young chickens, 38 million pounds mature chickens, 89 million pounds turkeys and 8 million pounds of other poultry.

Poultry Cut-up and Packaged totaled 243 million pounds ready-to-cook weight -- 5 percent more than July 1973 but 2 percent less than August 1972. The breakdown by class was: young chickens, 213 million pounds; mature chickens, 0.4 million pounds; turkeys, 29 million pounds; and other poultry, 0.2 million pounds.

Ante-Mortem Condemnations during August were 8 million pounds liveweight. Condemnations by class as percent of quantities inspected were: young chickens, 0.49; mature chickens, 0.89; fryer-roaster turkeys, 0.30; young turkeys, 0.27; old turkeys, 0.19; and ducks, 0.08.

Post-Mortem Condemnations in August were 30 million pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.42; mature chickens, 5.61; fryer-roaster turkeys, 1.91; young turkeys, 2.38; old turkeys, 3.65; and ducks, 2.29.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1973 WITH COMPARISONS

NUMBER INSPECTED 3/ JULY 1973	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS1/ :	: CHICKENS :	: CHICKENS2/ :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
AUGUST 1972	256,696	14,017	270,713	1,110	11,986	263	13,359	1,219	---	---	---	---
AUGUST 1973	278,819	15,197	294,016	1,003	16,199	119	17,321	1,300	---	---	---	---
JAN.-AUG. 1972	1,996,745	126,410	2,123,155	8,495	52,126	951	61,572	7,381	---	---	---	---
JAN.-AUG. 1973	1,967,990	130,125	2,098,115	8,689	53,322	1,127	63,138	7,397	---	---	---	---
POUNDS INSPECTED 4/ JULY 1973	938,821	62,833	1,001,654	9,649	219,226	5,066	233,941	7,383	300	1,243,278	---	---
AUGUST 1972	1,030,457	68,274	1,098,731	8,899	310,168	2,169	321,236	8,159	507	1,428,633	---	---
AUGUST 1973	978,318	55,225	1,033,543	8,825	284,860	1,904	295,589	7,041	296	1,336,469	---	---
JAN.-AUG. 1972	7,414,170	562,227	7,976,397	77,194	991,598	18,890	1,087,682	47,011	2,807	9,113,897	---	---
JAN.-AUG. 1973	7,272,058	569,226	7,841,284	77,248	990,806	21,831	1,089,885	46,387	2,120	9,979,676	---	---
AVERAGE LIVENEIGHTS/ JULY 1973	3.66	4.48	3.70	8.69	18.29	19.24	17.51	6.06	---	---	---	---
AUGUST 1972	3.70	4.49	3.74	8.88	19.15	18.25	18.55	6.28	---	---	---	---
AUGUST 1973	3.70	4.32	3.73	8.72	18.61	17.86	18.00	6.06	---	---	---	---
JAN.-AUG. 1972	3.71	4.45	3.76	9.09	19.02	19.87	17.67	6.37	---	---	---	---
JAN.-AUG. 1973	3.70	4.37	3.74	8.89	18.58	19.35	17.26	6.27	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

JULY 1973, 2,449; AUGUST 1972, 2,623; AND AUGUST 1973, 1,897.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

JULY 1973, 428; AUGUST 1972, 161; AND AUGUST 1973, 176.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), AUGUST 1973 WITH COMPARISONS 1/

JULY 1973	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
CHILLED	623,328	31,586	654,914	1,936	34,057	1,006	36,999	118	32	692,063	---	---	---	---
FROZEN	50,308	7,557	57,865	5,576	139,428	3,000	148,004	5,150	135	211,154	---	---	---	---
TOTAL	673,636	39,143	712,779	7,512	173,485	4,006	185,003	5,268	167	903,217	---	---	---	---
AUGUST 1972	679,435	34,370	713,805	1,912	40,818	192	42,922	167	54	756,948	---	---	---	---
CHILLED	59,115	8,204	67,319	4,954	205,245	1,527	211,726	5,593	215	284,853	---	---	---	---
FROZEN	738,550	42,574	781,124	6,866	246,063	1,719	254,648	5,760	269	1,041,801	---	---	---	---
TOTAL	644,726	28,513	673,239	1,515	40,633	328	42,476	85	24	715,824	---	---	---	---
AUGUST 1973	58,743	6,181	64,924	5,270	185,226	1,171	191,667	4,929	137	261,657	---	---	---	---
CHILLED	703,469	34,694	738,163	6,785	225,859	1,499	234,143	5,014	161	977,481	---	---	---	---
FROZEN	4,850,554	284,312	5,134,866	13,732	158,868	3,406	176,006	32,226	1,210	5,312,558	---	---	---	---
TOTAL	441,578	67,999	509,577	45,960	624,822	11,311	682,093	33,664	1,501	6,537,664	---	---	---	---
JANUARY-AUGUST 1972	5,292,132	352,311	5,644,443	59,692	783,690	14,717	858,099	33,664	1,501	6,537,664	---	---	---	---
CHILLED	4,771,630	290,919	5,062,549	13,870	175,731	4,386	193,987	1,086	192	5,257,814	---	---	---	---
FROZEN	441,696	64,442	506,138	46,069	605,886	12,673	664,628	32,052	947	1,203,765	---	---	---	---
TOTAL	5,213,326	355,361	5,568,687	59,939	781,617	17,059	858,615	33,138	1,139	6,461,579	---	---	---	---

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1973 WITH COMPARISONS

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS :	OTHER : POULTRY	TOTAL : POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
AUGUST 1972:	6,646	745	7,391	14	806	9	829	3	1	8,224
AUGUST 1973:	6,761	495	7,256	27	771	4	802	6	1	8,065
JAN.-AUG. 1972:	33,967	5,931	39,898	159	2,350	84	2,593	23	8	42,522
JAN.-AUG. 1973:	37,342	6,095	43,437	170	2,521	70	2,761	28	7	46,233
PERCENT 1/										
AUGUST 1972:	.64	1.09	.67	.16	.25	.42	.25	.03	.27	.57
AUGUST 1973:	.69	.89	.70	.30	.27	.19	.27	.08	.35	.60
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
AUGUST 1972:	26,300	3,358	29,658	144	6,544	82	6,770	130	7	36,564
AUGUST 1973:	21,164	2,762	23,926	151	6,099	63	6,313	145	4	30,388
JAN.-AUG. 1972:	210,081	28,171	238,252	1,409	22,521	815	24,745	693	36	263,726
JAN.-AUG. 1973:	175,152	30,033	205,185	1,198	23,844	838	25,860	921	36	232,022
PERCENT 2/										
AUGUST 1972:	2.85	5.53	3.02	1.79	2.35	4.22	2.34	1.76	1.44	2.86
AUGUST 1973:	2.42	5.61	2.59	1.91	2.38	3.65	2.38	2.29	1.49	2.54

3/ 1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, AUGUST 1973 WITH COMPARISONS

	YOUNG C-HICKENS : FURTHER : PROCESSED:	MATURE CHICKENS : FURTHER : PROCESSED:	TURKEYS : FURTHER : PROCESSED:	CUT UP : CUT UP : CUT UP :	OTHER POULTRY 1/ : FURTHER : PROCESSED:	TOTAL POULTRY : CUT UP : CUT UP :				
POUNDS USED READY-TO-COOK WEIGHT 2/										
JULY 1973 :	37,832	207,977	36,893	369	67,373	22,854	6,515	280	148,613	231,480
AUGUST 1972 :	38,583	215,612	38,010	114	3,72,407	32,386	7,716	95	3/156,716	248,207
AUGUST 1973 :	43,205	213,480	38,005	389	89,310	28,632	9,429	163	179,949	242,664
JANUARY-AUGUST 1972 :	288,261	1,528,679	326,137	4,132	3/375,212	178,925	61,933	2,000	3/1,051,543	1,713,736
JANUARY-AUGUST 1973 :	312,923	1,678,663	335,716	4,336	423,661	160,317	68,246	961	1,140,546	1,844,277
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
JULY 1973 :	551	1,336	44	4	64	99	44	2	703	1,441
AUGUST 1972 :	787	1,614	65	12	108	112	31	3	991	1,741
AUGUST 1973 :	503	1,249	35	13	36	122	50	23	624	1,407
JANUARY-AUGUST 1972 :	5,778	13,308	717	57	492	477	153	47	7,140	13,889
JANUARY-AUGUST 1973 :	4,023	13,746	365	85	350	631	274	35	5,012	14,497

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.
 3/ REVISED.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/1		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS				
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973			
	THOUSANDS-		POUNDS-		POUNDS-		POUNDS-		PERCENT	PERCENT			
N. ATLANTIC	14,348	14,297	59,491	57,467	4.15	4.02	42,326	41,398	1,856	1,418	3.48	2.76	
E. N. CENTRAL	2,978	2,907	11,545	11,191	3.88	3.85	8,361	8,126	222	255	2.14	2.54	
M. N. CENTRAL	8,491	7,791	31,944	29,981	3.76	3.85	22,880	21,755	793	647	2.79	2.42	
S. ATLANTIC	112,106	103,596	422,893	388,677	3.77	3.75	304,240	279,347	10,645	7,416	2.81	2.13	
S. CENTRAL	136,485	126,281	487,502	452,203	3.57	3.58	348,450	324,648	12,426	10,259	2.85	2.54	
WEST	4,411	9,804	17,082	38,799	3.87	3.96	12,293	28,195	358	1,169	2.33	3.35	
U. S.	278,819	264,676	1,030,457	978,318	3.70	3.70	738,550	703,469	26,300	21,164	2.85	2.42	
MAINE	6,395	6,808	26,870	27,241	4.20	4.00	19,553	20,153	708	543	2.94	2.22	
PENNSYLVANIA	7,521	6,974	30,605	27,918	4.07	4.00	21,432	19,675	1,096	812	3.99	3.25	
INDIANA	1,401	1,468	5,148	5,544	3.68	3.78	3,795	4,089	68	98	1.47	1.96	
WISCONSIN	1,245	1,152	5,106	4,577	4.10	3.97	3,684	3,285	135	131	2.96	3.21	
MINNESOTA	946	937	4,152	4,074	4.39	4.35	3,093	3,055	84	60	2.26	1.64	
MISSOURI	6,177	5,610	22,797	21,038	3.69	3.75	16,348	15,206	534	435	2.63	2.31	
DELAWARE	9,284	8,614	36,868	34,209	3.97	3.97	26,255	24,374	1,002	810	3.03	2.65	
MARYLAND	14,716	13,455	57,766	53,005	3.93	3.94	41,990	37,952	1,414	980	2.73	2.07	
VIRGINIA	12,880	12,845	47,493	46,630	3.69	3.63	33,928	33,486	925	638	2.17	1.52	
NORTH CAROLINA	27,038	24,630	106,592	96,792	3.94	3.93	76,361	69,549	2,779	2,068	2.91	2.39	
SOUTH CAROLINA	4,133	3,849	14,304	13,157	3.46	3.42	10,046	9,214	327	274	2.57	2.33	
GEORGIA	37,935	35,212	137,824	127,004	3.63	3.61	100,025	92,088	3,612	2,379	2.92	2.09	
TENNESSEE	7,588	6,393	26,531	21,523	3.50	3.37	18,951	15,583	792	490	3.33	2.55	
ALABAMA	38,241	36,673	136,784	132,182	3.58	3.60	98,078	95,374	3,172	2,794	2.59	2.36	
MISSISSIPPI	24,405	21,659	87,526	79,710	3.59	3.68	63,474	58,541	2,083	1,568	2.66	2.20	
ARKANSAS	38,042	36,951	132,431	128,269	3.48	3.47	93,862	91,018	3,438	3,023	2.90	2.64	
LOUISIANA	5,102	4,573	18,790	17,065	3.68	3.73	13,654	12,215	444	505	2.64	3.33	
TEXAS	17,553	15,850	65,900	58,362	3.75	3.68	46,393	41,187	2,035	1,566	3.47	3.00	
WASHINGTON	---	---	---	5,934	---	3.79	---	---	4,458	---	151	---	2.83
CALIFORNIA	2,287	6,609	9,088	27,162	3.97	4.11	6,631	19,736	207	842	2.54	3.45	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1973

REGION AND STATE	:TUBER- : :CULOSIS: : : NO.	LEU- : KOSIS : : NO.	SEPTI- : : CEMIA : : NO.	AIRSAC- : CULLIS : : NO.	SYND- : VITIS : : NO.	TUMORS : : NO.	BRUISES : : NO.	CADAVER: : : NO.	INATON: : : NO.	CONTAN- : SCALD : : NO.	OVER- : : NO.	OTHER : : NO.	TOTAL : : NO.
N. ATLANTIC	---	59,982	73,821	30,586	1,657	1,008	5,458	10,452	37,826	3,553	15,351	239,694	
E. N. CENTRAL	---	15,622	23,154	1,818	441	93	1,904	1,311	7,363	1,114	3,121	55,941	
W. N. CENTRAL	---	23,374	32,081	15,682	5,987	330	3,752	6,490	17,823	1,814	14,066	121,399	
S. ATLANTIC	---	342,688	271,612	161,669	13,082	6,121	46,045	90,334	281,530	27,503	149,405	1,389,989	
S. CENTRAL	---	266,573	492,412	207,597	63,506	16,173	76,076	115,642	341,478	33,983	179,351	1,792,891	
WEST	---	48,630	46,558	36,373	1,573	1,161	2,552	4,280	7,478	5,067	14,351	168,023	
U. S.	---	756,869	939,638	453,725	86,346	24,886	135,787	228,509	693,498	73,034	375,645	3,767,937	
MAINE	---	30,897	33,133	8,191	1,402	285	1,898	5,041	10,625	1,860	1,883	95,215	
PENNSYLVANIA	---	27,826	38,578	22,277	241	618	3,218	4,569	24,042	1,666	11,845	134,880	
INDIANA	---	3,862	9,944	395	74	29	954	378	1,713	119	1,204	18,672	
WISCONSIN	---	7,916	11,651	1,200	366	42	766	781	4,596	865	1,247	29,430	
MINNESOTA	---	967	3,955	671	119	65	414	571	2,694	450	1,243	11,149	
MISSOURI	---	18,758	23,954	9,341	3,254	113	3,050	3,517	9,756	1,090	2,142	74,975	
DELAWARE	---	88,044	18,659	18,414	1,132	201	1,790	15,194	17,282	3,057	7,522	171,295	
MARYLAND	---	80,608	41,501	32,883	552	559	3,039	15,906	22,372	3,570	6,751	207,841	
VIRGINIA	---	40,792	37,185	19,003	386	201	3,139	5,795	15,887	4,675	5,638	132,701	
NORTH CAROLINA	---	68,875	70,587	50,003	4,228	1,700	15,673	20,851	86,069	3,986	55,724	377,696	
SOUTH CAROLINA	---	5,613	10,123	3,124	685	278	4,919	4,031	11,998	1,457	13,512	55,740	
GEORGIA	---	49,703	80,399	36,455	5,586	3,029	16,054	24,726	118,859	9,619	54,878	399,308	
TENNESSEE	---	20,666	35,898	3,675	1,095	236	3,989	3,601	24,531	2,058	15,839	111,588	
ALABAMA	---	39,264	135,604	28,030	14,500	6,217	18,668	29,836	115,197	9,510	58,544	455,470	
MISSISSIPPI	---	48,195	38,983	33,692	8,422	3,049	8,881	13,905	50,675	6,041	29,378	241,221	
ARKANSAS	---	81,968	163,118	105,788	21,763	3,857	21,179	33,772	87,552	9,439	47,968	576,404	
LOUISIANA	---	13,097	24,393	7,283	6,445	737	5,375	5,775	13,309	1,101	3,809	81,324	
TEXAS	---	58,960	77,814	24,648	10,427	1,817	14,559	25,320	41,630	5,042	19,811	280,028	
WASHINGTON	---	8,569	8,619	4,691	297	42	356	662	761	125	5,290	29,412	
CALIFORNIA	---	36,533	28,812	14,448	915	1,058	1,487	12,726	4,662	4,818	6,268	101,727	

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--	
N. ATLANTIC	2,017	1,640	10,024	7,576	4.97	4.62	6,405	4,777	469	375
E. N. CENTRAL	2,021	1,576	7,832	6,132	3.88	3.89	4,654	3,664	312	308
W. N. CENTRAL	3,959	2,575	16,474	10,590	4.16	4.11	10,040	6,556	814	509
S. ATLANTIC	3,415	2,700	16,381	12,380	4.80	4.58	10,450	7,805	790	579
S. CENTRAL	2,148	3,038	10,799	13,342	5.03	4.39	6,956	8,713	642	733
WEST	1,637	1,249	6,764	5,205	4.13	4.17	4,069	3,179	331	258
U. S.	15,197	12,778	68,274	55,225	4.49	4.32	42,574	34,694	3,358	2,762
MAINE	252	136	1,499	727	5.96	5.34	1,030	486	51	27
NEW JERSEY	1,140	1,137	4,927	4,809	4.32	4.23	2,971	2,943	272	259
PENNSYLVANIA	67	35	491	269	7.38	7.60	342	173	9	5
OHIO	317	235	1,273	913	4.02	3.89	749	523	64	38
INDIANA	473	---	1,842	---	3.89	---	1,168	---	68	---
MINNESOTA	1,452	846	5,297	3,111	3.65	3.68	3,162	1,919	272	158
MISSOURI	1,217	1,048	6,376	4,976	5.24	4.75	4,156	3,220	270	203
MARYLAND	578	---	2,696	---	4.67	---	1,736	---	114	---
NORTH CAROLINA	---	122	---	936	---	7.69	---	671	---	35
GEORGIA	2,566	2,032	12,041	9,150	4.69	4.50	7,646	5,717	591	431
MISSISSIPPI	1,512	1,572	7,884	7,218	5.21	4.59	5,108	4,660	475	442
ARKANSAS	83	---	598	---	7.23	---	415	---	21	---
TEXAS	332	367	1,441	1,594	4.34	4.34	911	1,018	80	83
WASHINGTON	138	126	519	602	3.77	4.77	353	393	18	21
CALIFORNIA	1,337	927	5,524	3,809	4.13	4.11	3,268	2,304	289	197

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDENNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1973

REGION AND STATE	TUBER- : :CULOSIS:	LEU- : :KOSIS :	SEPTI- : :CENIA :	AIRSAC- : :CULITIS :	SYNO- : :VITIS :	TUMORS : :NO.	BRUISES: : :NO.	CADAVER: : :NO.	INAIONS: : :NO.	CONTAM- : :SCALD :	OVER- : :OTHER :	TOTAL : :NO.
N. ATLANTIC	---	1,228	24,405	89	348	14,479	2,840	1,430	6,091	254	22,034	73,198
E. N. CENTRAL	102	3,936	33,157	434	8	10,320	9,796	4,380	18,578	253	5,490	86,454
W. N. CENTRAL	1,337	8,470	44,574	1,559	325	40,303	8,022	4,650	9,528	1,493	10,530	130,791
S. ATLANTIC	---	1,712	37,446	981	195	17,068	7,328	4,721	27,059	444	7,526	104,480
S. CENTRAL	---	7,197	34,220	368	157	25,606	10,482	3,638	15,778	1,461	28,184	127,091
WEST	---	465	32,167	115	80	20,466	1,656	681	3,737	145	9,226	68,738
U. S.	1,439	23,008	205,969	3,546	1,113	128,242	40,124	19,500	80,771	4,050	82,990	590,752
MAINE	---	64	1,745	4	97	594	286	156	427	87	51	3,511
NEW JERSEY	---	884	16,501	---	90	10,730	2,154	623	3,122	113	21,376	55,593
PENNSYLVANIA	---	48	201	43	5	63	22	2	14	---	---	398
OHIO	9	911	2,815	1	2	874	1,126	211	1,417	18	548	7,932
MINNESOTA	830	4,436	11,689	372	29	17,451	1,088	718	1,638	246	5,714	44,211
MISSOURI	26	921	20,472	387	281	9,685	3,625	1,775	3,489	1,185	1,729	43,575
NORTH CAROLINA	---	298	670	222	23	279	81	143	1,042	---	1,071	3,829
GEORGIA	---	758	27,694	185	137	12,976	5,990	3,685	17,499	117	5,212	74,253
MISSISSIPPI	---	4,151	14,063	43	47	13,952	5,606	997	9,401	334	17,024	65,618
TEXAS	---	397	2,283	83	51	4,843	959	893	1,856	93	8,791	20,249
WASHINGTON	---	269	3,143	36	3	292	126	29	305	1	371	4,575
CALIFORNIA	---	108	24,423	74	72	18,510	782	589	2,233	142	6,846	53,779

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	307	353	5,647	6,348	18.39	17.98	4,474	5,096	89	91	1.75
E. N. CENTRAL	1,973	1,678	31,775	30,516	19.14	18.18	30,011	24,232	528	487	1.55
W. N. CENTRAL	5,846	5,757	113,068	109,611	19.34	19.04	90,191	87,099	2,610	2,407	2.44
S. ATLANTIC	2,104	2,077	38,958	35,724	18.52	17.20	30,644	27,888	1,022	800	2.92
S. CENTRAL	2,301	2,182	43,332	39,873	18.83	18.28	33,848	31,350	1,111	835	2.33
WEST	3,668	3,257	71,388	62,788	19.46	19.28	56,895	50,194	1,184	1,479	2.62
U. S.	16,199	15,304	310,168	284,860	19.15	18.61	246,063	225,859	6,544	6,099	2.35
PENNSYLVANIA	303	350	5,599	6,308	18.49	18.00	4,437	5,068	89	91	1.76
OHIO	645	643	11,343	11,058	17.59	17.20	8,996	8,725	168	194	1.65
INDIANA	716	490	13,943	9,051	19.48	18.47	11,013	7,180	218	159	1.74
WISCONSIN	433	416	8,343	7,582	19.28	18.48	6,724	6,184	95	94	1.27
MINNESOTA	2,679	2,730	50,788	51,670	18.95	18.93	40,808	41,463	1,089	877	2.38
IOWA	1,423	1,267	27,638	24,630	19.43	19.49	21,875	19,528	650	577	2.62
MISSOURI	1,399	1,439	27,917	27,615	19.96	19.19	22,198	21,627	727	823	2.90
VIRGINIA	756	742	13,796	12,792	18.24	17.25	10,738	10,018	333	182	2.69
NORTH CAROLINA	1,108	1,041	19,371	16,207	17.48	15.57	15,433	12,627	479	424	2.75
ARKANSAS	1,260	1,129	23,616	19,875	18.74	17.61	18,500	15,603	628	360	2.96
TEXAS	884	1,053	16,836	19,998	19.04	18.99	13,029	15,748	435	475	2.87
COLORADO	461	467	9,671	9,454	20.98	20.26	7,397	7,327	118	169	1.36
UTAH	647	631	14,542	13,553	22.47	21.49	11,668	10,880	403	490	3.09
CALIFORNIA	2,274	1,952	41,936	35,698	18.45	18.29	33,712	28,879	574	600	1.52

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1973

REGION AND STATE	TUBER-SCULOSIS : NO.	LEU-KOSIS : NO.	SEPTI-CENIA : NO.	AIRSAC-CULLITIS : NO.	SYNO-VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAMINATION :			OTHER : NO.	TOTAL NO.
									NO.	NO.	NO.		
N. ATLANTIC	---	10	2,091	957	165	4	21	87	412	---	36	36	3,783
E. N. CENTRAL	---	6	12,436	4,732	1,001	2	583	706	1,535	59	791	791	21,851
W. N. CENTRAL	---	191	60,246	29,500	6,921	72	978	2,661	4,817	603	1,832	1,832	107,821
S. ATLANTIC	---	22	13,758	11,327	1,403	37	427	879	2,320	140	3,712	3,712	34,025
S. CENTRAL	---	34	17,914	6,130	3,638	28	510	1,182	2,153	800	661	661	33,050
WEST	---	25	30,257	22,028	4,472	62	720	2,681	2,877	635	704	704	64,461
U. S.	---	288	136,702	74,674	17,600	205	3,239	8,196	14,114	2,237	7,736	7,736	264,991
PENNSYLVANIA	---	10	2,090	957	165	4	21	87	411	---	35	35	3,780
OHIO	---	4	5,583	1,174	108	1	180	169	1,171	18	241	241	8,649
INDIANA	---	1	3,818	1,783	140	1	157	321	249	38	42	42	6,550
WISCONSIN	---	---	2,140	961	674	---	242	207	103	2	505	505	4,834
MINNESOTA	---	143	21,894	9,670	2,548	19	286	1,114	1,258	253	307	307	37,492
IOWA	---	---	15,775	6,703	155	7	387	282	867	201	326	326	24,703
MISSOURI	---	---	19,052	11,566	4,194	9	228	994	2,125	110	1,152	1,152	39,430
VIRGINIA	---	6	3,341	1,902	662	2	67	412	206	12	249	249	6,859
NORTH CAROLINA	---	11	6,305	3,264	189	21	245	340	1,848	107	2,757	2,757	20,087
ARKANSAS	---	3	8,080	2,812	1,591	14	184	669	906	159	70	70	14,488
TEXAS	---	31	9,834	3,318	2,047	14	326	513	1,247	641	591	591	18,562
COLORADO	---	13	3,438	2,764	437	---	63	431	143	137	21	21	7,447
UTAH	---	5	6,359	7,430	2,919	---	213	399	1,972	229	527	527	20,053
CALIFORNIA	---	6	13,165	9,169	903	61	316	643	604	232	115	115	25,214

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	18	18	163	161	9.06	8.94	126	125	2	2.72
E. N. CENTRAL	28	48	243	447	8.72	9.36	190	349	4	1.75
M. N. CENTRAL	516	483	4,726	4,284	9.16	8.87	3,732	3,375	65	1.53
S. ATLANTIC	328	304	2,795	2,555	8.52	8.39	2,057	1,898	27	2.21
S. CENTRAL	42	10	355	86	8.54	8.68	287	64	6	2.03
WEST	71	149	617	1,292	8.75	8.66	474	974	9	1.69
U. S.	1,003	1,012	8,899	8,825	8.88	8.72	6,866	6,785	144	1.79
MINNESOTA	513	475	4,703	4,206	9.16	8.85	3,714	3,313	65	1.53
VIRGINIA	299	286	2,549	2,422	8.53	8.46	1,870	1,799	47	2.06
CALIFORNIA	61	131	548	1,139	9.02	8.71	419	852	8	1.56

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1973

REGION AND STATE	TUBERCULOSIS		LEUROSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVER-SCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	296
E. N. CENTRAL	---	---	1	48	4	48	1	62	1	62	1	32	153	1	153	1	1	1	2	2	73	861	
M. N. CENTRAL	---	---	1	3,305	1	855	1	42	4	513	4	129	442	4	442	4	4	4	4	4	4	5,365	
S. ATLANTIC	---	---	1	1,053	4	416	2	68	1	68	2	212	279	2	279	2	2	2	2	2	36	2,073	
S. CENTRAL	---	---	7	33	4	33	1	7	1	7	---	2	58	---	58	---	---	---	---	---	452	564	
WEST	---	---	6	1,448	87	4,460	1	31	87	87	31	59	149	1	149	1	1	1	1	1	13	6,235	
U. S.	---	---	16	6,614	5,767	606	5	211	435	1,156	8	576	15,394	8	15,394	8	8	8	8	8	8	15,394	
MINNESOTA	---	---	1	3,199	643	507	1	39	128	411	4	73	5,006	4	5,006	4	4	4	4	4	4	73	5,006
VIRGINIA	---	---	1	749	71	2	17	212	85	212	2	35	1,175	2	1,175	2	2	2	2	2	35	1,175	
CALIFORNIA	---	---	6	1,368	4,385	86	22	35	108	108	1	7	5,999	1	5,999	1	1	1	1	1	7	5,999	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1972 AND 1973

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	2	3	29	43	14.50	14.33	23	34	1	2.52
E. N. CENTRAL	7	33	148	686	19.99	20.54	118	541	4	2.80
W. N. CENTRAL	32	24	526	405	16.52	17.03	430	319	19	4.06
S. ATLANTIC	38	6	729	102	18.96	16.98	564	78	38	5.81
S. CENTRAL	---	---	---	---	---	---	---	---	---	---
WEST	40	41	737	668	18.64	16.37	584	527	21	3.17
U. S.	119	107	2,169	1,904	18.25	17.86	1,719	1,499	82	4.22
OHIO	---	21	---	421	---	19.85	---	329	12	---
MINNESOTA	31	24	505	405	16.14	17.03	413	319	19	4.19

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1973

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNDROME		TUMORS		BRUISES		CADAVER INMATION		CONTAMINATION		OVERSCALE		OTHER		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	7	3	---	---	---	---	---	---	---	---	1	12	1	12	---	---	---	---	8	---	---	32
E. N. CENTRAL	---	---	3	296	279	145	2	4	5	26	4	2	12	33	16	28	---	---	---	---	15	---	---	673
W. N. CENTRAL	---	---	---	218	145	61	2	2	2	25	2	---	---	---	---	16	---	---	---	---	18	---	---	454
S. ATLANTIC	---	---	1	159	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	361
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	12	1,032	13	---	3	102	3	25	25	149	48	---	---	---	---	---	---	---	---	---	---	1,412
U. S.	---	---	23	1,708	498	221	16	110	16	77	77	178	137	---	---	---	---	---	---	---	---	---	---	2,932
OHIO	---	---	3	192	221	---	---	4	---	23	---	5	28	---	---	---	---	---	---	---	---	---	---	487
MINNESOTA	---	---	---	218	145	---	---	2	2	25	16	28	---	---	---	---	---	---	---	---	---	---	---	454

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.