

POULTRY SLAUGHTER



Crop
Reporting
Board

Economics and
Statistics Service

U.S. Department
of Agriculture

Washington, D.C.
20250

Released: December 3, 1980
3:00 P.M. ET

October 1980

LIVE WEIGHT POULTRY INSPECTIONS totaled 1.79 billion pounds during October, down 6 percent from October 1979, but 9 percent above September 1980, according to the Crop Reporting Board.

Inspections included 1.36 billion pounds of young chickens, down 5 percent from October 1979, but 7 percent greater than September 1980; 79.7 million pounds of mature chickens, down 8 percent from October 1979, but 23 percent above September 1980. Turkey inspections totaled 343 million pounds, down 9 percent from October 1979, but 13 percent above September 1980. Duck inspections totaled 9.88 million pounds, down 9 percent from the comparable month a year earlier, but 2 percent above September 1980.

POULTRY CERTIFIED WHOLESOME totaled 1.32 billion pounds, down 6 percent from October 1979, but up 9 percent from September 1980. The October 1980 percentage breakdown was 77 percent chilled and 23 percent frozen.

FURTHER PROCESSED poultry totaled 363 million pounds, ready-to-cook weight, 8 percent above October a year earlier and a 12 percent increase from September 1980.

CUT-UP PACKAGED poultry products totaled 538 million pounds, an increase of 36 and 27 percent from last year and last month, respectively.

ANTE-MORTEM CONDEMNATIONS during October 1980 were 4.83 million pounds live weight. Percent of quantities inspected equaled 0.26 compared with 0.36 percent during October of last year. POST-MORTEM CONDEMNATIONS totaled 29.8 million pounds (N.Y.D. Weight), 1.85 percent of quantities inspected. The Post-Mortem condemnations comparable for October 1979 were 2.10 percent.

POULTRY SLAUGHTERED (including that slaughtered in non-federally inspected plants) was 1.32 billion pounds ready-to-cook weight, down 6 percent from October 1979, but up 9 percent from September 1980.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1980 WITH COMPARISONS

NUMR INSPCTD	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY	: POULTRY
SEPTEMBER 1980	322,964	13,876	336,840	667	15,569	149	16,385	1,573	---	---	---	---	---	---	---	---	---
OCTOBER 1979	356,311	18,923	375,234	846	18,077	69	18,992	1,740	---	---	---	---	---	---	---	---	---
OCTOBER 1980	337,685	17,705	355,390	855	16,884	105	17,844	1,577	---	---	---	---	---	---	---	---	---
JAN.-OCT. 1979	3,282,758	171,770	3,454,528	7,452	110,134	1,006	118,592	14,938	---	---	---	---	---	---	---	---	---
JAN.-OCT. 1980	3,294,238	171,788	3,466,026	8,507	119,476	1,242	129,225	14,052	---	---	---	---	---	---	---	---	---
POUNDS INSPECTED 4/																	
SEPTEMBER 1980	1,271,125	64,581	1,335,706	6,324	294,095	2,935	303,354	9,655	615	1,649,330	---	---	---	---	---	---	---
OCTOBER 1979	1,431,872	86,482	1,518,354	7,964	365,597	1,455	375,016	10,884	2,600	1,906,854	---	---	---	---	---	---	---
OCTOBER 1980	1,358,257	79,676	1,437,933	7,887	332,822	2,037	342,746	9,878	1,442	1,791,999	---	---	---	---	---	---	---
JAN.-OCT. 1979	12,860,693	766,166	13,626,859	69,724	2,119,109	20,341	2,209,176	92,128	5,954	15,934,114	---	---	---	---	---	---	---
JAN.-OCT. 1980	12,939,877	751,181	13,691,058	79,324	2,260,576	25,452	2,365,351	87,434	6,289	16,150,128	---	---	---	---	---	---	---
AVERAGE LIVWEIGHTS/																	
SEPTEMBER 1980	3.94	4.65	3.97	9.48	18.89	19.70	18.51	6.14	---	---	---	---	---	---	---	---	---
OCTOBER 1979	4.02	4.57	4.05	9.41	20.22	21.03	19.75	6.26	---	---	---	---	---	---	---	---	---
OCTOBER 1980	4.02	4.50	4.05	9.22	19.71	19.40	19.21	6.26	---	---	---	---	---	---	---	---	---
JAN.-OCT. 1979	3.92	4.46	3.94	9.36	19.24	20.22	18.63	6.17	---	---	---	---	---	---	---	---	---
JAN.-OCT. 1980	3.93	4.37	3.95	9.32	18.92	20.49	18.30	6.22	---	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

SEPTEMBER 1980, 3,093; OCTOBER 1979, 4,013; AND OCTOBER 1980, 3,452.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG RANDED BREEDERS WAS:

SEPTEMBER 1980, 81; OCTOBER 1979, 122; AND OCTOBER 1980, 99.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), OCTOBER 1980 WITH COMPARISONS 1/

NUMR INSPCTD	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY	: POULTRY
SEPTEMBER 1980	849,802	32,856	882,658	2,881	49,408	789	53,078	864	50	936,650	---	---	---	---	---	---	---
FROZEN	74,763	7,510	82,273	2,104	183,087	1,487	186,678	5,838	301	275,090	---	---	---	---	---	---	---
TOTAL	924,565	40,366	964,931	4,985	232,495	2,276	239,756	6,702	351	1,211,740	---	---	---	---	---	---	---
OCTOBER 1979	945,347	46,171	991,518	3,620	65,729	365	69,714	755	221	1,062,208	---	---	---	---	---	---	---
FROZEN	92,619	7,757	100,376	2,626	224,381	783	227,790	6,792	1,514	336,472	---	---	---	---	---	---	---
TOTAL	1,037,966	53,928	1,091,894	6,246	290,110	1,148	297,504	7,547	1,735	1,398,680	---	---	---	---	---	---	---
OCTOBER 1980	906,049	40,698	946,747	3,288	64,192	262	67,742	1,050	165	1,015,704	---	---	---	---	---	---	---
FROZEN	81,565	8,767	90,332	2,932	199,487	1,291	203,710	5,793	768	300,603	---	---	---	---	---	---	---
TOTAL	987,614	49,465	1,037,079	6,220	263,679	1,553	271,452	6,843	933	1,316,307	---	---	---	---	---	---	---
JANUARY-OCTOBER 1979	8,566,520	404,346	8,970,866	25,804	435,602	4,918	466,322	7,207	497	9,444,890	---	---	---	---	---	---	---
FROZEN	721,656	71,099	792,755	29,070	1,248,240	10,799	1,288,111	56,551	3,104	2,140,525	---	---	---	---	---	---	---
TOTAL	9,288,176	475,445	9,763,621	54,874	1,683,842	15,717	1,754,433	63,758	3,601	11,585,415	---	---	---	---	---	---	---
JANUARY-OCTOBER 1980	8,651,133	383,758	9,034,891	29,512	448,564	6,852	484,927	7,704	606	9,528,129	---	---	---	---	---	---	---
FROZEN	740,362	80,318	820,680	32,477	1,343,520	12,759	1,388,756	52,876	2,980	2,265,288	---	---	---	---	---	---	---
TOTAL	9,391,495	464,076	9,855,571	61,989	1,752,084	19,611	1,873,683	60,580	3,586	11,793,417	---	---	---	---	---	---	---

1/ 1,000 POUNDS

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES AND SELECTED STATES, OCTOBER 1979 AND 1980

STATE	NUMBER INSPECTED		POUNDS (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1979	1980	1979	1980	1979	1980	1979	1980	1979	1980		
U. S.	1356,311	337,685	1,431,872	1,358,257	4.02	4.02	1,037,966	987,614	24,749	19,143	1.92	1.57
ALABAMA	42,532	41,367	162,228	159,294	3.81	3.85	117,965	116,606	2,637	1,901	1.81	1.32
ARKANSAS	55,868	49,773	213,486	190,140	3.82	3.82	150,683	135,811	4,429	2,649	2.31	1.55
CALIFORNIA	12,320	13,439	55,226	62,092	4.48	4.62	40,382	44,952	944	1,784	1.80	3.20
DELAWARE	13,063	14,085	60,431	67,083	4.63	4.76	44,091	49,345	923	729	1.70	1.21
GEORGIA	50,112	48,885	192,291	193,056	3.84	3.95	142,528	142,636	2,820	2,685	1.63	1.54
INDIANA	1,414	1,390	5,628	5,445	3.92	3.92	4,212	3,978	94	65	1.86	1.32
LOUISIANA	7,335	6,687	28,486	25,722	3.88	3.85	20,801	17,580	601	418	2.35	1.80
MAINE	7,753	6,526	33,402	28,093	4.31	4.30	24,418	20,561	684	501	2.28	1.98
MARYLAND	17,088	13,124	71,797	54,609	4.20	4.16	52,118	40,529	1,198	558	1.86	1.13
MINNESOTA	---	---	---	---	---	---	---	---	---	---	---	---
MISSISSIPPI	24,746	23,494	98,333	92,751	3.97	3.95	71,552	67,969	1,707	1,240	1.93	1.48
MISSOURI	6,052	5,634	24,721	23,657	4.08	4.20	18,467	17,456	641	516	2.89	2.42
NORTH CAROLINA	34,870	35,312	146,430	143,348	4.20	4.06	106,661	103,926	2,426	1,914	1.84	1.48
OHIO	777	---	2,909	---	3.74	---	1,979	---	71	---	2.73	---
PENNSYLVANIA	8,740	8,979	36,959	35,780	4.23	3.98	26,196	25,430	794	723	2.39	2.25
SOUTH CAROLINA	5,875	4,842	21,766	18,078	3.70	3.73	14,948	12,542	352	245	1.80	1.51
TENNESSEE	7,559	6,886	28,240	26,393	3.74	3.83	20,431	18,964	502	332	1.98	1.40
TEXAS	23,492	20,343	94,793	78,915	4.04	3.88	68,898	58,031	1,596	1,188	1.88	1.36
VIRGINIA	16,619	17,307	72,524	73,666	4.36	4.26	53,408	53,408	884	700	1.35	1.05
WASHINGTON	1,748	1,516	7,448	6,203	4.26	4.09	5,412	4,566	171	152	2.57	2.74

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES AND SELECTED STATES, OCTOBER 1980

STATE	LEUROSIS		SEPTICEMIA		ATRSAC		SYNOVITIS		BRUISES		CONTAMINATION		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
U. S.	107,400	1,335,119	634,813	32,091	69,438	83,728	149,991	277,447	42,614	152,931	2,885,572	277,196	402,686	289,749
ALABAMA	4,443	143,194	48,558	3,368	7,231	10,003	17,456	24,940	4,276	13,727	277,196	402,686	289,749	93,183
ARKANSAS	10,526	192,384	89,578	8,393	10,316	13,212	26,421	31,943	5,793	14,120	47,712	10,707	46,995	75,917
CALIFORNIA	9,269	99,788	131,847	1,548	2,347	3,563	9,062	9,250	3,020	20,055	63,472	166,491	63,472	349,219
DELAWARE	14,758	33,745	19,321	285	4,429	1,657	8,140	8,140	853	5,185	128,176	44,167	53,983	182,224
GEORGIA	1,916	227,866	77,561	5,000	8,774	12,149	19,539	51,402	6,752	15,005	1,057	2,888	4,430	86,910
INDIANA	1,584	4,507	528	58	334	364	561	2,736	34	1	10,707	47,712	46,995	75,917
LOUISIANA	171	23,597	9,370	322	2,337	1,332	4,021	4,397	1,319	846	3,661	46,995	46,995	75,917
MAINE	5,196	20,043	7,677	559	1,139	1,389	1,726	4,924	701	3,362	19,851	19,851	19,851	19,851
MARYLAND	10,106	33,866	14,553	285	2,066	1,163	3,808	6,236	472	3,362	75,917	75,917	75,917	75,917
MINNESOTA	688	6,311	5,528	618	105	284	281	1,506	53	4,477	19,851	19,851	19,851	19,851
MISSISSIPPI	2,655	76,573	33,935	1,812	2,255	6,537	10,688	25,553	2,581	3,902	166,491	166,491	166,491	166,491
MISSOURI	1,669	23,959	21,801	737	1,203	1,997	1,901	6,800	1,483	1,922	63,472	63,472	63,472	63,472
NORTH CAROLINA	7,140	182,685	79,553	952	8,747	8,174	17,398	25,063	5,516	13,991	349,219	349,219	349,219	349,219
PENNSYLVANIA	8,785	34,382	32,058	342	1,306	2,647	2,825	28,646	128	1,057	128,176	128,176	128,176	128,176
SOUTH CAROLINA	950	16,238	8,316	890	1,506	2,144	6,027	4,285	923	2,888	44,167	44,167	44,167	44,167
TENNESSEE	1,515	29,862	5,451	465	1,207	1,392	1,392	4,721	6	7,127	53,983	53,983	53,983	53,983
TEXAS	3,613	78,320	15,604	1,106	3,652	5,679	12,513	14,716	2,591	4,430	182,224	182,224	182,224	182,224
VIRGINIA	14,949	39,574	8,569	120	3,759	1,645	4,051	7,068	2,294	4,881	86,910	86,910	86,910	86,910
WASHINGTON	3,452	13,279	1,118	677	181	1,247	784	443	119	650	21,930	21,930	21,930	21,930

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES AND SELECTED STATES, OCTOBER 1979 AND 1980

STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS				
	1979	1980	1979	1980	1979	1980	1979	1980	1979	1980			
U. S.	18,923	17,705	86,482	79,676	4.57	4.50	53,928	49,465	3,139	2,800	4.07	3.94	
CALIFORNIA	1,740	1,487	7,186	6,072	4.13	4.08	4,410	3,612	265	233	4.13	4.34	
GEORGIA	3,297	4,031	17,585	19,800	5.33	4.91	10,913	12,019	700	678	4.45	3.83	
MAINE	401	131	2,150	858	5.37	6.56	1,373	559	78	30	4.09	3.92	
MINNESOTA	1,212	---	4,543	---	3.75	---	2,744	---	218	---	5.41	---	
MISSOURI	220	405	1,881	2,625	8.53	6.49	1,280	1,766	79	102	4.68	4.33	
NEW JERSEY	2,214	2,352	9,369	9,835	4.23	4.18	5,559	5,722	303	336	3.65	3.83	
NORTH CAROLINA	---	165	---	1,260	---	7.64	---	883	---	29	---	2.58	---
TEXAS	768	---	2,679	---	3.49	---	1,673	---	98	---	4.12	---	
WASHINGTON	291	312	1,156	1,241	3.98	3.97	747	801	35	40	3.34	3.63	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES AND SELECTED STATES, OCTOBER 1980

STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVER-SCALD		TOTAL NO.		
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.				
U. S.	1,581	23,049	248,141	3,055	539	118,706	39,672	23,462	68,902	2,938	48,030	578,075	122	2,923	51,014	131,320	2,091	387	2,665	10,286	58,652	3,105	12,135
CALIFORNIA	---	306	24,525	620	63	17,734	1,687	822	2,212	122	2,923	51,014	982	2,091	131,320	2,091	387	2,665	10,286	58,652	3,105	12,135	
GEORGIA	---	445	75,436	450	96	22,032	9,980	5,320	14,488	982	2,923	51,014	4	387	2,665	10,286	58,652	3,105	12,135	---	---	---	---
MAINE	---	15	1,168	5	22	372	137	116	439	4	387	2,665	106	929	10,286	---	---	---	---	---	---	---	---
MISSOURI	95	117	3,136	494	24	2,277	826	520	1,762	106	929	10,286	239	14,439	58,652	---	---	---	---	---	---	---	---
NEW JERSEY	---	2,434	13,516	3	53	9,722	5,417	3,651	9,178	239	14,439	58,652	17	70	3,105	---	---	---	---	---	---	---	---
NORTH CAROLINA	---	34	1,776	27	5	648	115	143	270	17	70	3,105	20	215	12,135	---	---	---	---	---	---	---	---
WASHINGTON	1	190	7,363	21	5	1,268	928	236	1,888	20	215	12,135	---	---	---	---	---	---	---	---	---	---	---

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES AND SELECTED STATES, OCTOBER 1979 AND 1980

STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/ (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1979	1980	1979	1980	1979	1980	1979	1980	1979	1980		
U. S.	18,077	16,884	365,597	332,822	20.22	19.71	290,110	263,679	7,771	7,418	2.36	2.48
ARKANSAS	1,348	1,162	25,556	20,905	18.95	17.99	20,353	16,628	472	605	2.05	3.22
CALIFORNIA	2,247	1,878	47,698	39,515	21.23	21.04	38,102	31,289	760	673	1.77	1.89
INDIANA	706	750	13,272	13,834	18.81	18.44	10,575	11,045	252	360	2.11	2.89
IOWA	1,143	1,091	25,138	23,523	22.00	21.56	19,735	18,711	492	438	2.18	2.07
MINNESOTA	3,407	3,219	66,698	61,287	19.58	19.04	52,668	48,713	2,123	1,438	3.54	2.61
MISSOURI	1,633	1,626	31,723	31,419	19.42	19.32	25,220	24,678	700	939	2.45	3.33
NORTH CAROLINA	1,725	1,468	29,557	24,686	17.14	16.82	24,180	20,188	736	660	2.77	2.97
OHIO	272	281	6,903	6,623	25.39	23.54	5,452	5,293	182	168	2.94	2.82
PENNSYLVANIA	733	775	13,981	13,785	19.06	17.79	11,265	11,237	155	153	1.23	1.23
TEXAS	886	679	17,443	13,361	19.69	19.69	13,598	9,988	301	301	2.24	2.50
VIRGINIA	1,582	1,625	30,665	30,235	19.38	18.60	24,465	23,966	479	496	1.74	1.82
WISCONSIN	527	540	9,961	10,567	18.88	19.58	8,015	8,546	133	110	1.48	1.15

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES AND SELECTED STATES, OCTOBER 1980

STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INMATION		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.		
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.				
U. S.	---	---	264	147,481	68,159	25,933	215	2,487	5,259	10,337	2,287	5,860	268,282	24,084	26,856	8,771	9,994	63,927	37,860	20,621	5,290	5,261	13,805	15,816	4,149
ARKANSAS	---	---	1	6,469	11,734	3,840	20	107	225	758	6	924	24,084	26,856	8,771	9,994	63,927	37,860	20,621	5,290	5,261	13,805	15,816	4,149	
CALIFORNIA	---	---	107	19,776	4,542	1,140	30	185	221	617	33	205	26,856	8,771	9,994	63,927	37,860	20,621	5,290	5,261	13,805	15,816	4,149		
INDIANA	---	---	2	4,470	2,083	822	1	78	191	579	102	443	8,771	9,994	63,927	37,860	20,621	5,290	5,261	13,805	15,816	4,149			
IOWA	---	---	1	5,364	1,706	1,400	72	48	265	369	99	670	9,994	63,927	37,860	20,621	5,290	5,261	13,805	15,816	4,149				
MINNESOTA	---	---	17	35,030	8,623	13,856	26	807	1,123	2,807	1,280	358	63,927	37,860	20,621	5,290	5,261	13,805	15,816	4,149					
MISSOURI	---	---	---	25,066	9,202	515	7	168	512	1,828	203	359	37,860	20,621	5,290	5,261	13,805	15,816	4,149						
NORTH CAROLINA	---	---	16	10,425	8,575	65	10	234	258	920	75	75	20,621	5,290	5,261	13,805	15,816	4,149							
OHIO	---	---	62	2,774	1,089	932	5	54	92	176	30	30	5,290	5,261	13,805	15,816	4,149								
PENNSYLVANIA	---	---	45	3,464	943	248	13	47	284	174	20	23	5,261	13,805	15,816	4,149									
TEXAS	---	---	---	3,826	8,460	429	11	100	156	488	55	280	13,805	15,816	4,149										
VIRGINIA	---	---	6	12,163	511	950	7	184	973	298	181	943	15,816	4,149											
WISCONSIN	---	---	---	1,494	509	1,389	1	189	360	164	3	40	4,149												

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES AND SELECTED STATE, OCTOBER 1979 AND 1980

STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1979		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1979	1980	1979	1980	1979	1980	1979	1980	1979	1980
U. S.	846	855	7,964	7,887	9.41	9.22	6,246	6,220	134	1.88
MINNESOTA	562	---	5,188	---	9.23	---	4,067	---	101	2.17

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES AND SELECTED STATE, OCTOBER 1980

STATE	TUBERCULOSIS		LEUCOSIS		SEPTICEMIA		ATRSAC		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
U. S.	---	12	9,109	1,380	202	---	158	442	673	23	303	12,302									

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, UNITED STATES AND SELECTED STATE, OCTOBER 1979 AND 1980

STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1979		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1979	1980	1979	1980	1979	1980	1979	1980	1979	1980
U. S.	69	105	1,455	2,037	21.03	19.40	1,148	1,553	39	127
MINNESOTA	---	42	---	787	---	18.67	---	605	---	36

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, UNITED STATES AND SELECTED STATE, OCTOBER 1980

STATE	TUBERCULOSIS		LEUCOSIS		SEPTICEMIA		ATRSAC		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
U. S.	---	2	3,521	773	39	41	126	32	187	17	436	5,174									
MINNESOTA	---	2	677	369	20	34	82	12	163	13	412	1,784									

TOTAL POULTRY SLAUGHTERED (READY-TO-COOK
WEIGHTS) OCTOBER 1980 WITH COMPARISONS

MONTH AND YEAR	INSPECTED	OTHER <u>1/</u>	TOTAL
	MILLION POUNDS		
SEP 1980	1,212	3	1,215
OCT 1979	1,399	8	1,407
OCT 1980	1,316	3	1,319
JAN - OCT 1979	11,585	72	11,657
JAN - OCT 1980	11,794	34	11,828

1/ EXCLUDES DUCKS AND OTHER MISCELLANEOUS POULTRY.

* * * * *

Definition

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Food Safety and Quality Service.