Poultry Slaughter



United States Department of Agriculture

Washington, D.C.

Released July 2, 1996, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Poultry Slaughter" call Jim Brewster at (202) 720-8784, office hours 8:00 a.m. to 4:30 p.m. ET. For assistance with general agricultural statistics, information about NASS, its products or services, contact the NASS Information Hotline at 1-800-727-9540 or E-mail: NASS@NASS.USDA.GOV.

Ready-to-Cook Weight Up 4 Percent

Poultry Certified Wholesome during May (ready-to-cook weight), totaled 2.81 billion pounds, up 4 percent from the amount certified in May 1995. Updated totals for April 1996 show that 2.71 billion pounds were certified. The January through May cumulative total of pounds certified, at 13.6 billion pounds, was up 8 percent from the same period the previous year.

The preliminary total Live Weight of Poultry Inspected during May 1996 was 3.81 billion pounds. Inspections included 3.11 billion pounds of young chickens, 69.8 million pounds of mature chickens, 614 million pounds of turkeys, and 11.6 million pounds of ducks.

Young chickens slaughtered during May 1996 averaged 4.75 pounds per bird, up 2 percent from the average live weight a year ago. The average live weight of mature chickens was up 1 percent from 5.07 pounds per bird the previous year to 5.10 pounds. Turkeys slaughtered during May 1996 averaged 24.1 pounds per bird, up 1 percent from May 1995.

Ante-mortem condemnations during May 1996 totaled 13.2 million pounds. Condemnations were 0.35 percent of the live weight inspected, compared with 0.33 percent a year earlier. Post-mortem condemnations, at 63.4 million pounds (N.Y. dressed weight), were 1.85 percent of quantities inspected, compared with 1.89 percent a year earlier.

May 1996 contained 23 weekdays (including one holiday) and four Saturdays, the same as May 1995. Each weekday represents approximately 5 percent of the month's total.

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, May 1996 with Comparisons 1/

•	:		Chickens		:		: Other
	:-		CHICKEHS		•	Ducks	: Poultry
	:	Young	: Mature 2/ :	Total	:		: .
	:-		1,	000 Head			
Number Inspected	:						
Apr 1996	:	631,470	14,332	645,803		1,621	
May 1995	:	654,542	14,720	669,262		1,708	
May 1996	:	655,214	13,697	668,911		1,724	
Jan-May 1995	:	3,037,882	71,306	3,109,188		7,829	
Jan-May 1996	:	3,166,746	68,775	3,235,522		8,155	
	:		1,0	00 Pounds			
Live Weight	:						
Apr 1996	:	3,034,819	73,395	3,108,214		10,962	604
May 1995	:	3,046,176	74,622	3,120,799		11,521	424
May 1996	:	3,111,026	69,794	3,180,820		11,558	902
Jan-May 1995	:	14,155,788	354,410	14,510,198		52,647	1,851
Jan-May 1996	:	15,187,139	355,836	15,542,976		54,769	3,282
	:			Pounds			
Average Live Weight	:						
Apr 1996	:	4.81	5.12	4.81		6.76	
May 1995	:	4.65	5.07	4.66		6.75	
May 1996	:	4.75	5.10	4.76		6.70	
Jan-May 1995	:	4.66	4.97	4.67		6.72	
Jan-May 1996	:	4.80	5.17	4.80		6.72	

See footnotes at end of table.

⁻⁻ continued

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, May 1996 with Comparisons 1/ (continued)

	:	Tur	keys		:
	: Fryer- : Roasters	: : Young 3/		: Total : Turkeys	: Total : Poultry :
	:		1,000 Hea	ad	
Number Inspected	:				
Apr 1996	: 24	22,992	255	23,270	~
May 1995	: 5	23,447	97	23,550	~
May 1996	: 21	25,345	103	25,469	~
Jan-May 1995	: 64	106,579	613	107,256	~
Jan-May 1996	: 89	114,857	784	115,730	~'
	:		1,000 Pour	nds	
Live Weight	:				
Apr 1996	: 201	552,762		560,345	3,680,125
May 1995	: 47	559,433	2,600	562,080	3,694,824
May 1996	: 178	610,666	2,847	613,692	3,806,971
Jan-May 1995	614	2,535,498	15,418		• •
Jan-May 1996	: 803	2,762,037	21,185	2,784,025	18,385,052
	:		Pounds		
Average Live Weight	:				
Apr 1996	8.53	24.04	28.98	24.08	
May 1995	: 9.74	23.86	26.71	23.87	
May 1996	: 8.52 :	24.09	27.72	24.10	
Jan-May 1995	9.56	23.79		23.79	
Jan-May 1996	: 9.03	24.05	27.03	24.06	

^{1/} Federally inspected only. Totals may not add due to rounding.
2/ Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: May 1995: 5,314, May 1996: 5,266.

^{3/} Of the Young Turkeys inspected, the number reported in thousands as young breeders was: May 1995: 37, May 1996: 86.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, May 1996 with Comparisons 1/

	; ; :	Chickens		: : : Ducks	: Other : Poultry
	Young	: Mature	: Total	:	: Fourtry
	:	1	,000 Pounds		
Apr 1996	:	-	, , , , , ,		
Chilled	: 2,038,955	42,897	2,081,852	2,895	160
Frozen	176,847	1,786	178,634	5,042	188
Total	2,215,803	44,683	2,260,486	7,937	348
May 1995					
Chilled	2,027,490	42,664	2,070,154	2,566	50
Frozen	184,159	2,345	186,504	5,740	210
Total	2,211,649	45,009	2,256,658	8,306	261
May 1996	· :				
Chilled :	2,097,005	40,352	2,137,357	3,031	230
Frozen	176,815	2,287	179,103	5,384	261
Total	2,273,821	42,640	2,316,460	8,415	491
Jan-May 1995 :	· ·				
Chilled :	9,393,404	204,515	9,597,919	12,243	273
Frozen	877,432	10,875	888,307	25,581	878
Total :	: : 10,270,836	215,391	10,486,226	37,824	1,151
10001	10,270,030	213,331	10,400,220	37,024	1,131
Jan-May 1996 :	· }				
Chilled :	10,177,923	206,257	10,384,179	14,913	825
Frozen	920,900	9,943	930,842	24,670	1,052
Total	11,098,822	216,199	11,315,022	39,583	1,877

See footnotes at end of table.

-- continued

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, May 1996 with Comparisons 1/ (continued)

	:	:			
	: Fryer- : Roasters	: Young	: : 01d	: Total : Turkeys	-: Total : Poultry :
	:				
Apr 1996	:				
Chilled	: 1	206,681	4,847	211,529	2,296,436
Frozen	: 157	228,630	685	229,471	413,335
Total	: 158	435,310	5,532	441,000	2,709,771
May 1995	:	•			
Chilled	· :	214,376	1,259	215,635	2,288,405
Frozen	: 35	227,069	677	227,780	420,235
Total	: 35	441,445	1,935	443,415	2,708,640
May 1996	:				
Chilled	: 2	227,676	1,431	229,109	2,369,727
Frozen	: 138	255,276	699	256,113	440,862
Total	: : 139 :	482,953	2,131	485,223	2,810,589
Jan-May 1995	:				
Chilled	: ~	1,007,736	8,218	1,015,953	10,626,388
Frozen	: 456	991,620	3,420	995,496	1,910,263
Total	: : 456 :	1,999,356	11,638	2,011,449	12,536,651
Jan-May 1996	:				
Chilled	: 3	1,064,263	11,853	1,076,119	11,476,037
Frozen	: 630	1,115,244	4,081	1,119,956	2,076,520
Total	: 633	2,179,507	15,934	2,196,075	13,552,557

^{1/} Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type, United States, May 1996 with Comparisons 1/

	:	, ·	Chicken	s		: : : Ducks	: Other : Poultry
	: Young	j :	Mature	:	Total	:	:
	:			1,000	Pounds		
Ante-Mortem (Live Weight)	:						
Apr 1996	: 10,49		988		11,486	6	4
May 1995 May 1996	: 9,66 : 10,43		1,177 1,153		10,846 11,593	9 9	2 6
Jan-May 1995 Jan-May 1996	: 49,91 : 61,11				55,071 66,723	53 39	8 18
Percent 2/	:						
May 1995 May 1996	: 0.3		1.58 1.65			0.07 0.07	
	:			1,000	Pounds		
Post-Mortem (N.Y. Dressed Weight)	:						
Apr 1996	: 48,15		4,072				5
May 1995 May 1996	: 48,90 : 47,71		3,654 3,803		52,560 51,516		5 9
Jan-May 1995 Jan-May 1996	: 228,13 : 246,21	0	16,998 20,189	2	245,129 266,400		
Percent 3/	:						
May 1995 May 1996	: 1.7 : 1.7		5.44 6.05		1.87	1.80 1.69	1.27 1.15

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type, United States, May 1996 with Comparisons 1/ (continued)

	:	:			
	: Fryer- : : Roasters :				: Total : Poultry :
	:		1,000 Pound	is	
Ante-Mortem (Live Weight)	: :				
Apr 1996	:	1,356	44	1,400	12,896
	:	1,178	41	1,219	
May 1996	: 2	1,602	25	1,629	13,236
Jan-May 1995	: 4	5,923	138	6,065	61,197
Jan-May 1996	: 4	8,115	222	8,342	75,122
Percent 2/	: :				
May 1995	0.28		1.56	0.22	0.33
May 1996	: 1.04	0.26	0.89	0.27	0.35
	; :		1,000 Pound	is	
Post-Mortem (N.Y. Dressed Weight)	: :				
Apr 1996	: 3	10,500	438	10,942	63,333
-	: 1	9,734	212	9,947	62,699
May 1996	: 4	11,494	202	11,699	63,401
Jan-May 1995	: : 7	48,376	1,189	49,572	295,588
Jan-May 1996	: 11	56,008		57,392	324,647
Percent 3/	: : -				
May 1995	: 1.81	1.93	9.07	1.97	1.89
May 1996	: 2.42	2.09	7.87	2.12	1.85

^{1/} Federally inspected only. Totals may not add due to rounding.

^{2/} Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

^{3/} Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, May 1995-96

State	:		mber pecte	ed	:		Weig	_	:::::::::::::::::::::::::::::::::::::::	Average Live Weight Inspected 1/		
	:	1995	:	1996	:	1995	:	1996	:	1995	:	1996
	:	1	,000		·- -	1,00	0 Poi	unds		Po	ound	s
AL	:	80,697		75,563		374,768		359,802		4.64		4.76
AR	:	101,258		99,137		453,253		468,535		4.48		4.73
CA	:	21,143		22,101		105,465		115,152		4.99		5.21
DĒ	:	25,241		24,027		136,779		130,223		5.42		5.42
\mathtt{FL}	:	13,177		11,010		57,173		48,865		4.34		4.44
GA	:	87,426		89,943		419,665		436,247		4.80		4.85
LA	:	12,277		14,667		56,405		67,401		4.59		4.60
MD	:	18,815		17,845		87,789		84,313		4.67		4.72
MS	:	53,849		56,467		245,383		256,244		4.56		4.54
MO	;	23,886		29,693		99,582		125,629		4.17		4.23
NC	:	56,337		55,225		287,707		284,631		5.11		5.15
PA	:	8,571		8,788		43,111		44,355		5.03		5.05
SC	:	20,372		20,496		85,532		92,027		4.20		4.49
TN	:	14,581		15,044		65,556		66,071		4.50		4.39
TX	:	38,984		38,940		171,376		172,547		4.40		4.43
VA	:	32,799		32,404		152,715		155,674		4.66		4.80
WA	:	3,494		3,232		17,283		16,858		4.95		5.22
US	:	654,542	6	55,214		3,046,176	3	3,111,026		4.65		4.75

^{1/} Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, May 1995-96

	:		n1		·		Post	-Morte	em Cor	ndem	nation	.s	
State	: : :-		rotal rtified	1/	;- ;	N.Y.	Dres	sed We	eight	:	Per	cen	t 2/
	: :	1995	:	1996	:	1999	5	: 1	L996	:	1995	:	1996
	:			1,000	Poun	ds					Pe	rce	nt
AL	:	278,219	2	65,004		8,4	58	7	7,131		2.51		2.20
AR	:	322,056	3.	36,916		5,5	58	ϵ	5,187		1.36		1.47
CA	:	75,514		83,738		2,73	L9	1	1,531		2.86		1.48
DE	:	98,870		94,201		2,49	99	2	2,592		2.03		2.21
FL	:	41,007		36,079		5.3	33		743		1.04		1.69
GA	:	311,813	3	24,097		6,95	52	6	5,422		1.84		1.64
LA	:	40,827		48,551		81	30	1	1,008		1.73		1.66
MD	:	61,448		59,727		1,5	10	1	L,628		1.95		2.15
MS	:	185,270	1	93,702		2,89	98	2	2,561		1.31		1.11
MO	:	72,177		91,311		1,41	[4	1	1,790		1.58		1.58
NC	:	203,121	2	10,738		4,58	38	3	3,847		1.77		1.50
PA	:	30,360		31,307		9!	50	1	L,403		2.45		3.52
SC	:	63,299		65,613		1,40)9	1	.429		1.83		1.72
TN	:	46,786		48,166		80)1		637		1.36		1.07
TX	:	129,914	1.	31,776		2,02	22	3	1,910		1.31		1.23
VA	:	103,455	1	06,448		2,13	12	3	3,690		1.54		2.63
AW	:	12,897		12,488		4(01		464		2.58		3.06
US	: : 	2,211,649	2,2	73,821		48,90)6 	47	7,714		1.78		1.70

^{1/} Ready-to-cook weights.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, May 1996

-					_					
	:	Tuber-	:	:	:	Airsac-	:	;	:	
State	:	culosis	: Leukosis	: Septicemia	:	culitis	:	Synovitis :	:	Tumors
		~						·		
	:			Nu	mbe	r				
	:									
λ L	:	 -	9,952	222,388		212,064		5,002		17,331
AR	:	 -	7,399	309,387		182,807		11,733		8,100
CA	:	-	-	87,957		7,650		1,704		
DE	:		69,510	128,985		102,537				
FL	:		===	- 				-		
GΆ	:	~ - -		185,697		261,554		2,756		16,110
LΛ	:		917	49,696		26,978		593		3,039
MD	:		55,742	108,043		45,070				10,916
MS	:	~ - -	5,618	98,367		32,043		1,012		18,356
MO	•	~~ -	6,125	96,303		40,584		2,456		2,061
NC		-	22,146	123,112		57,335		114		44,640
PA	:		5,261	44,453		37,868		455		3,463
SC	:		1,869	31,490		5.,000				4,428
TN	:		7,505	54,395		9,575		-		4,420
TX	:		1,048	111,301		40,963		648		2,646
VA			7,046	84,558		46,513		226		2,040
VA WA	:	- 		27,519		40,515		237		1,391
WA	:	 -		27,319				237		1,391
110	•		252,441	1 062 330		1 047 014		42 010		100 130
US	:		252,441	1,963,330		1,247,814		43,018		189,132
				· Contam-		_	•			
	:	Bruises	: Cadaver	: Contam-	:	Overecald	:	Other:	:	Total
:	: :	Bruises	: Cadaver	: Contam- : ination	 : : '	Overscald	:	other:	: : :	Total
:	: :	Bruises	: Cadaver	: ination	-		:	other:	: : 	Total
:	: : :	Bruises	: Cadaver	: ination	: : :		:	other:	:	Total
ΔΤ.	: : :		-	: ination 	-	 r	:	- 	:	
AL AR	: : : :	15,098	26,497	: ination Nu 88,979	-	9,208	:	264,510	:	871,029
AR	: : : :	15,098 15,631	26,497 27,553	: ination Nu: 88,979 79,415	-	9,208 2,540	:	264,510 123,506	:	871,029 768,071
AR CA	: : : : :	15,098 15,631 780	26,497 27,553 8,806	: ination Nu: 88,979 79,415 4,215	-	9,208 2,540	:	264,510 123,506 35,352	:	871,029 768,071 146,464
AR CA DE	: : : : :	15,098 15,631 780 4,166	26,497 27,553 8,806 13,523	: ination Nu: 88,979 79,415 4,215 17,272	-	9,208 2,540	:	264,510 123,506	:	871,029 768,071 146,464 376,146
AR CA DE FL	: : : : :	15,098 15,631 780 4,166	26,497 27,553 8,806 13,523 2,499	: ination Nu: 88,979 79,415 4,215 17,272 7,613	-	9,208 2,540 3,570	:	264,510 123,506 35,352 36,583	: : 	871,029 768,071 146,464 376,146 10,112
AR CA DE FL GA	: : : : :	15,098 15,631 780 4,166 16,690	26,497 27,553 8,806 13,523 2,499 37,995	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972	-	9,208 2,540 3,570 12,663	:	264,510 123,506 35,352 36,583 215,640	:	871,029 768,071 146,464 376,146 10,112 813,077
AR CA DE FL GA LA		15,098 15,631 780 4,166 16,690 2,471	26,497 27,553 8,806 13,523 2,499 37,995 2,804	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574	-	9,208 2,540 3,570 12,663 47	:	264,510 123,506 35,352 36,583 215,640	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119
AR CA DE FL GA LA MD	:	15,098 15,631 780 4,166 16,690 2,471 2,052	26,497 27,553 8,806 13,523 2,499 37,995 2,804	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574	-	9,208 2,540 3,570 12,663 47	:	264,510 123,506 35,352 36,583 215,640 36,907	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730
AR CA DE FL GA LA MD MS	:	15,098 15,631 780 4,166 16,690 2,471 2,052 5,876	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807	-	9,208 2,540 3,570 12,663 47 2,478	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687
AR CA DE FL GA LA MD MS MO	: : :	15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862	: ination Nu 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387	-	9,208 2,540 3,570 12,663 47 2,478 1,686	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835
AR CA DE FL GA LA MD MS MO NC	:	15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604	-	9,208 2,540 3,570 12,663 47 2,478 1,686 3,733	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425
AR CA DE FL GA LA MD MS MO NC PA	: : :	15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561	: ination Nu 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604	-	9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575
AR CA DE FL GA LA MD MS MO NC PA SC		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541	: ination Nu 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849
AR CA DE FL GA LA MD MS MO NC PA SC TN		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078 2,502	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541 4,960	: ination Nu 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051 475	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965 26,795	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849 98,702
AR CA DE FL GA LA MD MS MO NC PA SC TN TX		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078 2,502 1,425	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541 4,960 7,612	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427 13,242		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051 475 2,117	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965 26,795 5,709	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849 98,702 186,711
AR CA DE FL GA LA MD MS MO NC PA SC TN TX VA		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078 2,502 1,425 3,571	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541 4,960 7,612 7,116	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427 13,242 26,262		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051 475 2,117 2,211	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965 26,795 5,709	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849 98,702 186,711 170,457
AR CA DE FL GA LA MD MS MO NC PA SC TN TX		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078 2,502 1,425	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541 4,960 7,612	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427 13,242		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051 475 2,117	:	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965 26,795 5,709	:	871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849 98,702 186,711
AR CA DE FL GA LA MD MS MO NC PA SC TN TX VA WA		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078 2,502 1,425 3,571 519	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541 4,960 7,612 7,116 972	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427 13,242 26,262 832		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051 475 2,117 2,211 1,264	- ~ -	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965 26,795 5,709 19,486		871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849 98,702 186,711 170,457 52,220
AR CA DE FL GA LA MD MS MO NC PA SC TN TX VA		15,098 15,631 780 4,166 16,690 2,471 2,052 5,876 3,141 6,923 3,638 4,078 2,502 1,425 3,571	26,497 27,553 8,806 13,523 2,499 37,995 2,804 18,732 14,862 26,866 2,561 20,541 4,960 7,612 7,116	: ination Nu: 88,979 79,415 4,215 17,272 7,613 63,972 16,574 26,807 22,387 80,604 18,427 13,242 26,262		9,208 2,540 3,570 12,663 47 2,478 1,686 3,733 278 2,051 475 2,117 2,211 1,264	- ~ -	264,510 123,506 35,352 36,583 215,640 36,907 104,398 27,230 177,952 33,598 53,965 26,795 5,709 19,486		871,029 768,071 146,464 376,146 10,112 813,077 103,119 258,730 313,687 216,835 543,425 131,575 136,849 98,702 186,711 170,457

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, May 1995-96

State	:	Numbe Inspec	-	:		e Weight spected	: : :	Liv	verage e Weight spected 1/
	:	1995 :	1996	:	1995	: 1996	:	1995	: 1996
	 : :	1,00	00		~- 1,00	0 Pounds		P	ounds
CA	:								
GA	:				- -				, -
	:								
US	:	14,720	13,697		74,622	69,794		5.07	5.10

^{1/} Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, May 1995-96

	:	Total				: Post-Mortem Condemnations									
State	:		rtified	1/		N.Y. D	ressed	l Weight	: I	erc	ent 2/				
	:	1995	:	1996	:	1995	;	1996	: 199	95	: 1996				
	: -			- 1,000	Pour	ıds			~-	Per	cent				
CA	:								-						
GA	:								-	- –					
US	:	45,009		42,640		3,654		3,803	5.	44	6.05				

^{1/} Ready-to-cook weights.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, May 1996

State	:	Tuber- culosis	:	Leukosis	:	Septicemia	:		:	Synovitis	: :	Tumors
	:					Nui	nb	er				
	:											
CA	:			- 		- 						
GA	:											
US	:			6,574		219,257		17,737		930		123,499
	: -		:		:	Contam-					:	
	:	Bruises	:	Cadaver	:	ination	:	Overscald	:	Other	:	Total
	; - ;					Nu	nb	 er				
CA	:					_						
GA	•											
	:											
US	:	24,574		48,958		200,065		2,861		35,206		679,661

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, May 1995-96

State	: : :	Number Inspected			Live Ins _ī	-	:	Average Live Weight Inspected 1/		
	:	1995 :	1996	:	1995	:	1996	:	1995	: 1996
	:	1,00	00		1,000) Po	unds		Po	unds
AR	:	2,251	2,377		46,798		46,124		20.79	19.41
CA	:	1,616	1,798		34,648		38,289		21.43	21.29
IA	:	1,219	1,164		37,908		33,431		31.10	28.71
MN	:	3,128	3,702		68,100		81,050		21.77	21.89
MO	:	1,717	2,018		44,474		54,743		25.91	27.12
NC	:	4,213	4,380		101,074		110,615		23.99	25.26
PA	:	~								
VA	:	3,238	3,484		61,351		67,177		18.95	19.28
US -	:	23,447	25,345		559,433		610,666		23.86	24.09

^{1/} Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, May 1995-96

							. 								
	:	n	otal		:	: Post-Mortem Condemnations									
State	:	_	ctifie	ed 1/	; N.Y	. Dres	sed Weight	: Perc	ent 2/						
	:	1995	:	1996	; 19	95	: 1996	: 1995	: 1996						
	:			1,000	Pounds			Per	cent						
AR	:	38,787		37,870		916	1,041	2.18	2.51						
CA	:	28,120		31,199		513	484	1.64	1.40						
IA	:	29,689		25,706		872	801	2.56	2.66						
MN	:	54,382		64,336	1,	312	2,008	2.14	2.75						
MO	:	34,831		43,087		832	1,419	2.08	2.88						
NC	:	79,111		87,139	1,	371	1,622	1.51	1.63						
PA	:			~	·	-									
VA	:	48,318		52,697		774	853	1.40	1.41						
	:	•													
ŲS	:	441,445		482,953	9,	734	11,494	1.93	2.09						

^{1/} Ready-to-cook weights.

^{2/} Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, May 1996

State	 : :	Tuber- culosis	: : Leukosis	: : Septicemia	: Airsac	: : Synovitis	: : Tumors
	:			Nu	mber		
	:			7 100	4.		
AR	:			7,199	4:		
CA	:			6,119		53	32
IA	:			14 504	3,7		
MN	:			14,584	 	1,714	
MO	:			27,622	3,73		
NC	:		5	6,118	76	04 ~	4
PA	:		-				
VA	:			5,909	45	oT	
US	:		129	102,497	18,85	58 9,316	157
	:-	Bruises		: Contam- : ination	: Oversca	: Ld : Other	: Total
	: -				mber		
	:			NG	mber		
AR	•			1,263		- 1,256	10,136
CA	:						6,214
IA	•						3,746
MN	:	305	1,420	1,589	3.9	00	20,002
MO	:	133	-,	735	32		
	-						
NC	:		1.874	1.364	5(08 1.502	12,139
NC PA	:		1,874	1,364	5()8 1,502 	12,139
NC PA VA	:	 27	1,874 909	1,364 221	50 	08 1,502 	12,139 7,517

old 7	ur	keys (Bred	eders)	-		ered: Numbe d States, I			Po	st-Mortem	ру	Cause,
State	:	Tuber- culosis	: : Lei	ıkosis	: : :	Septicemia		Airsac- culitis		Synovitis	:	Tumors
	:	: Number										
US	:					3,315		193				78
	:	Bruises	: : Ca	adaver	:	Contam- ination	:	Overscald	:	Other	:	Total
	:	Number										
US	:	8		98		97				964		4,753

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection Form (FSIS 6000-21) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection. Annual totals of poultry slaughtered under State-administered Non-Federal Inspection (NFI) are published in the April release.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revision were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used To Report Federally Inspected Slaughter

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

Index

	Page
Definitions	17
Mature Chickens Number Inspected, Live Weight, and Average Live Weight, U.S., May 1995-1996	11
Mature Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., May 1995-1996	12
Mature Chickens Pounds Certified and Post-Mortem Condemnations, U.S., May 1995-1996	11
Old Turkeys (Breeders) Post-Mortem Condemnations by Cause, U.S., May 1995-1996	15
Poultry Chilled and Frozen Pounds Certified (RTC) by Type, U.S., May 1996	4
Poultry Slaughter Ante-Mortem and Post-Mortem Condemnations by Type, U.S., May 1996	6
Poultry Slaughter Number Inspected, Live Weight, and Average Live Weight by Type, U.S., May 1996	2
Reliability Statement	16
Young Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., May 1995-1996	8
Young Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., May 1995-1996	10
Young Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., May 1995-1996	9
Young Turkeys (Mature) Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., May 1995-1996	13
Young Turkeys (Mature) Post-Mortem Condemnations by Cause, Selected States and U.S., May 1995-1996	14
Young Turkeys (Mature) Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., May 1995-1996	13

The next "Poultry Slaughter" report will be released at 3 p.m. ET on August 5, 1996.

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, USDA, Washington, D.C., 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SUBSCRIBE TODAY!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are now available free of charge on the worldwide Internet. For access, connect to the Internet and select:

- 1. Worldwide Web:
 http://www.usda.gov/nass/ OR
- For a subscription direct to your e-mail address, send an e-mail message to:
 usda-reports@usda.mannlib.cornell.edu
 and in the body of the message type the word: list

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 1-800-999-6779 (U.S. and Canada)
Other areas, please call 1-703-834-0125 FAX: 1-703-834-0110
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For assistance with general agricultural statistics or further information about NASS or its products or services, contact the NASS INFORMATION HOTLINE at 1-800-727-9540, 8:00 a.m. to 4:30 p.m., or e-mail: NASS@NASS.USDA.GOV.

.