

WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration,
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
and World Agricultural Outlook Board


Volume 70, No. 26

WASHINGTON, D.C.

June 28, 1983

National Weather Summary

June 19 to 25



HIGHLIGHTS...Heavy rains drenched the Gulf Coast States as a trough of low pressure moved from Florida to Texas. Slow-moving cold fronts also triggered heavy rain and severe weather over parts of the mid-Atlantic region and the eastern section of the northern Plains. Conditions were unusually dry over the mid-Mississippi Valley, the Corn Belt, the Great Lakes, and parts of New England. Heavy snowmelt over the central Rockies and parts of the central Plateau sent some streams and rivers out of the banks. Water levels in the Colorado river and its tributaries were unusually high, causing some flooding even in Mexico. Temperatures were unseasonably warm from the northern and central Plains into northern New England. In contrast, temperatures were rather cool because of cloudiness and rains over the Pacific Northwest and from central Texas into Alabama.

SUNDAY...Cold fronts across the Northeast and central Plains triggered widespread showers and occasional thunderstorms. A few showers dotted the Southeast. Unseasonably warm temperatures continued to melt the western snowpack, flooding some streams and rivers. Severe weather developed in parts of Nebraska and Colorado during the afternoon.

MONDAY...Rains continued over the eastern third of the country and from the northern Rockies into the Great Lakes. Three to 5 inches of rain was dumped on the Florida Panhandle as a tropical trough of low pressure developed across the eastern Gulf of Mexico. A slow-moving cold front triggered heavy rain over parts of the mid-Atlantic seaboard, and up to 3 inches fell around the Nation's capital.

TUESDAY...Thundershowers developed over most of the Southeastern and North Central States, producing heavy rains over parts of the Florida Panhandle, the mideastern seaboard, and Minnesota. Funnel clouds, tornadoes, hail, and high winds plagued local areas in the northern Plains along a slow-moving cold front. The warm southerly flow ahead of the front sent afternoon temperatures soaring to daily record highs.

WEDNESDAY...The low-pressure system in the northern Gulf of Mexico brought widespread rains to the southeastern third of the country. Almost 2-1/2 inches fell in New Orleans, causing street flooding. The rest of the Nation was generally dry except in parts of Colorado and the Pacific Northwest. Unseasonably warm weather prevailed over the North Central and Northeastern regions as Marquette, Mich., had 880, continuing a 3-day series of tied or broken records. A hot 97° set a new daily record for Boston, Mass.



THURSDAY...The low-pressure system continued triggering showers and thunderstorms over the Gulf Coast States. Several funnel clouds and waterspouts developed along the coast, and locally heavy rain fell inland. Showers were also scattered across the central and southern Rockies and upper Pacific Northwest. Unseasonable warmth continued over the northeastern quarter of the Nation, and a few spots set new daily record-high temperatures.



FRIDAY...Rains covered the southern portion of the Nation and the area from the upper Pacific Northwest into the northern Plains. The heaviest amounts fell along the Gulf Coast States in association with a weakening trough of low



(continued on p. 5)

Contents

| | Page |
|--|------|
| National Weather Summary | 1 |
| Precipitation & Pan Evaporation | 2 |
| Crop Moisture & Crop Moisture Index | 3 |
| Average Temperature & Departure | 4 |
| Weather Data for Selected Cities | 5 |
| National Agricultural Summary | 8 |
| May Heating Degree Days & Cooling Degree Days. | 9 |
| Crop Progress & State Summaries of Weather & Agriculture | 10 |
| International Weather & Crop Summary | 17 |
| Growing Degree Days & Subscription & Mailing Permit Information | 20 |







Weather Data for the Week Ending June 25, 1983

| STATES AND STATIONS | TEMPERATURE °F | | | | | | PRECIPITATION | | | | | | RELATIVE HUMIDITY, PERCENT | | NUMBER OF DAYS | | | | | | |
|---------------------------|--------------------|--------------------|-----------------|----------------|---------|-----------------------------|----------------------|-----------------------------|-----------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------|--------------------|--------------|--------------|---------------------|---------------------|---|---|
| | AVERAGE MAXIMUM | AVERAGE MINIMUM | EXTREME HIGH | EXTREME LOW | AVERAGE | DEPARTURE FROM NORMAL | WEEKLY TOTAL, IN. | DEPARTURE FROM NORMAL | GREATEST IN 24-HOUR, IN. | TOTAL, IN., SINCE May 29 | PCT. NORMAL SINCE May 29 | TOTAL, IN., SINCE Jan. 1 | PCT. NORMAL SINCE Jan. 1 | AVERAGE MAXIMUM | AVERAGE MINIMUM | TEMPERATURE | | PRECIPITATION | | | |
| | | | | | | | | | | | | | | | | 90 AND ABOVE | 32 AND BELOW | .01 INCH OR MORE | .50 INCH OR MORE | | |
| AL BIRMINGHAM | 85 | 68 | 90 | 65 | 77 | -1 | .2 | -.7 | .1 | 1.0 | 59 | 35.8 | 122 | 92 | 60 | 1 | 0 | 5 | 0 | | |
| MOBILE | 84 | 71 | 88 | 69 | 77 | -4 | 1.7 | -.4 | .7 | 3.9 | 87 | 42.6 | 136 | 90 | 64 | 0 | 0 | 4 | 2 | | |
| MONTGOMERY | 85 | 69 | 90 | 67 | 77 | -3 | 1.3 | -.5 | .9 | 4.1 | 137 | 41.7 | 167 | 94 | 60 | 1 | 0 | 4 | 1 | | |
| AK ANCHORAGE | 70 | 52 | 73 | 46 | 61 | 5 | T | -.3 | T | T | .8 | 100 | 3.3 | 80 | 75 | 38 | 0 | 0 | 0 | 0 | |
| BARROW | 41 | 30 | 50 | 28 | 35 | 0 | T | -.1 | T | T | .1 | 33 | .4 | 25 | 92 | 67 | 0 | 0 | 0 | 0 | |
| FAIRBANKS | 84 | 57 | 91 | 53 | 70 | 9 | T | -.4 | T | T | .3 | 25 | 1.1 | 32 | 65 | 21 | 1 | 1 | 0 | 0 | |
| JUNEAU | 68 | 50 | 79 | 48 | 59 | 5 | .2 | -.5 | .1 | 2.2 | 79 | 16.0 | 80 | 95 | 59 | 0 | 0 | 0 | 0 | 0 | |
| KODIAK | 54 | 50 | 58 | 49 | 52 | 1 | 4.1 | -.3 | 1.4 | 7.5 | 214 | 45.5 | 155 | 98 | 84 | 0 | 0 | 0 | 0 | 0 | |
| NOME | 70 | 43 | 76 | 35 | 56 | 10 | .1 | -.3 | .1 | .5 | 45 | 2.3 | 4.8 | 81 | 36 | 0 | 0 | 0 | 0 | 0 | |
| AZ PHOENIX | 105 | 78 | 107 | 74 | 91 | 3 | 0 | -.1 | 0 | 0 | 0 | 0 | 5.2 | 179 | 26 | 7 | 7 | 0 | 0 | 0 | 0 |
| PRESCOTT | 83 | 56 | 84 | 53 | 70 | 1 | 0 | -.2 | 0 | 0 | 0 | 0 | 4.9 | 86 | 54 | 19 | 0 | 0 | 0 | 0 | 0 |
| TUCSON | 99 | 67 | 103 | 63 | 83 | -1 | 0 | -.1 | 0 | 0 | 0 | 0 | 4.2 | 145 | 27 | 7 | 7 | 0 | 0 | 0 | 0 |
| YUMA | 105 | 76 | 108 | 74 | 91 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 14.8 | 145 | 27 | 7 | 7 | 0 | 0 | 0 | 0 |
| AR FORT SMITH | 88 | 67 | 90 | 65 | 78 | -1 | .7 | -.1 | .6 | 2.0 | 56 | 14.9 | 70 | 92 | 49 | 1 | 0 | 0 | 0 | 0 | 0 |
| LITTLE ROCK | 88 | 69 | 90 | 67 | 78 | -1 | 1.0 | -.3 | .7 | 1.3 | 41 | 23.2 | 87 | 94 | 57 | 3 | 0 | 0 | 0 | 0 | 0 |
| CA BAKERSFIELD | 91 | 62 | 96 | 58 | 77 | -3 | 0 | 0 | 0 | 0 | 0 | 0 | 6.9 | 192 | 62 | 22 | 6 | 0 | 0 | 0 | 0 |
| EUREKA | 64 | 52 | 67 | 49 | 58 | 3 | 0 | -.1 | 0 | 0 | 0 | 0 | 19.2 | 62 | 22 | 6 | 0 | 0 | 0 | 0 | 0 |
| FRESNO | 93 | 61 | 95 | 58 | 77 | 0 | 0 | 0 | 0 | .5 | 71 | 35.6 | 158 | 90 | 65 | 0 | 0 | 0 | 0 | 0 | 0 |
| LOS ANGELES | 73 | 62 | 74 | 61 | 68 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 16.3 | 243 | 59 | 18 | 7 | 0 | 0 | 0 | 0 |
| RED BLUFF | 90 | 59 | 97 | 56 | 75 | -3 | 0 | 0 | 0 | 0 | 0 | 0 | 20.6 | 261 | 83 | 56 | 0 | 0 | 0 | 0 | 0 |
| SACRAMENTO | 88 | 54 | 93 | 50 | 71 | -2 | 0 | -.1 | .2 | 50 | 29.3 | 236 | 57 | 17 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| SAN DIEGO | 73 | 65 | 75 | 64 | 69 | 2 | 0 | 0 | 0 | .4 | 400 | 23.7 | 230 | 82 | 22 | 1 | 0 | 0 | 0 | 0 | 0 |
| SAN FRANCISCO | 70 | 50 | 75 | 49 | 60 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 14.2 | 233 | 78 | 60 | 0 | 0 | 0 | 0 | 0 |
| CO DENVER | 85 | 57 | 93 | 54 | 71 | 2 | T | 0 | T | 0 | 0 | 0 | 25.4 | 213 | 83 | 47 | 0 | 0 | 0 | 0 | 0 |
| GRAND JUNCTION | 90 | 61 | 95 | 60 | 76 | 2 | T | -.3 | T | 2.0 | 125 | 11.9 | 147 | 70 | 24 | 2 | 0 | 0 | 0 | 0 | 0 |
| PUEBLO | 94 | 55 | 99 | 49 | 75 | 1 | T | -.8 | T | 5 | 1.7 | 425 | 6.9 | 177 | 64 | 26 | 5 | 0 | 0 | 0 | 0 |
| CT BRIDGEPORT | 82 | 62 | 90 | 57 | 72 | 2 | T | -.3 | T | 1.9 | 190 | 7.4 | 151 | 74 | 17 | 5 | 0 | 0 | 0 | 0 | 0 |
| HARTFORD | 87 | 59 | 93 | 54 | 73 | 3 | T | -.7 | T | 2.8 | 100 | 32.5 | 172 | 86 | 42 | 1 | 0 | 0 | 0 | 0 | 0 |
| DC WASHINGTON | 84 | 68 | 89 | 64 | 76 | 0 | T | 0 | T | 2.0 | 65 | 30.9 | 149 | 78 | 33 | 3 | 0 | 0 | 0 | 0 | 0 |
| FL APALACHICOLA | 86 | 72 | 88 | 69 | 79 | -2 | 1.8 | 1.1 | 1.5 | 5.5 | 177 | 25.4 | 145 | 84 | 55 | 0 | 0 | 0 | 0 | 0 | 0 |
| DAYTONA BEACH | 85 | 69 | 89 | 65 | 77 | -3 | 3.0 | 1.8 | 2.2 | 6.1 | 145 | 33.2 | 157 | 90 | 70 | 0 | 0 | 0 | 0 | 0 | 0 |
| JACKSONVILLE | 86 | 69 | 89 | 66 | 77 | -3 | 1.8 | .2 | 1.3 | 9.8 | 169 | 32.5 | 170 | 97 | 69 | 0 | 0 | 0 | 0 | 0 | 0 |
| KEY WEST | 87 | 78 | 88 | 76 | 82 | -1 | 1.5 | .2 | 1.0 | 5.3 | 108 | 30.6 | 135 | 100 | 69 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIAMI | 89 | 75 | 92 | 72 | 82 | 1 | .7 | -.5 | .5 | 6.1 | 127 | 35.7 | 251 | 86 | 67 | 0 | 0 | 0 | 0 | 0 | 0 |
| ORLANDO | 90 | 73 | 92 | 69 | 81 | 0 | 1.6 | -.6 | 1.2 | 10.1 | 117 | 28.3 | 120 | 93 | 63 | 3 | 0 | 0 | 0 | 0 | 0 |
| TALLAHASSEE | 86 | 70 | 91 | 67 | 78 | -2 | 1.5 | -.3 | .3 | 7.9 | 122 | 27.1 | 130 | 97 | 56 | 5 | 0 | 0 | 0 | 0 | 0 |
| TAMPA | 88 | 75 | 90 | 71 | 82 | 0 | 3.9 | 2.2 | 1.5 | 8.2 | 139 | 42.9 | 147 | 97 | 65 | 1 | 0 | 0 | 0 | 0 | 0 |
| GA WEST PALM BEACH | 89 | 76 | 92 | 73 | 82 | 1 | 2.7 | 1.3 | 1.8 | 8.0 | 189 | 28.0 | 151 | 91 | 61 | 1 | 0 | 0 | 0 | 0 | 0 |
| ATLANTA | 83 | 68 | 90 | 66 | 75 | -2 | 1.7 | -.2 | .8 | 12.9 | 172 | 40.5 | 168 | 94 | 67 | 3 | 0 | 0 | 0 | 0 | 0 |
| AUGUSTA | 88 | 67 | 93 | 64 | 77 | -1 | .6 | -.2 | .4 | 1.8 | 58 | 22.5 | 88 | 94 | 58 | 1 | 0 | 0 | 0 | 0 | 0 |
| MACON | 88 | 72 | 93 | 69 | 80 | 0 | 1.0 | 0 | .8 | 4.3 | 119 | 28.1 | 127 | 84 | 48 | 2 | 0 | 0 | 0 | 0 | 0 |
| SAVANNAH | 87 | 71 | 94 | 69 | 79 | 0 | 7.3 | 1.4 | 1.6 | 5.9 | 174 | 30.6 | 128 | 91 | 58 | 4 | 0 | 0 | 0 | 0 | 0 |
| HI HILO | 81 | 67 | 82 | 66 | 74 | -1 | 1.9 | -.5 | 1.5 | 2.7 | 53 | 29.1 | 129 | 90 | 53 | 1 | 0 | 0 | 0 | 0 | 0 |
| HONOLULU | 87 | 72 | 88 | 70 | 79 | 0 | 1.0 | -.5 | 5 | 3.6 | 61 | 26.8 | 42 | 88 | 62 | 0 | 0 | 0 | 0 | 0 | 0 |
| KAHULUI | 86 | 71 | 87 | 69 | 78 | 1 | .1 | 0 | T | .2 | 40 | 1.7 | 13 | 85 | 49 | 0 | 0 | 0 | 0 | 0 | 0 |
| LIHUE | 83 | 73 | 84 | 72 | 78 | 0 | T | 0 | T | .1 | 50 | 2.9 | 27 | 79 | 53 | 0 | 0 | 0 | 0 | 0 | 0 |
| ID BOISE | 80 | 48 | 94 | 42 | 64 | -4 | 0 | -.2 | 0 | .8 | 50 | 5.6 | 25 | 79 | 57 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEWISTON | 76 | 50 | 88 | 47 | 63 | -4 | .1 | -.2 | .1 | 1.1 | 11 | 10.2 | 144 | 65 | 19 | 2 | 0 | 0 | 0 | 0 | 0 |
| POCATELLO | 76 | 47 | 88 | 39 | 62 | -3 | .1 | -.1 | .1 | 1.1 | 79 | 7.3 | 109 | 82 | 32 | 0 | 0 | 0 | 0 | 0 | 0 |
| IL CHICAGO | 89 | 62 | 94 | 59 | 75 | 5 | .1 | -.1 | .1 | 1.1 | 100 | 8.6 | 137 | 65 | 25 | 0 | 0 | 0 | 0 | 0 | 0 |
| MOLINE | 91 | 67 | 95 | 62 | 79 | 6 | T | -1.0 | T | 3.1 | 84 | 22.5 | 140 | 84 | 38 | 5 | 0 | 0 | 0 | 0 | 0 |
| PEORIA | 88 | 67 | 93 | 62 | 78 | 5 | T | -1.0 | T | 1.6 | 40 | 13.2 | 75 | 90 | 46 | 5 | 0 | 0 | 0 | 0 | 0 |
| QUINCY | 89 | 68 | 93 | 65 | 78 | 4 | .4 | -.5 | .4 | 2.3 | 62 | 20.2 | 118 | 84 | 49 | 3 | 0 | 0 | 0 | 0 | 0 |
| ROCKFORD | 90 | 66 | 93 | 62 | 78 | 7 | T | -.9 | T | 1.1 | 31 | 15.4 | 87 | 88 | 48 | 5 | 0 | 0 | 0 | 0 | 0 |
| SPRINGFIELD | 91 | 66 | 96 | 64 | 79 | 4 | T | -1.1 | T | 1.1 | 26 | 14.3 | 80 | 75 | 40 | 5 | 0 | 0 | 0 | 0 | 0 |
| IN EVANSVILLE | 91 | 67 | 98 | 63 | 79 | 3 | .2 | -.7 | .2 | 1.4 | 41 | 15.9 | 95 | 96 | 48 | 5 | 0 | 0 | 0 | 0 | 0 |
| FORT WAYNE | 88 | 66 | 93 | 62 | 77 | 6 | T | -.8 | T | 3.5 | 106 | 29.7 | 130 | 87 | 40 | 4 | 0 | 0 | 0 | 0 | 0 |
| INDIANAPOLIS | 88 | 66 | 93 | 65 | 77 | 4 | T | -.8 | T | 2.0 | 59 | 14.3 | 81 | 86 | 41 | 3 | 0 | 0 | 0 | 0 | 0 |
| SOUTH BEND | 89 | 66 | 92 | 63 | 77 | 7 | T | -1.0 | T | 2.5 | 69 | 16.6 | 85 | 92 | 46 | 3 | 0 | 0 | 0 | 0 | 0 |
| IA DES MOINES | 91 | 71 | 96 | 64 | 81 | 8 | 0 | 0 | 0 | 1.7 | 49 | 15.4 | 88 | 76 | 37 | 5 | 0 | 0 | 0 | 0 | 0 |
| SIOUX CITY | 85 | 69 | 89 | 60 | 77 | 4 | .4 | -.5 | .4 | 3.5 | 97 | 16.1 | 132 | 81 | 56 | 0 | 0 | 0 | 0 | 0 | 0 |
| KS WATERLOO | 88 | 67 | 93 | 58 | 77 | 7 | .2 | -.9 | .2 | 2.2 | 54 | 16.0 | 103 | 85 | 47 | 5 | 0 | 0 | 0 | 0 | 0 |
| CONCORDIA | 88 | 66 | 91 | 64 | 77 | 2 | .1 | -.9 | .1 | 3.4 | 83 | 14.6 | 112 | 94 | 53 | 2 | 0 | 0 | 0 | 0 | 0 |
| DODGE CITY | 90 | 69 | 94 | 65 | 80 | 3 | T | -.7 | T | 5.2 | 179 | 15.3 | 153 | 80 | 40 | 5 | 0 | 0 | 0 | 0 | 0 |
| GOODLAND | 88 | 62 | 93 | 55 | 75 | 3 | .3 | -.4 | .3 | 1.9 | 70 | 9.3 | 112 | 83 | 38 | 7 | 0 | 0 | 0 | 0 | 0 |
| TOPEKA | 91 | 69 | 92 | 67 | 80 | 5 | .2 | -1.0 | .2 | 3.3 | 70 | 20.3 | 131 | 92 | 51 | 6 | 0 | 0 | 0 | 0 | 0 |
| WICHITA | 88 | 68 | 93 | 66 | 78 | 0 | 1.4 | .5 | .9 | 5.1 | 131 | 20.0 | 152 | 88 | 50 | 4 | 0 | 0 | 0 | 0 | 0 |
| KY BOWLING GREEN | 87 | 66 | 93 | 61 | 76 | 0 | T | 1.1 | T | 2.3 | 55 | 30.4 | 111 | 99 | 55 | 2 | 0 | 0 | 0 | 0 | 0 |
| LEXINGTON | 87 | 67 | 90 | 65 | 77 | 3 | .4 | -.6 | .4 | 3.0 | 77 | 23.1 | 97 | 89 | 44 | 2 | 0 | 0 | 0 | 0 | 0 |
| LOUISVILLE | 87 | 67 | 91 | 64 | 77 | 2 | .3 | -.6 | .3 | 3.8 | 109 | 25.8 | 110 | 89 | 46 | 2 | 0 | 0 | 0 | 0 | 0 |
| LA ALEXANDRIA | 87 | 70 | 90 | 68 | 79 | -4 | 1.1 | .2 | .6 | 2.4 | 63 | 30.8 | 104 | 88 | 61 | 1 | 0 | 0 | 0 | 0 | 0 |
| BATON ROUGE | 85 | 70 | 87 | 67 | 77 | -4 | 3.3 | 2.5 | 1.2 | 8.5 | 304 | 43.5 | 162 | 94 | 63 | 0 | 0 | 0 | 0 | 0 | 0 |
| LAKE CHARLES | 86 | 71 | 88 | 69 | 79 | -3 | 1.2 | .2 | .9 | 2.4 | 62 | 27.3 | 111 | 99 | 66 | 0 | 0 | 0 | 0 | 0 | 0 |
| NEW ORLEANS | 85 | 71 | 88 | 68 | 78 | -3 | 3.9 | 2.8 | 2.4 | 5.6 | 133 | 44.7 | 160 | 94 | 66 | 0 | 0 | 0 | 0 | 0 | 0 |

BASED ON PRELIMINARY REPORTS AND 1951-80 NORMALS

+100 = NORMAL & ACTUAL NEAR THE SAME

National Weather Summary (continued from p. 1)

pressure. Continued snowmelt kept Colorado rivers at or above flood stage. Temperatures were quite hot in South Texas, reaching the century mark at some sites.

SATURDAY...Numerous thunderstorms covered the gulf coast and from central portions of the Plains and

Rockies into the northern Plains. Locally heavy rains caused some

Weather Data for the Week Ending June 25, 1983

| STATES AND STATIONS | TEMPERATURE °F | | | | | | PRECIPITATION | | | | | | RELATIVE HUMIDITY, PERCENT | | NUMBER OF DAYS | | | | |
|---------------------------|--------------------|--------------------|-----------------|----------------|---------|--------------------------|----------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------|--------------------|----------------|--------------|---------------------|---------------------|
| | AVERAGE MAXIMUM | AVERAGE MINIMUM | EXTREME HIGH | EXTREME LOW | AVERAGE | DEPARTURE FROM NORMAL | WEEKLY TOTAL, IN. | DEPARTURE FROM NORMAL | GREATEST IN 24-HOUR, IN. | TOTAL, IN., SINCE May 29 | PCT. NORMAL SINCE May 29 | TOTAL, IN., SINCE Jan. 1 | PCT. NORMAL SINCE Jan. 1 | AVERAGE MAXIMUM | AVERAGE MINIMUM | TEMPERATURE °F | | PRECIPITATION | |
| | | | | | | | | | | | | | | | | 90 AND ABOVE | 32 AND BELOW | .01 INCH OR MORE | .50 INCH OR MORE |
| ME SHREVEPORT | 86 | 70 | 89 | 68 | 78 | -3 | .7 | -.1 | .3 | 5.4 | 159 | 29.4 | 123 | 95 | 59 | 0 | 0 | 4 | 0 |
| ME CARIBOU | 82 | 55 | 93 | 41 | 69 | 6 | 0 | -.8 | 0 | 1.6 | 55 | 17.6 | 119 | 77 | 27 | 3 | 0 | 0 | 0 |
| MD PORTLAND | 85 | 57 | 93 | 50 | 71 | 7 | .1 | -.6 | .1 | 2.5 | 86 | 32.3 | 159 | 89 | 35 | 2 | 0 | 1 | 0 |
| MD BALTIMORE | 82 | 64 | 89 | 57 | 73 | -1 | 3.4 | 2.5 | 2.0 | 5.8 | 166 | 31.0 | 161 | 94 | 57 | 0 | 0 | 3 | 2 |
| MD SALISBURY | 82 | 62 | 86 | 55 | 72 | -1 | 2.3 | 1.4 | 1.0 | 4.3 | 130 | 26.3 | 128 | 100 | 66 | 0 | 0 | 4 | 3 |
| MA BOSTON | 87 | 68 | 97 | 57 | 77 | 8 | .1 | -1.5 | .1 | 1.4 | 52 | 29.9 | 144 | 78 | 38 | 3 | 0 | 1 | 0 |
| MA CHATHAM | 76 | 59 | 86 | 53 | 68 | 4 | .6 | 0 | .6 | 1.7 | 63 | 32.5 | 146 | 84 | 65 | 0 | 0 | 1 | 1 |
| MI ALPENA | 85 | 50 | 91 | 45 | 68 | 5 | 0 | -.8 | 0 | 2.2 | 73 | 17.7 | 135 | 98 | 36 | 2 | 0 | 0 | 0 |
| MI DETROIT | 85 | 60 | 92 | 57 | 72 | 3 | 0 | -.8 | 0 | 1.8 | 58 | 14.6 | 97 | 81 | 36 | 1 | 0 | 0 | 0 |
| MI FLINT | 84 | 58 | 91 | 53 | 71 | 4 | 0 | -.8 | 0 | 1.2 | 39 | 12.8 | 88 | 92 | 41 | 1 | 0 | 0 | 0 |
| MI GRAND RAPIDS | 88 | 58 | 91 | 55 | 73 | 4 | 0 | -.9 | 0 | 1.7 | 47 | 16.6 | 104 | 90 | 38 | 2 | 0 | 0 | 0 |
| MI HOUGHTON LAKE | 85 | 52 | 88 | 45 | 69 | 4 | T | -.9 | T | 1.3 | 45 | 12.7 | 104 | 88 | 31 | 0 | 0 | 0 | 0 |
| MI LANSING | 86 | 58 | 91 | 53 | 72 | 3 | 0 | -.8 | 0 | 1.0 | 32 | 13.7 | 94 | 87 | 37 | 1 | 0 | 0 | 0 |
| MI MARQUETTE | 82 | 51 | 88 | 40 | 67 | 5 | .2 | -.7 | .1 | 5.2 | 141 | 21.8 | 127 | 96 | 41 | 0 | 0 | 3 | 0 |
| MI MUSKEGON | 86 | 59 | 89 | 55 | 72 | 5 | 0 | -.6 | 0 | 1.7 | 68 | 12.5 | 85 | 86 | 37 | 0 | 0 | 0 | 0 |
| MI SAULT STE. MARIE | 83 | 51 | 88 | 44 | 67 | 7 | 0 | -.8 | 0 | 3.1 | 100 | 14.7 | 108 | 90 | 41 | 0 | 0 | 0 | 0 |
| MN ALEXANDRIA | 82 | 64 | 90 | 57 | 73 | 6 | .1 | -.9 | .1 | 2.8 | 74 | 6.8 | 61 | 90 | 53 | 1 | 0 | 1 | 0 |
| MN DULUTH | 77 | 56 | 88 | 50 | 67 | 5 | T | -1.0 | T | 1.4 | 39 | 9.4 | 76 | 94 | 60 | 0 | 0 | 1 | 0 |
| MN INT'L FALLS | 82 | 59 | 90 | 52 | 71 | 8 | 1.2 | -.3 | 1.1 | 4.4 | 133 | 8.2 | 83 | 94 | 50 | 1 | 0 | 2 | 1 |
| MN MINNEAPOLIS | 85 | 65 | 91 | 61 | 75 | 5 | 1.4 | -.4 | .7 | 4.5 | 118 | 19.3 | 166 | 95 | 61 | 1 | 0 | 3 | 2 |
| MN ROCHESTER | 86 | 64 | 92 | 58 | 75 | 6 | .2 | -.8 | .2 | 1.2 | 31 | 11.4 | 91 | 94 | 53 | 2 | 0 | 1 | 0 |
| MS GREENWOOD | 87 | 71 | 90 | 69 | 79 | -2 | 2.8 | 2.0 | 1.3 | 6.6 | 206 | 41.4 | 143 | 94 | 63 | 1 | 0 | 5 | 2 |
| MS JACKSON | 85 | 69 | 89 | 65 | 77 | -3 | 1.5 | -.8 | .4 | 3.0 | 107 | 48.4 | 172 | 98 | 68 | 0 | 0 | 7 | 0 |
| MS MERIDIAN | 84 | 68 | 88 | 65 | 76 | -4 | 1.4 | -.6 | 1.1 | 3.8 | 123 | 42.2 | 150 | 100 | 68 | 0 | 0 | 5 | 1 |
| MO CAPE GIRARDEAU | 90 | 69 | 94 | 66 | 79 | -1 | 0 | -.8 | 0 | 1.0 | 29 | 24.6 | 106 | 95 | 45 | 3 | 0 | 0 | 0 |
| MO COLUMBIA | 87 | 67 | 89 | 64 | 77 | 2 | .3 | -.5 | .3 | 2.7 | 77 | 20.1 | 114 | 98 | 59 | 0 | 0 | 1 | 0 |
| MO KANSAS CITY | 87 | 67 | 89 | 64 | 77 | 2 | T | -1.1 | T | 4.2 | 98 | 19.8 | 119 | 96 | 54 | 0 | 0 | 2 | 0 |
| MO SAINT LOUIS | 89 | 70 | 93 | 67 | 80 | 3 | .7 | -.3 | .5 | 4.1 | 114 | 22.8 | 132 | 94 | 48 | 4 | 0 | 2 | 1 |
| MO SPRINGFIELD | 90 | 67 | 91 | 63 | 79 | 3 | .1 | -1.0 | .1 | 1.7 | 40 | 19.7 | 101 | 86 | 46 | 5 | 0 | 2 | 0 |
| MT BILLINGS | 80 | 50 | 89 | 44 | 65 | -1 | .1 | -.3 | .1 | .8 | 38 | 4.8 | 56 | 79 | 26 | 0 | 0 | 1 | 0 |
| MT GLASGOW | 81 | 54 | 94 | 46 | 67 | 2 | T | -.6 | T | .6 | 25 | 3.1 | 51 | 61 | 24 | 2 | 0 | 1 | 0 |
| MT GREAT FALLS | 74 | 47 | 87 | 44 | 60 | -3 | .1 | -.5 | .1 | 1.8 | 67 | 5.4 | 61 | 72 | 29 | 0 | 0 | 2 | 0 |
| MT HAVRE | 75 | 48 | 90 | 45 | 62 | -3 | .2 | -.3 | .2 | 1.1 | 55 | 5.6 | 89 | 76 | 25 | 1 | 0 | 1 | 0 |
| MT HELENA | 74 | 46 | 91 | 39 | 60 | -2 | .1 | -.4 | .1 | 1.7 | 85 | 4.4 | 75 | 72 | 27 | 1 | 0 | 1 | 0 |
| MT KALISPELL | 69 | 41 | 82 | 32 | 55 | -5 | .3 | -.2 | .2 | 2.2 | 105 | 8.8 | 109 | 94 | 37 | 0 | 1 | 2 | 0 |
| MT MILES CITY | 84 | 57 | 100 | 46 | 71 | 2 | .2 | -.4 | .2 | 1.6 | 59 | 4.1 | 53 | 73 | 21 | 2 | 0 | 2 | 0 |
| MT MISSOULA | 71 | 42 | 83 | 38 | 57 | -5 | .1 | -.4 | .1 | 1.2 | 63 | 7.3 | 106 | 88 | 33 | 0 | 0 | 2 | 0 |
| NE GRAND ISLAND | 88 | 69 | 93 | 66 | 78 | 5 | .7 | -.2 | .5 | 5.2 | 141 | 15.5 | 127 | 85 | 52 | 4 | 0 | 2 | 1 |
| NE LINCOLN | 91 | 69 | 94 | 66 | 80 | 6 | T | -.9 | T | 4.6 | 128 | 16.1 | 126 | 92 | 49 | 6 | 0 | 0 | 0 |
| NE NORFOLK | 88 | 69 | 93 | 64 | 79 | 6 | .2 | -.8 | .1 | 4.9 | 123 | 15.4 | 124 | 86 | 50 | 4 | 0 | 2 | 0 |
| NE NORTH PLATTE | 85 | 64 | 92 | 62 | 74 | 4 | T | -.8 | T | 2.0 | 57 | 9.3 | 90 | 89 | 47 | 2 | 0 | 2 | 0 |
| NE OMAHA | 87 | 71 | 91 | 64 | 79 | 6 | T | -.9 | T | 4.2 | 105 | 18.6 | 132 | 85 | 57 | 2 | 0 | 0 | 0 |
| NE SCOTTSBLUFF | 87 | 60 | 93 | 54 | 74 | 4 | .1 | -.6 | T | 1.3 | 45 | 9.8 | 120 | 81 | 32 | 3 | 0 | 2 | 0 |
| NE VALENTINE | 87 | 64 | 93 | 60 | 75 | 5 | 1.2 | -.5 | 1.0 | 4.2 | 150 | 11.9 | 132 | 81 | 42 | 3 | 0 | 2 | 1 |
| NV ELY | 81 | 41 | 83 | 36 | 61 | 0 | 0 | -.2 | 0 | 2.3 | 288 | 8.6 | 176 | 67 | 17 | 0 | 0 | 0 | 0 |
| NV LAS VEGAS | 99 | 71 | 101 | 70 | 85 | 0 | 0 | 0 | 0 | 0 | +100 | 2.4 | 133 | 22 | 8 | 7 | 0 | 0 | 0 |
| NV RENO | 84 | 41 | 90 | 36 | 63 | -2 | 0 | -.1 | 0 | .5 | 125 | 6.7 | 168 | 73 | 17 | 1 | 0 | 0 | 0 |
| NV WINNEMUCCA | 82 | 44 | 90 | 37 | 63 | -3 | T | -.2 | T | 1.2 | 133 | 6.0 | 122 | 60 | 15 | 2 | 0 | 0 | 0 |
| NH CONCORD | 85 | 52 | 91 | 49 | 69 | 2 | .5 | -.2 | .5 | 3.8 | 136 | 26.7 | 162 | 94 | 31 | 2 | 0 | 1 | 1 |
| NJ ATLANTIC CITY | 82 | 60 | 91 | 53 | 71 | 0 | 1.8 | 1.1 | 1.0 | 3.3 | 127 | 26.6 | 133 | 92 | 50 | 1 | 0 | 3 | 2 |
| NM ALBUQUERQUE | 92 | 60 | 99 | 53 | 76 | 0 | 1.2 | 1.0 | 1.0 | 1.3 | 260 | 4.0 | 154 | 47 | 16 | 5 | 0 | 3 | 1 |
| NM CLOVIS | 92 | 63 | 98 | 62 | 78 | 2 | T | -.6 | T | 2.2 | 92 | 5.3 | 79 | 67 | 19 | 4 | 0 | 0 | 0 |
| NM ROSWELL | 94 | 66 | 103 | 61 | 80 | -1 | .7 | -.4 | .5 | .9 | 100 | 2.9 | 100 | 59 | 21 | 4 | 0 | 2 | 0 |
| NY ALBANY | 83 | 59 | 90 | 52 | 71 | 3 | 0 | -.8 | 0 | 1.7 | 55 | 26.4 | 164 | 96 | 42 | 1 | 0 | 0 | 0 |
| NY BINGHAMTON | 80 | 60 | 85 | 51 | 70 | 4 | 0 | -.8 | 0 | 3.1 | 94 | 21.8 | 131 | 80 | 40 | 0 | 0 | 0 | 0 |
| NY BUFFALO | 84 | 61 | 90 | 56 | 73 | 5 | 0 | -.6 | 0 | 1.8 | 75 | 13.1 | 78 | 77 | 34 | 1 | 0 | 0 | 0 |
| NY NEW YORK | 83 | 66 | 91 | 63 | 75 | 2 | .4 | -.4 | .3 | 2.2 | 73 | 31.6 | 159 | 79 | 42 | 2 | 0 | 3 | 0 |
| NY ROCHESTER | 82 | 59 | 87 | 54 | 71 | 2 | 0 | -.6 | 0 | 2.4 | 92 | 14.0 | 94 | 90 | 38 | 0 | 0 | 0 | 0 |
| NY SYRACUSE | 83 | 58 | 91 | 50 | 71 | 3 | T | -.9 | T | 1.4 | 42 | 15.6 | 87 | 94 | 41 | 1 | 0 | 0 | 0 |
| NC ASHEVILLE | 83 | 61 | 88 | 55 | 72 | 1 | .1 | -.9 | .1 | 2.2 | 55 | 26.3 | 113 | 100 | 56 | 0 | 0 | 2 | 0 |
| NC CHARLOTTE | 85 | 66 | 91 | 62 | 75 | -1 | 1.4 | .5 | .7 | 3.4 | 103 | 22.3 | 103 | 86 | 49 | 1 | 0 | 2 | 2 |
| NC GREENSBORO | 83 | 63 | 89 | 59 | 73 | -1 | 1.5 | .5 | 1.4 | 4.7 | 124 | 24.2 | 117 | 92 | 52 | 0 | 0 | 2 | 1 |
| NC HATTERAS | 81 | 68 | 85 | 64 | 74 | -1 | 1.0 | 0 | 1.0 | 3.9 | 100 | 35.1 | 153 | 91 | 64 | 0 | 0 | 2 | 1 |
| NC NEW BERN | 86 | 68 | 91 | 65 | 77 | 0 | .4 | -.8 | .3 | 4.0 | 85 | 30.0 | 131 | 90 | 51 | 1 | 0 | 2 | 0 |
| NC RALEIGH | 85 | 63 | 89 | 58 | 74 | -1 | .9 | 0 | .8 | 2.9 | 83 | 27.9 | 139 | 93 | 54 | 0 | 0 | 3 | 1 |
| NC WILMINGTON | 89 | 69 | 94 | 66 | 79 | 1 | 2.8 | 1.4 | 1.7 | 5.4 | 108 | 30.1 | 133 | 87 | 50 | 1 | 0 | 3 | 2 |
| ND BISMARCK | 81 | 59 | 90 | 52 | 70 | 4 | 2.2 | 1.5 | 1.4 | 2.3 | 82 | 6.6 | 80 | 88 | 45 | 1 | 0 | 4 | 2 |
| ND FARCO | 85 | 64 | 93 | 55 | 75 | 8 | .6 | -.2 | .3 | 1.6 | 57 | 6.7 | 80 | 89 | 48 | 2 | 0 | 4 | 0 |
| ND GRAND FORKS | 82 | 63 | 89 | 56 | 72 | 7 | 1.7 | 1.0 | 1.0 | 2.9 | 116 | 7.3 | 97 | 90 | 58 | 0 | 0 | 4 | 1 |
| ND WILLISTON | 83 | 53 | 98 | 46 | 68 | 3 | .7 | -.1 | .7 | .9 | 38 | 4.2 | 63 | 80 | 31 | 1 | 0 | 1 | 1 |
| OH AKRON-CANTON | 80 | 60 | 88 | 55 | 70 | 1 | .3 | -.5 | .3 | 1.1 | 35 | 17.3 | 97 | 89 | 48 | 0 | 0 | 2 | 0 |
| OH CINCINNATI | 88 | 65 | 94 | 62 | 77 | 4 | .1 | -.8 | .1 | 1.1 | 31 | 19.5 | 92 | 89 | 43 | 3 | 0 | 1 | 0 |
| OH CLEVELAND | 82 | 63 | 88 | 57 | 72 | 3 | .1 | -.8 | .1 | 1.2 | 36 | 14.6 | 83 | 87 | 42 | 0 | 0 | 1 | 0 |
| OH COLUMBUS | 83 | 61 | 88 | 58 | 72 | 0 | 1.9 | -.9 | 1.9 | 3.5 | 92 | 17.2 | 90 | 93 | 51 | 0 | 0 | 1 | 1 |

BASED ON PRELIMINARY REPORTS AND 1951-80 NORMALS

Weather Data for the Week Ending June 25, 1983

| STATES AND STATIONS | TEMPERATURE °F | | | | | | PRECIPITATION | | | | | | | | RELATIVE HUMIDITY, PERCENT | | NUMBER OF DAYS | | | |
|---------------------------|--------------------|--------------------|-----------------|----------------|---------|--------------------------|----------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------|----------------------------|--------------|----------------|---------------------|---------------------|--|
| | AVERAGE MAXIMUM | AVERAGE MINIMUM | EXTREME HIGH | EXTREME LOW | AVERAGE | DEPARTURE FROM NORMAL | WEEKLY TOTAL, IN. | DEPARTURE FROM NORMAL | GREATEST IN 24-HOUR, IN. | TOTAL, IN., SINCE May 29 | PCT. NORMAL SINCE May 29 | TOTAL, IN., SINCE Jan. 1 | PCT. NORMAL SINCE Jan. 1 | AVERAGE MAXIMUM | AVERAGE MINIMUM | TEMPERATURE | | PRECIPITATION | | |
| | | | | | | | | | | | | | | | | 90 AND ABOVE | 32 AND BELOW | .01 INCH OR MORE | .50 INCH OR MORE | |
| DAYTON | 83 | 64 | 91 | 60 | 73 | 1 | .2 | -.7 | .2 | 3.3 | 89 | 17.0 | 91 | 84 | 44 | 1 | 0 | 1 | 0 | |
| TOLEDO | 84 | 58 | 92 | 55 | 71 | 1 | .2 | -.8 | .1 | 1.4 | 42 | 12.5 | 82 | 89 | 43 | 1 | 0 | 1 | 0 | |
| YOUNGSTOWN | 82 | 57 | 87 | 50 | 70 | 2 | .1 | -.8 | .1 | 1.0 | 29 | 14.7 | 80 | 81 | 42 | 0 | 0 | 1 | 0 | |
| OK OKLAHOMA CITY | 88 | 68 | 90 | 67 | 78 | -1 | .1 | -.7 | .1 | 2.6 | 67 | 17.4 | 107 | 91 | 49 | 1 | 0 | 1 | 0 | |
| TULSA | 91 | 73 | 93 | 69 | 82 | 3 | .4 | -.6 | .4 | 1.0 | 23 | 19.0 | 99 | 89 | 49 | 6 | 0 | 2 | 2 | |
| OR ASTORIA | 69 | 52 | 73 | 46 | 60 | 3 | 1.6 | 1.0 | .8 | 4.4 | 176 | 42.8 | 125 | 91 | 56 | 0 | 0 | 5 | 1 | |
| BURNS | 70 | 38 | 79 | 35 | 54 | -3 | 0 | .2 | 0 | .8 | 100 | 9.6 | 171 | 80 | 35 | 0 | 0 | 0 | 0 | |
| MEDFORD | 77 | 48 | 85 | 43 | 63 | -3 | 1.4 | .1 | 0 | .6 | 100 | 12.3 | 122 | 80 | 28 | 0 | 0 | 0 | 0 | |
| PENDLETON | 71 | 48 | 81 | 44 | 60 | -9 | 0 | .1 | 0 | .4 | 67 | 7.0 | 113 | 76 | 31 | 0 | 0 | 1 | 0 | |
| PORTLAND | 69 | 53 | 76 | 50 | 61 | -2 | .3 | .2 | .2 | 1.5 | 107 | 25.5 | 133 | 88 | 49 | 0 | 0 | 5 | 0 | |
| SALEM | 70 | 48 | 76 | 40 | 59 | -3 | .3 | .1 | .1 | 2.0 | 167 | 31.4 | 147 | 85 | 47 | 0 | 0 | 4 | 0 | |
| PA ALLENTOWN | 81 | 61 | 89 | 56 | 71 | 0 | 1.7 | -.9 | 1.3 | 4.4 | 138 | 27.0 | 134 | 86 | 47 | 0 | 0 | 3 | 1 | |
| ERIE | 81 | 61 | 85 | 58 | 71 | 4 | .2 | -.7 | .2 | 1.8 | 51 | 14.3 | 83 | 84 | 46 | 0 | 0 | 1 | 0 | |
| HARRISBURG | 79 | 59 | 88 | 54 | 69 | -4 | .6 | -.2 | .5 | 2.8 | 82 | 26.2 | 142 | 89 | 51 | 0 | 0 | 3 | 0 | |
| PHILADELPHIA | 81 | 62 | 89 | 56 | 72 | -2 | 1.0 | 0 | .4 | 1.7 | 46 | 29.5 | 153 | 91 | 49 | 0 | 0 | 3 | 0 | |
| PITTSBURGH | 79 | 61 | 86 | 57 | 70 | 0 | 1.2 | .5 | 1.2 | 3.0 | 97 | 18.4 | 99 | 77 | 46 | 0 | 0 | 2 | 1 | |
| SCRANTON | 80 | 59 | 85 | 51 | 69 | 0 | .4 | -.4 | .3 | 3.7 | 116 | 21.9 | 139 | 81 | 47 | 0 | 0 | 3 | 0 | |
| RI PROVIDENCE | 87 | 64 | 92 | 56 | 75 | 7 | .1 | -.5 | .1 | 3.3 | 122 | 36.4 | 171 | 74 | 32 | 2 | 0 | 1 | 0 | |
| SC CHARLESTON | 86 | 70 | 95 | 67 | 78 | -1 | .1 | -1.6 | T | 1.0 | 17 | 27.8 | 119 | 93 | 54 | 1 | 0 | 2 | 0 | |
| COLUMBIA | 90 | 66 | 97 | 60 | 78 | -1 | T | -1.1 | T | 2.1 | 51 | 24.9 | 108 | 90 | 40 | 4 | 0 | 0 | 0 | |
| FLORENCE | 88 | 68 | 96 | 65 | 78 | -1 | .6 | -.6 | .6 | 4.9 | 117 | 29.0 | 146 | 97 | 49 | 1 | 0 | 1 | 1 | |
| SD GREENVILLE | 84 | 66 | 92 | 62 | 75 | -1 | .6 | -.6 | .6 | 3.5 | 56 | 27.2 | 102 | 95 | 56 | 1 | 0 | 3 | 0 | |
| ABERDEEN | 85 | 64 | 92 | 55 | 74 | 6 | .5 | .3 | .3 | 3.5 | 113 | 8.8 | 95 | 93 | 54 | 1 | 0 | 3 | 0 | |
| HURON | 88 | 65 | 94 | 57 | 77 | 7 | .8 | .0 | .6 | 3.0 | 94 | 8.0 | 83 | 97 | 52 | 3 | 0 | 2 | 1 | |
| RAPID CITY | 84 | 59 | 92 | 51 | 72 | 5 | .1 | .7 | .1 | .8 | 25 | 5.3 | 58 | 83 | 44 | 2 | 0 | 2 | 0 | |
| SIoux FALLS | 85 | 66 | 90 | 60 | 76 | 5 | 1.6 | .8 | 1.6 | 4.5 | 129 | 14.4 | 120 | 95 | 65 | 1 | 0 | 1 | 1 | |
| TN CHATTANOOGA | 85 | 67 | 91 | 65 | 76 | 0 | 1.2 | -.4 | 1.7 | 2.6 | 84 | 26.1 | 95 | 87 | 50 | 1 | 0 | 1 | 1 | |
| KNOXVILLE | 86 | 64 | 90 | 61 | 75 | 0 | T | -.9 | T | 2.5 | 71 | 20.4 | 80 | 99 | 53 | 1 | 0 | 4 | 1 | |
| MEMPHIS | 89 | 71 | 91 | 67 | 80 | 0 | .5 | -.3 | .2 | 2.1 | 60 | 29.1 | 101 | 96 | 52 | 3 | 0 | 3 | 0 | |
| NASHVILLE | 88 | 68 | 92 | 65 | 78 | 1 | .3 | -.6 | .3 | 3.3 | 94 | 29.7 | 113 | 94 | 50 | 2 | 0 | 2 | 0 | |
| TX ABILENE | 90 | 68 | 92 | 67 | 79 | -3 | T | -.6 | T | 4.0 | 154 | 9.3 | 85 | 77 | 35 | 6 | 0 | 0 | 0 | |
| AMARILLO | 91 | 64 | 97 | 58 | 77 | 1 | 0 | .8 | 0 | 2.1 | 64 | 9.4 | 109 | 84 | 28 | 4 | 0 | 0 | 0 | |
| AUSTIN | 89 | 71 | 90 | 69 | 80 | -3 | .8 | -.2 | .8 | 4.0 | 129 | 20.3 | 120 | 88 | 48 | 5 | 0 | 3 | 1 | |
| BEAUMONT | 84 | 75 | 87 | 73 | 79 | -3 | 1.4 | -.4 | .5 | 7.4 | 200 | 33.2 | 144 | 98 | 71 | 0 | 0 | 5 | 0 | |
| BROWNSVILLE | 93 | 73 | 95 | 72 | 83 | 0 | .8 | -.2 | .5 | 2.6 | 104 | 7.5 | 80 | 91 | 48 | 7 | 0 | 3 | 0 | |
| CORPUS CHRISTI | 92 | 72 | 94 | 70 | 82 | -2 | .3 | -.4 | .3 | 1.9 | 59 | 11.8 | 94 | 91 | 52 | 7 | 0 | 1 | 0 | |
| DEL RIO | 95 | 72 | 97 | 66 | 83 | -2 | .1 | -.3 | .1 | 1.0 | 63 | 5.0 | 66 | 83 | 40 | 6 | 0 | 1 | 0 | |
| EL PASO | 96 | 62 | 103 | 56 | 79 | -3 | .1 | -.1 | .1 | .2 | 40 | 3.1 | 163 | 58 | 15 | 6 | 0 | 2 | 0 | |
| FORT WORTH | 89 | 71 | 91 | 68 | 80 | -4 | .1 | -.5 | 1.1 | 3.0 | 111 | 16.5 | 97 | 87 | 44 | 3 | 0 | 3 | 0 | |
| GALVESTON | 86 | 76 | 88 | 74 | 81 | -1 | 1.3 | .5 | 1.2 | 3.1 | 94 | 15.5 | 91 | 87 | 66 | 0 | 0 | 3 | 1 | |
| HOUSTON | 87 | 71 | 89 | 69 | 79 | -3 | 1.3 | -.4 | 1.0 | 5.2 | 130 | 22.4 | 100 | 96 | 60 | 0 | 0 | 6 | 1 | |
| LUBROCK | 94 | 63 | 100 | 59 | 79 | 0 | 0 | -.6 | 0 | 1.3 | 50 | 6.9 | 86 | 85 | 26 | 5 | 0 | 0 | 0 | |
| MIDLAND | 96 | 67 | 103 | 65 | 82 | 1 | .2 | -.1 | .2 | .5 | 36 | 2.6 | 45 | 80 | 25 | 6 | 0 | 1 | 0 | |
| SAN ANGELO | 89 | 65 | 94 | 62 | 77 | -6 | .1 | -.3 | .1 | 3.3 | 174 | 8.0 | 93 | 96 | 45 | 4 | 0 | 2 | 0 | |
| SAN ANTONIO | 90 | 69 | 92 | 67 | 80 | -3 | .3 | -.4 | .2 | 1.4 | 47 | 12.8 | 93 | 85 | 43 | 6 | 0 | 2 | 0 | |
| SAN ANTONIO | 90 | 63 | 92 | 71 | 81 | -2 | .3 | -.8 | .1 | 3.0 | 67 | 16.7 | 88 | 96 | 56 | 4 | 0 | 3 | 0 | |
| VICTORIA | 90 | 73 | 92 | 71 | 81 | -2 | .3 | -.8 | .1 | 3.0 | 67 | 16.7 | 88 | 96 | 56 | 4 | 0 | 3 | 0 | |
| WACO | 91 | 69 | 94 | 68 | 80 | -3 | T | -.5 | T | 2.4 | 89 | 12.5 | 71 | 90 | 48 | 5 | 0 | 1 | 0 | |
| WICHITA FALLS | 91 | 67 | 94 | 65 | 79 | -3 | 1.1 | -.5 | 1.1 | 4.5 | 155 | 14.4 | 103 | 92 | 43 | 6 | 0 | 1 | 1 | |
| UT BLANDING | 81 | 52 | 89 | 51 | 66 | -3 | .6 | -.5 | .5 | .6 | 200 | 6.4 | 156 | 61 | 27 | 0 | 0 | 3 | 1 | |
| CEDAR CITY | 86 | 55 | 87 | 51 | 71 | 2 | 0 | -.1 | 0 | .5 | 100 | 7.4 | 157 | 36 | 11 | 0 | 0 | 0 | 0 | |
| SALT LAKE CITY | 84 | 58 | 91 | 51 | 71 | 1 | 0 | -.2 | 0 | 1.0 | 100 | 11.6 | 135 | 68 | 22 | 2 | 0 | 0 | 0 | |
| VT BURLINGTON | 84 | 57 | 91 | 50 | 70 | 4 | .2 | -.7 | .2 | 1.8 | 53 | 21.5 | 149 | 84 | 31 | 2 | 0 | 2 | 0 | |
| VA NORFOLK | 82 | 66 | 88 | 62 | 74 | -2 | 1.7 | -.9 | 1.1 | 3.7 | 112 | 26.2 | 131 | 91 | 54 | 0 | 0 | 2 | 2 | |
| RICHMOND | 87 | 68 | 93 | 63 | 78 | 3 | 3.3 | 2.4 | 3.0 | 5.4 | 164 | 24.7 | 132 | 91 | 54 | 2 | 0 | 3 | 1 | |
| ROANOKE | 84 | 62 | 90 | 56 | 73 | 0 | .9 | .1 | .9 | 1.8 | 58 | 24.7 | 131 | 94 | 49 | 1 | 0 | 2 | 1 | |
| WA COLVILLE | 68 | 46 | 76 | 40 | 57 | -6 | .8 | .5 | .4 | 2.5 | 179 | 14.5 | 161 | 82 | 57 | 0 | 0 | 3 | 0 | |
| QUILLAYUTE | 65 | 48 | 69 | 41 | 56 | 0 | 1.1 | .5 | .3 | 4.0 | 133 | 58.3 | 112 | 97 | 59 | 0 | 0 | 6 | 0 | |
| SEATTLE-TACOMA | 66 | 51 | 71 | 49 | 59 | -3 | .5 | .2 | .2 | 1.9 | 127 | 20.5 | 108 | 92 | 50 | 0 | 0 | 4 | 0 | |
| SPOKANE | 70 | 47 | 79 | 45 | 58 | -5 | 1.1 | .9 | .8 | 1.8 | 164 | 9.5 | 102 | 87 | 37 | 0 | 0 | 2 | 1 | |
| YAKIMA | 75 | 44 | 78 | 39 | 59 | -7 | T | -.1 | T | .2 | 50 | 6.6 | 178 | 73 | 28 | 0 | 0 | 1 | 0 | |
| WV BECKLEY | 76 | 59 | 80 | 55 | 68 | 0 | 2.5 | 1.6 | 2.5 | 4.9 | 144 | 15.8 | 74 | 96 | 55 | 0 | 0 | 1 | 1 | |
| CHARLESTON | 85 | 62 | 91 | 58 | 74 | 1 | .2 | -.6 | .2 | 1.9 | 66 | 18.6 | 92 | 94 | 45 | 1 | 0 | 2 | 0 | |
| HUNTINGTON | 86 | 64 | 91 | 59 | 75 | 2 | 0 | -.8 | 0 | 1.5 | 47 | 17.5 | 86 | 87 | 47 | 1 | 0 | 0 | 0 | |
| PARKERSBURG | 83 | 64 | 88 | 61 | 74 | 2 | T | -1.0 | T | 1.5 | 37 | 20.1 | 92 | 86 | 49 | 0 | 0 | 1 | 0 | |
| WI GREEN BAY | 83 | 59 | 88 | 52 | 71 | 5 | 0 | -.8 | 0 | 1.1 | 38 | 10.9 | 89 | 85 | 45 | 0 | 0 | 0 | 0 | |
| LA CROSSE | 90 | 66 | 97 | 59 | 78 | 8 | 0 | -.1 | 0 | .6 | 16 | 10.2 | 72 | 88 | 43 | 4 | 0 | 0 | 0 | |
| MADISON | 89 | 59 | 92 | 47 | 74 | 6 | 0 | -.9 | 0 | 1.1 | 30 | 12.5 | 89 | 87 | 42 | 4 | 0 | 0 | 0 | |
| MILWAUKEE | 81 | 61 | 87 | 56 | 71 | 4 | 0 | -.9 | 0 | 1.1 | 34 | 18.2 | 130 | 79 | 45 | 0 | 0 | 0 | 0 | |
| WY WAUSAU | 85 | 61 | 90 | 53 | 73 | 7 | .4 | -.6 | .4 | 1.3 | 34 | 10.2 | 71 | 88 | 43 | 1 | 0 | 1 | 0 | |
| CASPER | 85 | 51 | 92 | 42 | 68 | 2 | .1 | -.2 | T | 3.5 | 269 | 10.0 | 149 | 84 | 27 | 2 | 0 | 3 | 0 | |
| CHEYENNE | 78 | 52 | 83 | 48 | 65 | 1 | T | -.4 | T | 2.8 | 147 | 11.9 | 172 | 91 | 38 | 0 | 0 | 0 | 0 | |
| LANDER | 84 | 50 | 90 | 44 | 67 | 3 | 0 | -.3 | 0 | 1.3 | 87 | 10.1 | 120 | 53 | 18 | 1 | 0 | 0 | 0 | |
| SHERIDAN | 86 | 49 | 98 | 40 | 68 | 4 | .1 | -.4 | .1 | .5 | 23 | 4.0 | 45 | 73 | 27 | 2 | 0 | 1 | 0 | |
| PR SAN JUAN | 95 | 78 | 97 | 75 | 87 | 5 | T | -1.0 | T | 1.6 | 37 | 16.1 | 75 | 79 | 44 | 7 | 0 | 1 | 0 | |

BASED ON PRELIMINARY REPORTS AND 1951-80 NORMALS

National Agricultural Summary

June 20 to 26

HIGHLIGHTS: Heavy showers limited field activities from East Texas through much of the Southeast and across the northern Plains. Growers in these regions had 2 to 4 days suitable for fieldwork. Farmers across the rest of the Nation took advantage of drier weather to catch up on fieldwork. They had generally 4 to 7 days available for outdoor activities. Warm weather stimulated development of crops in all regions except portions of the Northwest where cooler than normal temperatures limited growth. Soil moisture supplies ranged from short to adequate. Dry weather caused deteriorating crop conditions in Montana, stalled late-planted crop emergence in Ohio, and slowed soybean planting in South Carolina. Winter wheat was in fair to mostly good condition. Harvesting reached 12% completion, behind last year and the average. Spring wheat was 14% headed, behind the average of 24%. Corn planting was virtually complete. The crop condition rated fair to good. Soybean planting advanced to 90% completion, 1 point behind average. Progress was 13 percentage points behind the average in Mississippi and Tennessee. Sorghum planting reached 89% completion, compared with the 94% average. Cotton planting was virtually complete; 20% of the acreage was squaring and 4% was setting bolls. Peach picking was 56% complete in Georgia. Vegetable harvesting moved northward. Dry conditions limited grass growth and stressed livestock in many areas. However, pastures and livestock continued in fair to mostly good condition.

SMALL GRAINS: Above-normal temperatures gave a needed boost to winter wheat development from the northern and central Plains through the Corn Belt. Stands continued in fair to mostly good condition. The crop was 97% headed in the 15 major producing States, 1 point ahead of the average. Combining was 12% complete in the major States, compared with 13% a year earlier and the 26% average. Progress ranged from 4% complete in Illinois to about the half-way mark in California and Texas. Kansas producers started harvesting fields in the southernmost counties, while combining was in full swing across Oklahoma. Harvesting neared completion in Central and South Texas but was active elsewhere.

Spring wheat was 14% headed, ahead of last year's 11% but 10 points behind the average. Localized rains prevented widespread drought conditions across Montana. Stands were in good condition but deteriorating due to moisture stress. Widespread showers from the northern Plains into Minnesota helped fields recover from earlier dry conditions.

CORN: Producers were virtually finished planting corn in the major producing regions. Emerged plants were in fair to good condition and developing rapidly with warmer weather. Silking was well advanced across the South. Early-planted fields advanced to the dough stage, and some reached the dent stage. Five percent of the Georgia crop was dented compared with the average of 19%.

SOYBEANS: Soybean planting in the 18 major producing States reached 90% completion, the same as a year earlier but 1 point behind average. Producers from the central Plains through the Corn Belt enjoyed ideal planting conditions and progressed rapidly. Planting was nearly finished in the Corn Belt. However, producers in Mississippi and Tennessee were 13 percentage points behind average and Kentucky growers were 10 points behind schedule. South Carolina farmers

limited planting due to dry conditions, and moisture shortages in portions of Ohio stalled emergence of late seeded fields. Planting of double-cropped soybeans increased as small grain harvesting gained momentum.

SORGHUM: Sorghum planting in the seven major producing States was 89% completed, ahead of last year's 81% but behind the 94% average. Progress was as much as 25 points behind schedule in Oklahoma and 10 points behind in Kansas. Planting progressed well in Texas. Harvesting was underway in South Texas and in the Rio Grande Valley where 1% of the crop was mature.

COTTON: Cotton planting was virtually finished. In the 14 major producing States, 20% of the acreage had squared. Four percent of the crop was setting bolls in the extreme South. Plants were in fair to good condition and developing rapidly with the warmer weather. Some limited replanting was completed on the Texas High Plains. Farmers began spraying to control increasing insect populations in most producing areas.

OTHER CROPS: Peanut planting was 80% complete in Texas, trailing the average progress of 83%. Earlier planted fields made good growth. The crop was in fair to good condition across the Southeast. Producers applied fungicide and herbicide sprays. Twenty-three percent of the Georgia fields had pegged, lagging the 44% average.

Tobacco transplanting neared completion in most areas. Growers cultivated and sidedressed fields. Spraying was limited to controlling increasing disease and insect infestations. Harvesting advanced to 6% finished in Georgia, half the normal pace for this date.

Rice had emerged on 98% of the seeded acreage, the same as a year earlier. Stands were in fair to mostly good condition and developing rapidly with warmer weather. Growers sprayed to control weeds in all States.

Hay cutting was active in nearly all regions. However, widespread showers lowered the quality of cut hay in many areas.

FRUITS AND NUTS: Peach picking was 56% complete in Georgia, 6 points ahead of normal. South Carolina producers harvested 15% of the crop, compared with the 23% average. Warmer weather aided fruit development in Michigan. New York grapes were in full bloom. Strawberry picking gained momentum across the Northeast. Florida's citrus groves showed an abundance of new growth, and new crop fruit was in very good condition. Valencia orange picking slowed and grapefruit harvesting was almost finished. Harvesting of Valencia oranges and grapefruit remained steady in Arizona. California producers picked apricots, figs, table grapes, nectarines, Freestone peaches, plums, and Valencia oranges. Strawberry picking was active with increased deliveries to processors. The Texas peach harvest moved northward at a rapid pace. Warmer weather aided maturity of the crop. Pecan trees set nuts. Growers were concerned about short moisture levels and sprayed to keep casebearers light.

VEGETABLES: Warmer temperatures aided vegetable crop development in most regions. New York growers planted sweet corn and snap beans. Hot, dry weather stressed vegetable crops in Michigan, and irrigation was used where available. Florida's vegetable shipments declined 30% from the previous week, although volume increased for okra and held steady for Southern peas and

(continued on p. 9)

National Agricultural Summary (continued from p. 8)

watermelons. The condition of tomatoes in South Carolina improved to good, and producers harvested 10% of the crop. Texas producers harvested cantaloupes, cucumbers, onions, okra, potatoes, squash, tomatoes, and watermelons. Market tomato harvesting began in the San Joaquin Valley of California. The harvest of processing tomatoes was active in the Imperial Valley but had just begun in the Palo Verde Valley. Growers also harvested a wide variety of other vegetables.

PASTURES AND LIVESTOCK: Pastures and ranges were in fair to mostly good condition. Hot, dry weather began to limit grass growth in many areas and stressed livestock. However, most areas had ample grass growth, and livestock remained in generally good condition.

State Summaries (continued from p. 16)

were noted over the northwest on 24th with widespread precipitation falling Statewide on 26th. The highest temperature of the week was 98° at Wind Point on 26th. The lowest reading was 44° at Lake Thompson on morning of 20th. Pasture condition 87% of normal. Soil moisture 47% short, 53% adequate. Days suitable for fieldwork: 5.0.

WYOMING: Temperatures below normal. Precipitation below normal.

Topsoil moisture adequate 62% State, subsoil moisture adequate 90% State. Days suitable for fieldwork: 7.0. Winter wheat booting 35%, headed 50%. Normally, 85% headed. Barley not yet jointed 35%, booting 25%, headed 20%. Spring wheat not yet jointed 55%, jointed not year booting 30%. Oats not yet jointed 50%, jointed not yet booting 30%. Sugarbeets thinned 60%. Normally 90% thinned. Alfalfa 15% first cutting completed, other hay harvested 5%. Moderate to severe water damage to hay crop in extreme southwest. Cattle and calves moved to summer ranges 85%, sheep and lambs moved 80%.




Heating Degree Days (Base 65° F.)

May 1983

Table listing Heating Degree Days for May 1983 across various US cities. Columns include city names and corresponding degree day values. Cities listed include ALA. Birmingham, MO. Columbia, N.Y. Albany, etc.

International Weather and Crop Summary (continued from p. 19)

second-crop soybean harvest which should be in the latter stages of progress in many areas of Buenos Aires, Santa Fe and Cordoba. Slightly above-average temperatures and clear skies during the second half of the week favored wheat planting throughout the crop areas.



way central areas. First post-plant irrigations beginning southeastern counties, cotton just starting to square. Insecticides, herbicides applied as needed. Wheat, barley harvest mostly peaked central, western areas, rapidly winding down. Southeastern areas started combining wheat, barley slightly past halfway mark. Growers reporting good yields. Alfalfa made average progress, haying activities running full swing. Stands mostly established earlier planted corn, sorghum, some sorghum being planted. Safflower normal progress. Cantaloups, watermelons, honeydew melons picked large scale Yuma, Lapaz, Mohave Counties. Harvest also increasing Maricopa County for cantaloups, watermelons. Immature melons made satisfactory progress. Dry onion harvest complete. Growers digging chipper potatoes, table potato harvest complete central areas. Valencia oranges, grapefruit picked steady rate Maricopa County, citrus activity Yuma County complete by July 1. Harvest different grape varieties continued Yuma, Maricopa Counties. Perletter harvest complete, growers beginning pick red grapes, expected begin Thompson seedless harvest July 1.

ARKANSAS: Temperatures averaged +1 to 4° below normal. Highest 97°, lowest 57°. Precipitation 0.50 to 1.80 in. except very light northeast.

Days suitable for fieldwork: 6.2. Soil moisture adequate southeast, short elsewhere. Cotton fair; squaring 15%, 73% 1982, 60% average; no boll setting. Rice good condition; emerged 97%, 98% 1982 and average. Soybeans good to fair condition; planted 79%, 86% 1982, 83% average; emerged 67%, 78% 1982, 69% average. Wheat harvested 78%, 87% 1982, 93% average. Oats harvest virtually finished, same as 1982 and average. Corn good condition, sorghum good condition, virtually all planted, about same as 1982 and average. Pastures average. Cattle good condition. Peach and tomato harvests building up to volume.

CALIFORNIA: Upper level trough first part of week brought cooler air across much of the State. Weekly mean temperatures below normal except through South Coast and Desert Interior. The Desert region with normal mean temperature, the South Coast a couple above normal. Morning temperatures down to freezing a few days Sierra Cascade region. No precipitation reported Statewide. Good weather being received. Harvest of small grain full swing. Winter wheat 50% harvested, 50% last year, 58% average. Rice crop coming along well, 95% emerged, 95% last year, 98% average. Spraying for weeds active. Cotton growing well in the San Joaquin and Imperial Valleys, 30% squared, 20% last year, 39% average. Planting of dry beans and corn continues. Earlier planted fields progressing well. Sugarbeet field cultivation taking place. Apricots, figs, Desert table grapes, nectarines, Freestone peaches, plums, Valencia oranges harvested. Clingstone peaches thinned. Almonds, walnuts sprayed. Artichoke harvest very light. Broccoli harvest moderate, good quality. Cantaloup harvest active Imperial Valley, full swing Palo Verde Valley. Carrot harvest slowing Desert, moderate other areas. Cauliflower supplies moderate. Celery harvest active South Coast, light Central Coast. Sweet corn harvest past peak Coachella Valley. Increasing South Coast, San Joaquin Valley. Lettuce harvest moderate to heavy Central Coast. Onion harvest active San Joaquin Valley, decreasing Desert. Spring potato harvest heavy Kern District. Strawberry harvest active, increased deliveries to processors. Market tomato harvest started San Joaquin Valley, continued Desert, South Coast. Processing tomato harvest active Imperial Valley started Palo Verde Valley.

Early San Joaquin Valley fields turning color. Desert watermelon harvest full swing. Summer grazing conditions good to excellent. Winds continue dry Foothill grass. Grasshopper build-up major problem most Foothill districts, Sacramento, San Joaquin Valleys. Stock water supplies adequate.

COLORADO: Warm and dry most of week; finishing wet and cooler. Average temperatures 2 to 4° above normal.

Winter wheat in very good condition; 92% headed, 99% last year and average; 22% turning color, 56% last year, 44% average. Corn in good condition; 95% emerged, about normal; height 10 in., 9 in. last year, 11 in. average. Sorghum in good condition; 78% planted; 74% last year, 83% average. Barley, oats, and spring wheat in good condition. Barley, 38% headed, 46% last year. Statewide 6.0 days suitable for fieldwork. Topsoil and subsoil moisture adequate. Range and pasture conditions very good.

FLORIDA: A weak upper air trough moved through the Panhandle early week, triggering more thunderstorms than normal. A warm, humid tropical air mass with light winds remained over the State throughout the week. Scattered, normal afternoon, evening thunderstorms brought variable rains of 1.00 to 2.00 in. over Peninsular region. Isolated areas reported rains exceeding 3.00 in. Temperatures averaged near normal except slightly below normal in cloudier northern areas.

Soil moisture mostly adequate; a few wet spots, Panhandle, a few dry areas, north. Corn good progress, cutting silage underway. Tobacco harvest increasing. Peanuts good growth, weed problems in many fields. Soybean planting nearing completion, ahead of normal. Cotton mostly good condition, early planted acreage squaring. Sugarcane, rapid growth. Small grain harvest about complete. Pastures mostly good to excellent. Conditions very favorable, south. Cattle remain in good to excellent condition. Citrus excellent condition. Moisture adequate with afternoon rains. Abundance of new foliage. Most new crop fruit very good condition. Valencia orange harvest slowing. Grapefruit picking almost completed for 1982-83 season. Typical summer weather with hot days, warm nights continued in vegetable areas. Skies partly cloudy to cloudy with scattered afternoon thunderstorms. An upper air trough in early week caused more thundershowers than normal. Season complete or nearing completion for most crops. Total shipments decreased 30% from previous week. Okra harvest gained, however. Volume about steady Southern peas, watermelons. No movement Chinese cabbage, escarole and lettuce. Shipments declined all other crops. Watermelon harvest very active central, northern areas but essentially complete in south.

GEORGIA: Temperatures 2 to 4° below normal. Rainfall mainly from showers during latter half of period. Amounts somewhat variable, generally heaviest southwest and lightest northeast. Average amounts near 2.00 in. southwest and 0.25 to 0.50 in. northeast. Mostly sunny skies over the 25th and 26th with warm temperatures. Rainfall averaged less than 0.10 in. and occurred mostly in south and west central areas. Temperatures averaged 2 to 5° below normal. Greatest reported rainfall was 1.60 in. at Columbus.

Soil moisture variable: 3% very short, 13% short, 67% adequate, 17% surplus. Average days suitable for fieldwork 3.6. Farm activities limited by rain. Corn silked 55%, 87% last

year, 83% average; dough 18%, 58% last year, 52% average; dent 5%, 22% last year, 19% average; condition 3% poor, 30% fair, 63% good, 3% excellent. Cotton squaring 62%, 73% last year, 80% average; setting bolls 9%, 14% last year, 25% average; condition 3% poor, 25% fair, 68% good. Insect build-up on cotton. Peanuts 69% blooming, 75% last year, 82% average; 23% pegging, 37% last year, 44% average; condition 3% poor, 33% fair, 59% good, 3% excellent. Applying fungicide and herbicide sprays. Soybeans planted 86%, 87% last year, 88% average; 3% blooming, 6% last year, 7% average; condition 3% poor, 27% fair, 63% good, 6% excellent. Weed and insect control on soybeans. Tobacco 6% harvested, 17% last year, 12% average; condition 55% fair, 43% good. Problems with budworms on tobacco. Watermelons 5% harvested, 24% last year, 18% average; condition 12% poor, 42% fair, 44% good. Peaches 56% picked this year and last, 50% average; condition 33% very poor, 18% poor, 22% fair, 25% good. Apple condition 19% very poor, 24% poor, 31% fair, 26% good. Grain sorghum 81% planted, 80% last year, 78% average; condition 33% fair, 65% good. Wheat 88% harvested, 90% last year, 92% average; condition 9% poor, 48% fair, 39% good. Rye condition 5% very poor, 12% poor, 52% fair, 31% good. Other small grains 4% very poor, 8% poor, 49% fair, 39% good. Pastures 4% poor, 27% fair, 66% good. Hay 6% poor, 32% fair, 59% good and 3% excellent.

HAWAII: Weather hot and dry with occasional light showers. Spray programs increasing to control insects and diseases. Banana supplies light. Moderate to heavy supplies head cabbage. Lettuce supplies moderate. Papaya production decreasing.

IDAHO: Several weather systems produced below normal temperatures across the State and abundant moisture in the north. Temperatures averaged 5° below normal for the State ranging from 6° below average at Burley to normal at Idaho Falls. Precipitation was above normal in the northern half of the State with over 0.50 in. above average common. Sandpoint recorded the greatest amount with 1.32 in. The southern half of the State experienced below normal rainfall with between 0.10 and 0.25 in. below average common.

Favorable conditions continued as 6.2 days were suitable for fieldwork. Winter wheat was 66% headed versus 72% last year and 70% average. Almost 20% of the spring wheat and 17% of the barley were headed compared to 26% and 27% respectively last year. Potato emergence at 93% trailed 1982's 98% but was the same as average. Almost 97% of the dry bean crop had emerged versus 92% last year. The first cutting of alfalfa hay was complete on 52% of the acres compared to 50% last year. Ranges and pastures were generally in good condition.

ILLINOIS: Temperatures 2 to 13° above normal. Precipitation none to 0.43 in.

Soil moisture 38% short, 61% adequate, 1% surplus. Days suitable fieldwork: 6.3. Corn average height 21 in., 1982 35 in., average 29 in.; height most advanced fields 31 in., 1982 50 in., average 44 in.; condition 8% excellent, 73% good, 19% fair. Soybeans 99% planted; 1982 97%, average 97%; condition 1% excellent, 66% good, 32% fair, 1% poor. Sorghum 90% planted, 1982 90%, average 91%. Winter wheat 90% turning yellow, 1982 98%, average 93%; 17% ripe, 1982 65%, average 59%; less than 5% harvested, 1982 19%, average 13%; condition 11% excellent, 63% good, 23% fair,

3% poor. Oats 75% headed, 1982 88%, average 88%; 40% filled, 1982 59%, average 58%; 10% turning yellow, 1982 18%, average 14%; condition 4% excellent, 58% good, 34% fair, 4% poor. Alfalfa hay 1st crop 94% cut, 1982 94%, average 97%; 2nd crop 5% cut, 1982 14%, average 21%; condition 11% excellent, 72% good, 16% fair, 1% poor. Clover hay 82% cut, 1982 79%, average 81%; condition 9% excellent, 84% good, 7% fair. Pasture condition 21% excellent, 59% good, 17% fair, 3% poor. Livestock condition fair, suffering heat stress.

INDIANA: Temperatures 6 to 9° above normal north, 4 to 8° central and 3 to 6° above south. Temperatures 90 or higher 4 to 6 days during week. No precipitation until late in week. A tenth inch in north only. Soil temperature into the 90's. Growing degree days highest of season.

Crops showing heat, moisture stress. Fieldwork averaged 6.1 days. Topsoil moisture mostly short to adequate. Subsoil moisture short to mostly adequate. Soybeans 100% planted, 1982 98%, average 93%. Soybeans 95% emerged, 1982 95%. Soybeans 5 in. tall, 1982 8 in., average 5 in. Soybean condition fair to mostly good. Corn 15 in. tall, 1982 33 in., average 23 in. Corn condition fair to mostly good. Wheat condition fair to mostly good. Wheat 100% headed, 1982 100%, average 100%. Wheat harvested 0%, 1982 7%, average 6%. Wheat 95% in milk, 1982 95%. Wheat 65% turning color, 1982 75%, average 75%. Wheat 5% ripe, 1982 30%, average 30%. Oats 70% headed, 1982 85%, average 85%. Oats 20 in. tall, 1982 26 in. Alfalfa hay 97% cut once, 1982 92%, average 93%. Clover hay 85% cut, 1982 75%, average 85%. Rye 3% combined, 1982 4%, average 7%. Tobacco plants 95% set, 1982 85%, average 90%. Pastures fair to good.

IOWA: A hot, humid, hazy week with heavy precipitation and flooding early in the week northwest.

Days suitable 5.3. Corn cultivated 1st time 70%; 62% last year; 66% normal. Soybeans emerged 98%; 85% last year; 97% normal. Soybeans cultivated 1st time 36%. First crop alfalfa hay harvested 88%; 88% last year; 92% normal. First crop clover hay harvested 50%; 61% last year; 68% normal. Oats headed 40%; 76% last year; 83% normal. Topsoil moisture 28% short; 61% adequate; 11% surplus. Subsoil moisture 3% short; 78% adequate; 19% surplus.

KANSAS: Precipitation averaged little or more west and north central, up to 0.50 in. east and south central. Temperatures averaged 77 to 80°, about normal south central, 3 to 5° above normal northwest quarter.

Wheat headed, 100%, last year 100, average 100. Turning color 85%, last year 90%, average 95%. Ripe 5%, last year 30%, average 55%. Harvested none, last year 2% and average 20%. Harvesting started southernmost counties. Sorghum planted 80%, 60% last year, average 90%. Soybeans planted reached 85% completion, last year 40%, average 85%. Soil moisture mostly adequate with a few counties short in the west and a few counties surplus in the east. Hot, dry weather early in week allowed 5.5 days suitable for fieldwork and haying.

KENTUCKY: Unseasonably warm and dry. High temperatures rose to 90 or above at all reporting locations and daily averages were from near normal to 5° above normal. Precipitation was light and spotty and occurred very early in week. Amounts ranged from trace to little more than 0.50 in.

Days favorable for fieldwork averaged 5.3. Soil moisture 28% short, 71% adequate, 1%

surplus. Corn planting virtually complete, only some silage corn remaining. Last year 100%, average 100%. Average height emerged corn 17 in. Soybeans 68% planted, 83% last year, 78% average. Planting of double crop beans will pick up as small grain harvest advances. Wheat harvest 10% complete. Last year 63%, average 46%. Crop poor to fair. Barley harvest 70% complete. Tobacco plants under 6 in. Tall 57%, only 8% over a foot. Some resetting. Disease and insect damage minor. Haying active. Pastures good to excellent.

LOUISIANA: Rainfall averaged 1.56 in. northwest to 3.29 in. southeast. Temperatures averaged 2 to 4° below normal. High 91°, low 62°.

Soil moisture adequate to surplus. Days suitable 3.0. Spring plowing complete. Corn silked 61%, 91% 1982, 81% average. Dough 16%, 53% 1982. Mature 1%, 3% 1982. Condition fair to good. Cotton squaring 23%, 70% 1982, 50% average. Setting bolls 1%, 2% 1982. Condition fair. Rice emerged 100%, 100% 1982, 100% average. Headed 3%, 16% 1982, 20% average. Condition fair to good. Sorghum planted 95%, 97% 1982, 93% average. Emerged 91%, 94% 1982, 87% average. Headed 6%, 34% 1982. Condition fair to good. Soybeans planted 87%, 91% 1982, 93% average. Emerged 81%, 85% 1982, 86% average. Blooming 9%, 1% 1982. Condition fair to good. Sweetpotatoes transplanted 79%, 97% 1982, 95% average. Condition fair to good. Sugarcane condition good. Wheat harvested 96%, 98% 1982. Condition fair. Hay first cutting 82%, 92% 1982. Pecans rated fair. Peach harvest 25%, 43% 1982. Condition good. Vegetables rated fair to good. Pastures and livestock rated good.

MARYLAND AND DELAWARE: Heavy rainfall throughout both the States limited fieldwork the first part of the week. Temperatures averaged near normal to 2° above. Heaviest rains fell in north central and southern districts.

Delaware: Soil moisture ranged from adequate to surplus. Days suitable for fieldwork 4.5. Corn planted 100%, last year and on average 100%. Soybeans 70% planted, 90% last year, 85% average. Rye 90% turned, 30% harvested, last year 100% turned. None harvested. Barley 90% harvested, last year 95%. Wheat 95% turned, last year 100%. All vegetables planted. Peas harvested 45%, last year 82%. First cuttings alfalfa 97%, last year 100%. Other hays 95% cut first time, last year 100%.

Maryland: Topsoil moisture adequate to surplus. Field corn 100% planted; 100% last year; average 100%. Soybeans 70% planted, last year and average 85%. Tobacco 90% transplanted, last year 85% and average of 90%. Small grains good to excellent. Wheat turned 85%, 90% last year. Oats 60% turned, 85% last year. Barley 60% harvested, 70% last year. Major vegetables all planted. Alfalfa hay, 1st cutting, 96% complete, 95% last year. Other hay 80% harvested, 60% last year. Days suitable for fieldwork: 4.0.

MICHIGAN: This was the second consecutive week of hot, dry weather after over two months of cool and wet weather. Average temperatures were 5° above normal. Precipitation was almost nonexistent. Western upper received the largest amount with 0.80 in.

Fieldwork and haying very active during the week. Statewide 6.6 days suitable for fieldwork. Soil moisture supplies becoming short in most areas of the Lower Peninsula. Soybean planting 98% complete, 100% last year, 99% average. Dry beans 90% planted, 85% last year, 92% average. Winter wheat 95% headed, 98%

last year, 100% average. Oats 15% headed, 35% last year, 39% average. Strawberries 30% picked, 60% last year, 56% average. Recent warm weather advanced development of fruit crops. Vegetable crops stressed by hot dry weather and irrigation used where available.

MINNESOTA: A warm week with heavy rainfall some areas. Temperatures averaged 4 to 8° above normal for State. High: 95°, low: 43° Precipitation averaged 0.42 to 0.78 in. below normal for northeast, west central, south central, and southeast; 0.17 to 0.42 in. above normal for northwest, north central, east central, and southwest; 2.93 in. above normal for central. Greatest official weekly total: 9.73 in.

Crop development was aided by warm, humid weather. Row crops started to catch up. Small grains were recovering from earlier drought stress in west central. Uncut hay benefited from rain and warmth, but drying conditions poor for hay still in swath. Flash flood in central district caused flood and erosion damage to crops. Scattered hail and rain damage in southwest and south central districts. Extensive areas of standing water in northwest district have stressed small grains and necessitated aerial herbicide applications. Topsoil moisture: 12% short, 57% adequate, 31% surplus. Average number of days suitable for fieldwork: 3.8. Emerged: Soybeans 96%, 1982 93%, normal 97%. Height in inches: Corn 12%, 1982 13%, normal 15%; soybeans 5, 1982 5, normal 6; sunflowers 6, 1982 5, normal 7. Jointing: Spring wheat 78%, 1982 71%, normal 74%; oats 79%, 1982 76%, normal 79%; barley 80%, 1982 71%, normal 74%. Heading: Spring wheat 17%, 1982 14%, normal 33%; oats 20%, 1982 17%, normal 40%; barley 27%, 1982 23%, normal 41%.

MISSISSIPPI: Temperatures 2 to 5° below normal. Extremes 61 and 92°. Rainfall averaged from 0.27 to 3.83 in. Heaviest southwest.

Soil moisture adequate northwest and southeast, surplus to excessive elsewhere. Fieldwork 2.5 days suitable, 5.3 last year, 5.1 average. Soybeans 75% planted, 92% last year, 88% average; 60% to stand, 80% last year; condition fair to good. Cotton 36% squaring, 78% last year, 62% average; 0% setting bolls, 1% last year, 3% average; condition fair to poor. Rice 99% up to stand, 100% last year and average; condition fair. Corn 21% silking, 51% last year, 48% average; condition good to fair. Sorghum 90% planted, 94% last year, 90% average. Sweetpotatoes 85% planted. Winter wheat 46% harvested, 95% last year, 90% average; condition fair to good. Hay 45% harvested, 50% last year, 44% average. Peaches 15% harvested. Pasture condition good.

MISSOURI: Days suitable for fieldwork: 5.6. Grain sorghum 91% planted, 75% last year and 80% normal. Soybeans 98% planted, 75% last year and 82% normal. First cutting alfalfa hay 94% harvested, 83% last year and 85% normal. Second cutting alfalfa hay 13% harvested, 15% last year and 19% normal. Other hay 69% harvested, 46% last year. Winter wheat 93% turning color, 97% last year and 92% normal. Wheat 12% harvested, 21% last year and 23% normal. Corn condition 3% excellent, 65% good, 31% fair and 1% poor. Pasture condition 3% excellent, 74% good, 22% fair and 1% poor. Topsoil moisture supplies 5% surplus, 66% adequate and 29% short.

Temperatures were above normal, with an average of 2° above normal for the State. Precipitation varied, with thunderstorms on 26th. Rainfall ranged from none in the extreme northern part of the State to 6.00 in. in the east central portion. The average rainfall was 0.50 in.

MONTANA: Cool over western half of State as temperatures averaged 2 to 4° below normal. Warm eastern half of temperatures averaged 2 to 5° above normal. Temperatures above 100 over most of northeast and southeast late in week. Some heavy showers, 1.00 to 2.00 in., in the extreme east early in week, otherwise scattered light to moderate showers.

Soil moisture short. Localized rains preventing widespread drought. Most crops fair to good condition but deteriorating. Spring crops especially vulnerable. Winter wheat 65% headed, 5% last year, 45% average. Spring wheat 45% boot, 10% headed, last year 15% boot, 1% headed. Normal 20% boot, 5% headed. Fieldwork days suitable 6.0. Nearly 20% alfalfa hay cut, last year none, average 15%.

NEBRASKA: Precipitation of 0.50 in. Panhandle up to 2.50 in. central and east. Temperatures 2 to 7° above normal. First above normal week of the growing season.

Corn mostly good. Above normal temperatures gave a much needed boost to growth and development. Sorghum and soybean planting completed. Winter wheat good. Turning color 60%, last year 55%, normal 75%. Ripe less than 1%, a year ago 2%, normal 15%. Harvested 0%, last year 0%, normal 3%. First cutting of alfalfa 85%, behind both last year 90% and normal 98%. Pasture and range feed good. Topsoil moisture adequate. Subsoil moisture mostly adequate to surplus. Days suitable for fieldwork 4.8.

NEVADA: Mostly fair skies across State. Two relatively dry, cold fronts produced cloudiness and some light precipitation northeast sections. Frontal passages produced mostly increases in surface winds with afternoon gusts in excess of 38 miles per hour across State. Both afternoon highs and morning low temperatures near normal.

Alfalfa hay harvest moving northward and gaining momentum. Livestock grazing on lush vegetation range areas.

NEW ENGLAND: Hot, dry week with temperatures 3 to 5° above normal. Scattered showers and thunderstorms dropped 0.05 to 0.40 in. over New England.

Ideal growing conditions. Soil moisture adequate. Maine potato emergence 85%, still 1 to 2 weeks behind schedule. Field corn planting complete in southern New England, 95% in northern areas. First cut hay, 70% harvested. Apple set and drop average.

NEW JERSEY: Temperatures averaged 2° below normal. Extremes were 43° on the 26th and 93° on the 24th. Weekly rainfall averaged 0.41 in. north, 1.37 in. central and 2.71 in. south. The heaviest 24-hour total 3.91 in. on the 20th to 21st. Estimated soil moisture, in percent of field capacity, averaged 74% north, 74% central and 81% south. Four inch soil temperatures averaged 70° north, 73° central and 76° south.

Fieldwork: 5.2 days suitable. Main farm activities: Baling hay, planting early and fall vegetables. Most crops in good to excellent condition. Topsoil moisture supplies adequate.

NEW MEXICO: Average temperatures near normal. Minimum 32°, western mountains, maximum 103°, southeastern Plains. Scattered thundershowers, all areas. Largest accumulation 1.77 in., northern mountains. Smallest 0.03 in., southern Desert.

Cotton squared: 8%, 50% previous year, 58% average. Emerged crop, good condition. Alfalfa hay good. First cutting complete. Second cutting continuing. Wheat, barley harvest full swing. About 40% complete. Grain sorghum

95% planted, good condition. Corn good condition. Mesilla Valley onions being harvested. Chile fields good condition, behind normal development. Peanuts virtually in. Potatoes good condition. Ranges fair to good. Some weed problems. Cattle, sheep good condition.

NEW YORK: Very light rainfall, temperatures above normal.

Another excellent week for fieldwork, crop growth. Corn planting nearly complete. Wheat, oats heading. Great haying progress, 1st cut alfalfa hay 77% done, 24% 1982, 30% average. Clover-timothy haying 59% done, 12% 1982, 19% average. Grass silage 78% cut, 30% 1982, 39% average. Best haying progress in over 11 years. Apples, cherries, peaches, pears, grapes in good condition. Grapes in full bloom. Strawberry harvest underway. Sweet corn, snap bean planting continues. Some areas dry, growers irrigating vegetable crops.

NORTH CAROLINA: Temperature 1 to 2° below normal Statewide. Precipitation light across the State.

Soil moisture: 1% very short, 31% short, 65% adequate and 3% surplus. Days suitable for fieldwork: 5.2. Condition: Irish potatoes: 4% poor, 29% fair, and 67% good. Peaches 52% poor, 31% fair and 17% good. Tobacco in fields: 40% fair, 58% good and 2% excellent. Corn 24% fair, 68% good and 8% excellent. Cotton: 55% fair, 40% good and 5% excellent. Peanuts: 22% fair and 78% good. Soybeans 28% fair, 71% good and 1% excellent. Apples: 4% poor, 56% fair, and 40% good. Planting progress: Sweetpotatoes 83%, 1982 90%, 93% average; sorghum 86%, 1982 91%, 88% average. Soybeans 83%, 1982 78%, 86% average. Burley tobacco 97%, 1982 100%, 98% average. Harvests: Irish potatoes 16%, 1982 30%, average 43%; wheat 59%, 1982 63%, average 66%; oats 75%, 1982 73%, average 76%, barley 80%, 1982 75%, average 79%; rye 70%, 1982 60%, average 74%. Major farm activities: Soybean planting, small grain and hay harvest and cultivation of tobacco and corn.

NORTH DAKOTA: Heavy rainfall early in week. Hot, windy conditions remainder. Temperatures averaged 5° above normal. Extremes from 98 to 49°. Precipitation above normal.

Isolated instances of hail damage, drowned out crops, soil erosion. Crops mostly good to excellent condition. Small grain maturity about normal, row crop development slightly ahead. Percent heading or beyond compared to last year and average for hard red spring wheat were 8, 5, 16. Topsoil moisture conditions lagging last year but better than average. Specifically 26% short, 72% adequate and 3% surplus. Farmers haying, summer fallowing, cultivating row crops and spraying. Cutworms, sunflower beetles and grasshoppers showing up. Some fields have been reseeded due to severe insect damage. Crops being sprayed for tanspot and leafy spurge.

OHIO: Temperatures above seasonal averages. Wide ranges from upper 50's morning to mid 90's afternoon. Minimal precipitation.

Corn stands variable very poor to very good. Soybeans fair to good. Moisture shortages serious in some areas. Strawberry harvest to 60%; late. Soybeans planted 99%, 100% 1982, 95% average. Winter wheat headed 100%, 100% 1982, 100% average. Alfalfa, first cut 95%, 85% 1982, 85% average. Other hay, first cut 85%, 65% 1982, 65% average. Oats headed 65%, 75% 1982, 70% average. Tobacco transplanted 90%, 75% 1982, 85% average. Days favorable: 5.0. Pasture condition good. Soil moisture 35%, 65% 1982, 2% average.

OKLAHOMA: Temperatures near normal most divisions ranged from 4° below Panhandle to 1° above central and northeast. Rainfall in all divisions ranging from 0.09 in. west central to 1.15 in. southeast with most areas less than 0.75 in. Harvest has begun across the State and wheat harvest is in full swing. Cotton plantings increased from 65% last week to 95% this week. Livestock continue to have tick and other insect problems in east. Cattle in good condition and forage growth has been excellent. Farmers had 6.3 days suitable for fieldwork. Wheat headed: 100%; 100% 1982; 100% average. Wheat harvested: 30%, 25% 1982, 65% average. Sorghum planted: 70%, 65% 1982, 95% average.

OREGON: Rainfall during week left up to 1.20 in. along coast and northern Cascades; up to 0.50 in. in Willamette Valley and northeast; less than 0.10 in. elsewhere. Temperatures average 6° below normal in central portion; 3° below elsewhere.

Winter wheat turning, 99% headed, 97% 1982; 97% average. Barley harvest underway. Grass seed and crimson clover being swathed in Willamette Valley. Rain damaged some hay. Thinning of apples and Bartlett pears continues in Hood River Valley. Cherry picking well advanced in Wasco Co. Strawberry harvest past peak; some picker shortages. Rain hampering harvest and causing mold. Raspberry harvest in full swing; marion berry and boysenberry picking to start this week. Cranberries in full bloom or nearing end of bloom. Filberts appear light. Potatoes look good in all areas; some frost in higher elevation fields. Onions beginning to bulb. Green pea harvest in full swing with better quality and yields than earlier fields. Asparagus harvest over. Snap beans and sweet corn planting about complete. Livestock good. Range and pasture good to excellent.

PENNSYLVANIA: Temperatures generally normal. Precipitation above normal, with most of the rain in thunderstorms on the 20th and 21st. A few storms on the 21st dumped over 5.00 in. of rain in the south central mountains triggering flash floods.

Days suitable: 4.0. Moisture, surplus to adequate. Activities: Planting soybeans; cultivating and side-dressing corn; spraying; transplanting tobacco; making hay and haylage; top-dressing alfalfa; combining barley and making straw; green chopping; picking strawberries; and trimming pastures. Tobacco transplanting virtually complete, same as last year. Soybeans 84% planted, last year 90% complete. Barley 36% headed, 43% turning yellow, 16% ripe and 5% harvested, last year 24% headed, 61% turning yellow, 14% ripe and less than 5% harvested. Wheat 66% headed, 25% turning yellow and less than 5% ripe, last year 70% headed, 28% turning yellow, and less than 5% ripe. Oats 29% headed and 6% turning yellow, last year 70% headed and less than 5% turning yellow. Average corn height 11 in., last year 16 in. First cutting alfalfa 73% complete, last year 64% complete. First cutting clo-tim 59% complete, last year 43% complete. Quality of hay made good to fair. Feed from pastures mostly average.

PUERTO RICO: Island average rainfall 0.75 or 0.63 in. below normal. Highest weekly total 3.25 in. Highest 24-hour total 3.10 in. Temperature averaged about 85 to 82° on Coasts and 77 to 76° Interior Divisions. Mean station temperatures ranged from 86.1 to 68.0°. Extremes 97 and 57°.

SOUTH CAROLINA: Scattered showers, mostly light with a few downpours. Temperatures above normal end of week (upper 90's).

Days available for outside work: 5.7. Corn fair to good. Cotton fair to good; 35% squaring, 87 year ago, 86 average. No cotton setting bolls, 16% last year, 16 average. Soybeans planting slowed by dry weather, 83% planted, 85% last year, 89% average. Tobacco diseases widespread; conditions declined to fair. Wheat 76% harvested, behind 85% last year, 88% average. Harvesting variable yields. Peach 15% harvested, 33% last year, 23% average; condition still poor to fair. Tomatoes increased harvest to 10%; conditions improved to good.

SOUTH DAKOTA: Average temperatures 4 to 10° above normal. Extremes: 37° and 99°. Rainfall 2.00 to 4.00 in. southeast, 3.00 in. central, 1.50 in. or less rest of State.

Days suitable for fieldwork: 4.0. Spring crop plantings virtually complete. Flooded and washed-out fields widespread southeast. Spring small grains and corn a week to 10 days behind normal. Alfalfa stands very good throughout State. Winter wheat stands rated good to excellent. Winter wheat 86% headed, 1982 94%, average 98%. Sorghum 94% planted, 1982 81%, average 96%. Spring wheat 31% headed, 1982 31%, average 59%. Corn height 8 in., 1982 9 in., average 14 in. First cutting alfalfa 53%, 1982 64%, average 71%.

TENNESSEE: Temperature averages were mainly in the 70's, slightly below normal. Most sections of the State received rain but amounts were generally less than 0.50 in.

Days suitable for fieldwork: 4.8. Soil moisture: 15% short, 76% adequate, 9% surplus. Corn tasseling 3%, 1982 15%, average 11%. Cotton squaring 8%, 1982 53%, average 33%. Soybeans planted 72%, 1982 86%, average 84%. Tobacco set 96%, 1982 99%, average 100%. Wheat ripe 86%, 1982 96%, average 95%. Wheat harvested 29%, 1982 67%, average 72%. Alfalfa hay 2nd cuttings 30%, 1982 64%, average 61%. Pastures and livestock good.

TEXAS: Cloudy skies, widely scattered thunderstorms East Texas, along Upper Coast. Later part of week, mostly fair. Temperatures were normal to near normal over entire State.

Crops: Drier, warmer conditions returned allowing producers to make good progress with planting, harvesting operations. Some showers fell but were not enough to delay fieldwork or relieve conditions in areas that have become moisture stressed. Warmer temperatures aided growth of cotton, sorghum, corn. Cotton planting made good progress. Plains, where planting is active, excellent progress was made. Some limited replanting High Plains, completed. Other areas completing planting, earlier planted fields making good growth. Build-up of thrips, weevils reported. In Central, South Texas crop progressing well. June 23rd first bale of 1983 U.S. cotton crop classified at Hargill, Texas. Sorghum planting made good progress. Planting should wrap up soon. Crop was matured well in South Texas, Rio Grande Valley where harvest getting underway. Corn continues to progress well, dryland fields in need of additional moisture. Irrigation continues at steady rate. Small grain harvest made good progress. Warmer conditions have aided maturing Plains. Yields throughout the State continue to vary, overall yield good. Central, South Texas, harvest winding down. Root rot, rust, mosaic continue to plague producers, damage minimal. Currently wheat condition is 85% of normal compared with 67% a year ago. By week's end 23% excellent; 49% good; 24% fair;

and 4% poor. Peanut planting in full swing Central, South Central Texas. Earlier planted fields making good growth. South Texas fields in good condition, good stands established. Rice making good growth under hot, humid condition. The crop has developed slowly, should progress rapidly if warming continues.

Cotton planted 98%, 1982 98%, 99% average; cotton squaring 11%, 1982 16%, 25% average; cotton setting bolls 5%, 1982 10%, 13% average; cotton open bolls 0%, 1982 1%, 0% average. Rice headed 5%, 1982 52%, 46% average; rice turning color 0%, 1982 9%, average 3%. Sorghum planted all purposes 93%, 93% 1982, 97% average; sorghum headed 52%, 57% 1982, 56% average; sorghum turning color 28%, 37% 1982, 35% average; sorghum mature 1%, 9% 1982, 11% average. Wheat turning color 93%, 97% 1982, 99% average; wheat harvested for grain 49%, 46% 1982, 60% average. Oats harvested for grain 74%, 61% 1982, 82% average. Peanuts planted 80%, 74% 1982, 83% average. Soybeans planted 74%, 65% 1982, 80% average. Sunflowers planted 84%, 58% 1982, 77% average.

Commercial vegetables: Rio Grande Valley, harvest of watermelons, okra, tomatoes, squash active. San Antonio-Winter Garden area, producers active harvesting cucumbers for pickles, onions, cantaloups. Irrigation continues. East Texas, tomatoes matured rapidly, harvest underway. Some cucumbers, potatoes also being harvested. Watermelon planting continues. Coastal Bend, watermelons continue to develop well. Cucumber, tomato harvest underway, fruit matured rapidly under warmer temperatures. Trans-Pecos region, onion harvest continues. Cantaloup, pepper, cabbage stands making good growth. Plains, onions, potatoes continue to show good growth. Knox City area, harvest of onions, potatoes underway. Peach harvest continues, moving northward at a rapid pace. Warmer temperatures have aided maturing. Pecans developing rapidly, setting nuts. Moisture levels critical. Casebearer problems remain light.

Range and livestock: Range, pasture condition made little progress. Growth of grasses showed most areas, except portions of Central Texas. Grazing limited, feeding has picked up pace. Livestock remain in good condition. Hay cutting active, yields reduced by lack of moisture.

UTAH: Isolated thunderstorms few locations. Temperatures generally above normal ranging 5° above to 3° below.

Dam washout in central area flooded thousands of acres farmland. Tens of thousands more threatened by inoperable irrigation systems. Many tons baled hay washed away by flood. Hay and grain fields covered with mud and debris. Fieldwork active all week, Statewide. Hay harvest and irrigation system repair major activities. First crop hay late, weedy and light. Harvest 57% complete. All crop progress continued behind normal. Below normal yields expected for all field crops. Near full production fruit expected. Outlook much better than last year.

VIRGINIA: Typical summertime weather with scattered showers and thunderstorms producing Statewide rainfall except last two days. Heavy, slow moving storms yielded high local rain amounts 19th through 21st. Temperatures slightly below normal, humidity up.

Early week rains and warm temperatures all week kept the general condition of crops good. Topsoil moisture rated 7% short, 79% adequate and 14% surplus. Days suitable for fieldwork were 3.7. Corn condition rated good to excellent but, because of below normal

germination, some fields spotty. Cultivating and spraynd continue. Corn silked 6%, 14% last year and 6% average. Soybeans 69% planted, 72% 1982 and 75% average, condition rated good to excellent. Tobacco condition rated good. Some irrigating in central region. Still setting in southwest. Cultivating continues. Premature flowering southeast. Peanut condition rated excellent. Spraying herbicides and fungicides. Applying land plaster. Small grain harvest continues.

WASHINGTON: A weak frontal system followed by moist unstable air brought significant rain to west and light amounts to east over the weekend. Although temperatures remained below normals, high pressure produced dryer and warmer fair weather during midperiod. But the high was replaced by a complex low pressure system late 22nd and the remainder of the week was cool and wet.

Small grains average to above average condition. Fall grains fared better than spring grains in Whitman County. Hail, wind damage reported in parts of Garfield County. Growers fertilizing for fall planting and preparing for early harvest. Winter barley harvest started. Wheat harvest two weeks away. Peas and lentils average to below average condition. Haying continues. Cherry harvest yielding large volume, excellent quality, nearing completion some areas. Cover spraying continues. Apple and pear orchard thinning in progress. West of the Cascades, strawberry picking at midpoint and raspberry picking started early. Blueberry harvest in few weeks. Vegetables in good condition. Tomatoes, corn, and cucumbers need warmer weather. Fresh market carrots ready for harvest in few weeks. Broccoli and cauliflower progressing well. Lettuce and spinach harvest continuing. Livestock in good condition. Pastures benefited from rain, cool weather. Grass supplies excellent, farmers continuing green-chop. Winter wheat headed 100%, 97% 1982, 92% average.

WEST VIRGINIA: Temperatures averaged above normal. Low 43°, high 93°. Precipitation varied. Below normal in south, near normal in north and east. Heavy showers gave some areas large amounts. Range none to 2.47 in.


Soil moisture adequate to short in western half of State, adequate to surplus in eastern Panhandle area. Days suitable for fieldwork averaged 4.3. Main activities: Hay harvesting, combining and gardening. Small grain crops in good to fair condition. Corn in fair to good condition. Wheat reported 6% pre-headed, 75% headed, 12% ripe and 7% harvested; 2%, 76%, 15% and 7% in 1982. Barley was 42% headed, 39% ripe and 19% harvested; 1% pre-headed, 43% headed, 33% ripe and 23% harvested in 1982. Oats were 60% pre-headed, 33% headed, 5% ripe and 2% harvested; 35% pre-headed, 61% headed and 4% ripe in 1982. Corn was 99% planted and 94% emerged; 98% and 95% in 1982. Tobacco was in fair to good condition with 86% set; 85% in 1982. Pasture and hay was in good to fair condition. The first cutting of hay was 62% complete; 49% in 1982. Second cutting was 4% complete; 5% in 1982. Fruit was in fair condition.

WISCONSIN: A summertime patter dominated weather. Daytime temperatures in the 80's and low 90's occurred early in the week, with upper 80 to upper 90° readings by the weekend. Nighttime lows were generally in the 40's and 50's at the beginning of the week and climbed into the 60's and 70's later in the week. A squall line of heavy thunderstorms marched across north late 21st. Scattered thunderstorms



(continued on p. 9)

International Weather and Crop Summary

June 19 to 25




1. UNITED STATES ... Warm, dry weather over most of the Corn Belt allows completion of planting and rapid development of crops. Dry pockets in Ohio and South Carolina slow planting and emergence of soybeans, while rains along the gulf coast hamper harvesting of grains and planting of double-crop soybeans. Persistent dryness stresses Montana wheat.
2. USSR... Unseasonably cold air covers Western USSR with scattered frost possibly damaging crops in the north. Further east, hot, dry weather stresses spring wheat in the New Lands.
3. EUROPE ... Showers benefit crops over much of the region.
4. SOUTH ASIA ... Torrential downpours cause flooding in western India. Widespread rains in central crop areas allow planting to begin.
5. EASTERN ASIA ... Heavy rains continue to slow development of early rice and delay late rice planting. Beneficial rain falls in southern crop areas of the North China Plain.
6. AUSTRALIA ... Showers in west aid planting and emergence of winter wheat, but more rain is needed. Heavy showers disrupt wheat planting in southeastern Queensland. Conditions are generally dry elsewhere in wheat belt.
7. CANADA ... Abundant rains improve growing conditions in northwestern Prairie crop areas, but conditions are too dry in the southwest for the upcoming reproductive cycle. Showers maintain favorable soil moisture in east.
8. SOUTH AMERICA ... Dry weather aids coffee/citrus harvest in Sao Paulo and vicinity, but heavy rain again delays wheat planting in Rio Grande do Sul. Dry, seasonably cool weather aids late soybean harvest and wheat planting in Argentina.
9. MEXICO ... Light rain relieves some stress on corn and beans in southern Plateau. Dryness continues over the North, aiding the harvest but deteriorating immature crops. Rains continue over the South and extend into central America.
10. SOUTHEAST ASIA ... Widespread monsoon activity returns to Thailand, benefiting corn and rice in the vegetative stage. Substantial rain in the Philippines helps to ease drought conditions.




USSR...Widespread precipitation covered most of Western USSR, with heaviest amounts of moisture (25 to 50 mm) falling on crops in the extreme north as well as those in the southern portion of the region. An arctic air outbreak during midweek caused unseasonably cold air to push southward. Near-freezing temperatures, around 2°C, covered the central Volga Valley, the Volga Vyatsk, and the Central Region on some days, with the lowest temperature of 0°C reported at one location in each area. Spotty patches of frost may have damaged crops grown in these areas, especially winter rye and spring grains which are in the critical heading stage. Overall, the cold weather will slow crop development, particularly summer crops which require warmer weather for growth.


In the New Lands, hot, dry weather ahead of an eastward-moving cold front covered most spring grain areas during the week. Maximum temperatures rose to around 35°C by midweek over the central portion of the region. Significant rains fell at some locations as the front passed through western crop areas. However, the front weakened as it moved eastward, so little, if any, precipitation covered the eastern half. The hot, dry weather increased evaporation rates, stressing spring grains in the vegetative stage. In cotton areas of south-central USSR, spotty showers and thunderstorms continued to cover cotton areas in eastern Uzbekistan and northern Tadzikistan. The locally heavy rains could have produced washouts in some areas.




EUROPE...Wet weather returned to crop areas of southern England and France late in the week, benefiting both winter and summer crops. Generally dry weather covered crops in East Germany and northern Poland where soil moisture supplies are adequate. Showers continued to benefit summer crops in southeastern Europe, but some delays in the winter grain harvest may have resulted. In addition, localized heavy showers in southern Romania may have caused flooding in some areas. Further west, showers also benefited crops in Italy and parts of Spain. Temperatures were below normal in most crop areas, except the northwest, where temperatures were above normal.




EASTERN ASIA...Persistent heavy rains remained in most of China's southern rice area, hampering development of early and intermediate rice in the vegetative stage. The wet weather is also slowing late rice planting which usually begins in June. Weather in the North China Plain showed a marked contrast with heavy rain in the south and dry weather in Shandong and Hebei. The moisture benefited cotton, corn, and soybeans entering the reproductive stage. Dry weather extended into the northeastern corn/soybean region, but favorable moisture supplies exist from previous rains. Moderate to heavy rain fell in South Korea, benefiting the rice area. Widespread heavy rain fell in southern Japan for the second week, likely causing flooding.




AUSTRALIA...Substantial rains fell over crop areas of Western Australia, and locally heavy showers disrupted fieldwork in southeastern Queensland. Recent showers in the west improved topsoil conditions for planting and emergence of winter wheat, although rainfall was still below average. The success of the western crop, usually accounting for about 30 percent of the total crop, will depend largely on a more seasonal pattern of winter rains, since early-season rains thus far have been below normal. Minimal rain fell over crop areas of South Australia, Victoria, and most of New South Wales where planting should be nearly completed. However, heavy rain fell again in extreme northern New South Wales and especially in southeastern Queensland. This excessive wetness further delayed winter wheat planting.




SOUTH ASIA...Rainfall intensity increased substantially over western and central peninsular India this week, while the extreme southeast was virtually dry. Very heavy rains (200 mm) during the first few days of the week inundated coastal areas of Gujarat, causing severe flooding. Cotton and groundnuts in the area are normally planted in July so no crop damage resulted. Heavy rain fell on the west coast and later in the week extended further inland over the peninsular provinces as monsoon activity became more widely developed. Precipitation this month had been relatively light and scattered with seasonal accumulations 2-3 weeks behind normal. The previous lack of significant moisture has delayed cotton, groundnut, and autumn rice planting. However, the recent widespread rains have allowed planting to begin, but continued monsoon rains will be essential for normal crop development.




SOUTHEAST ASIA...Rainfall increased this week as central and eastern Thailand, Kampuchea, and Vietnam all received substantial moisture. This precipitation benefited rice and corn in the vegetative stage in Thailand following a break in monsoon activity last week. Northern Thailand was relatively dry, but previous rains have added generously to irrigation supplies. Extensive rain fell in the southern half of the Philippines while scattered showers brought moisture to the northern islands. Precipitation has relieved drought conditions somewhat in the last few weeks; however, the soil moisture supply is still low due to the prolonged dry period. Dry weather in May and early June delayed upland rice planting, which should now be underway. Additional rain is needed to supplement soil moisture reserves and irrigation supplies for the lowland rice crop which is normally being planted at this time.



CANADA...Abundant rains (in excess of 50 mm) fell over the northern crop areas of Alberta and the extreme northwestern spring wheat areas of Saskatchewan. Weekly rainfall exceeded 100 mm in the vicinity of Edmonton, saturating the topsoils. In general, the moisture replenished soils which were becoming too dry for vigorous crop growth in the northwestern portion of the Prairie grain belt, but local downpours may have been excessive. Above-average rainfall amounts also covered crop areas of Manitoba and portions of eastern Saskatchewan, extending to Regina. Only light showers fell over southwestern Saskatchewan and southeastern Alberta. Dry soils in southwestern Saskatchewan are stressing crops which are now in the vegetative stage. Grain and oilseed crops are rated fair to good throughout the Prairie Provinces, but moisture is needed soon in southwestern crop areas since the spring-sown crops are nearing the moisture-sensitive reproductive stage.



MEXICO...Light rains falling across the southern Plateau corn and bean belt helped relieve some crop stress, but much more is needed to bring soil moisture up to optimum. Heavy rains drenched the southern mountains and parts of Central America. In contrast, most of the north continued quite dry. Light showers dotted small parts of the northwestern mountains. Rainfed, immature crops, orchards, and pastures are probably critically stressed in parts of the northeast, especially since seasonably hot weather has begun.




SOUTH AMERICA...Dry weather for the second consecutive week improved harvesting conditions for coffee and citrus in Sao Paulo and adjacent states, following the heavy rains which disrupted early harvesting. Heavy rains fell again in Rio Grande do Sul, causing additional delays in wheat planting. Excessive moisture continues to aggravate agricultural activities of southern Brazil. Temperatures averaged above normal for the week, and minimum temperatures stayed well above freezing except for isolated areas in the south. In Argentina, mostly dry weather aided the

(continued on p. 9)



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

**WEEKLY NEWS BULLETIN
SECOND CLASS**



The Weekly Weather and Crop Bulletin (ISSN 0043-1974) is published weekly and jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the Weekly Weather Chronicle. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53d Congress, 3d Session. NOAA is responsible for managing, printing, and distributing the Bulletin. The contents may be reprinted freely, with proper credit.

Annual subscription: domestic \$25, foreign \$33 (in U.S. funds by international money order or check drawn on U.S. bank), payable to U.S. Department of Commerce, NOAA. POSTMASTER: Send address changes to NOAA/USDA Joint Agricultural Weather Facility, USDA South Building, Room 5844, Washington, D.C. 20250. Order subscriptions from the office and address listed above. Second class postage paid at Washington, D.C. and additional mailing offices.

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service/Climate Analysis Center
Managing Editor Don Haddock
Meteorologists Jim Williams
Ray McInturff
Tom Tasselmyer
Karen Brown

Subscriptions (202) 447-7917. . Cheryl Caleco

U.S. DEPARTMENT OF AGRICULTURE
Economic Management Service
Editor Linda Hatcher
Statistical Reporting Service Bill Brannen
Agricultural Statistician Bill Brannen
World Agricultural Outlook Board
Agricultural Weather Analysts Ray Motha
Tom Puterbaugh Ron Lundine